Government Publications

CA2 ON
PS31
-V37



REGISTRATION REPORT

ONTARIO.

1888.

614.1 G58 (1888)



Library
of the
Academy of Medicine,
Toronto.

6171

Digitized by the Internet Archive
in 2012 with funding from
University of Guelph, University of Windsor, York University and University of Toronto Libraries

http://archive.org/details/provinceofontari1888onta

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES AND DEATHS,

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER.

1888.

RINTED BY ORDER OF THE LEGISLATIVE ASSEMBLY.

TORONTO:
PRINTED BY WARWICK & SONS, 68 AND 70 FRONT STREET WEST,
1889.

6171

LIBRARY
JUL 16 2001
UNIVERSITY OF TORONTO

REGISTRAR GENERAL'S OFFICE, ONTARIO,
TORONTO, December 2nd, 1889.

To His Honour Sir Alexander Campbell, K.C. M.G.
Lieutenant-Governor of the Province of Ontario.

MAY IT PLEASE YOUR HONOUR:

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1888.

Respectfully submitted,

CHARLES DRURY,
Registrar-General.

CONTENTS.

	Page.
Total Registrations of Births, Marriages and Deaths in 1888	1
Births.—Extracts from the Tables shewing number and ratio	1
" " " increase and decrease	2
" " " variation in the returns	2
" Remarks on the number of each Sex	2
" " " " in the different Seasons	2
" " Plural and Illegitimate	3
Marriages.—Extracts from the Tables shewing number of, and Percentages	3
" " " " " in each Denomination	3
" " " " " " Month	4
" " " " " " Period of Life	4
" " " " " at advanced Ages	4
" " " " " of Youthful	4
General Tables.	
Table 1.—Births, Marriages and Deaths in each County, with Percentages	5–6
" 2.— " " " " " City " "	7
" 3.— " " " " the Principal Towns	8
Birth Tables.	
" 4.—Births by months, shewing proportion of Males to Females in the Province	10
" 5.— " " " " " " in the Cities	10
" 6.— " for Ten years, shewing Excess of Males over Females	11
" 7.— " Order of, by Months	12
" 8.— " Quarterly Returns of	12
" 9.— " Illegitimate, Twins and Triplets	13
Marriage Tables.	
" 10.—Marriages, by Denominations, with Percentages	16
" 11.— " " Months in Numerical Order for seven Years	17
" 12.— " " Ages for seven years, with Percentag s	18
" 13.— " of Persons at Seventy years and Over	19
Death Tables.	
" 14.—Deaths, rate per 1,000 of Population in each County	22
" 15.— " " " " " " City	22
" 16.— " Quarterly, in the Province and Cities	23

Death Tables.—*Continued.* PAGE.

Table 17.—Deaths, Monthly, according to Numbers 24
" 18.— " List of Centenarians 25
" 19.— " Nationality over sixty years of age 26
" 20.— " at Different Ages for seven Years 27
" 21.— " Ten highest Causes for Eight Years 28–29
" 22.— " " " " in each County 30–31
" 23.— " " " " " City 32–33
" 24.— " " " " " the Principal Towns 32–33
" 25.— " five Highest Causes of, in each Period of Life 34–35
" 26.— " by Occupation, classified in each Quinquennial Period of Life 36–37
" 26.— " Recapitulation 39

Explanation of Diagrams 40

Diagrams Nos. 1 and 2, Births, ratio per 1,000 in the Province, Cities and Towns .....
" " 3 and 4, Deaths, " " " " " .....
" " 5, Death-wave during the Months of the Year .....
" " 6 and 7, Deaths, Comparison of Mortality from Four Diseases .....
" " 8, " at Different Ages .....

Remarks on Deaths in the Province 43
" " " Cities 43
" " " Principal Towns 44
" " respecting the Sex and Season of those who died 44
" " " " Ages of those who died 44
" " " Centenarians 45
" " " Nationality of decedents 45

REMARKS ON THE DIFFERENT CAUSES OF DEATH.

From Pneumonia 45
" Phthisis (Consumption) 46
" Old Age 46
" Nervous Diseases 47
" Anæmia (General Debility) 47
" Heart Diseases (Including Apoplexy) 47
" Diphtheria 48
" Diarrhœal Diseases 48
" Enteritis and Gastritis (Inflammation of Bowels and Stomach) 49
" Fevers 49
" the Five Highest causes of Death in the different Periods of Age 50

DEATHS BY OCCUPATIONS.

From Class I. Cultivators of the Soil 50
" " II. Mechanics 50
" " III. Mercantile Men and Shopkeepers 51
" " IV. Professional Men 51
" " V. Miscellaneous Occupations 51
" " VI. Females at Works 51
Annual Report of the Registrar General of England 52

APPENDIX.

	Page.
Table A.—Births in the Province	iv to ix.
" " " " Cities	x and v.
" B.—Marriages by Denominations and Ages	xiv to xix.
" C.— " " Months	xx and xxi.
" D.—Deaths by Counties	xxxi to ciii.
Recapitulation	civ to cix.
" E.—Deaths by Cities	cx to cxxixiii.
Recapitulation	cxxxii to cxxxv.
" F.—Deaths by Towns	cxxxvi to clxxviii
Recapitulation	clxxiv to clxxii.

REPORT

RELATING TO THE

REGISTRATION OF BIRTHS, MARRIAGES AND DEATHS

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31st DECEMBER, 1888.

Parliament Buildings,
Toronto, December 2nd, 1889.

To the Honourable Charles Drury,
Registrar-General, Province of Ontario.

Sir,—I have the honour to present the Annual Report of the return of Births, Marriages and Deaths registered in the Province for the year ending 31st December, 1888.

According to these returns the Births numbered 46,953 ; the Marriages 14,551, and the Deaths 23,734 ; numbering 85,238 registrations, an increase of 1,049 Births, of 91 Marriages, and of 320 deaths, being a total of 1,460 registrations over that of 1887.

Estimating the population of the Province to be 2,148,971, the ratio per 1,000 living would be, for Births, 21.8 per 1,000 ; for Marriages, 6.7 per 1,000 ; and for Deaths, 11.0 per 1,000. These ratios, when compared with those for 1887, shew a very slight increase for Births, and a small decrease for Marriages and Deaths, indicating that although there was an actual increase in the number of Marriages and Deaths registered, yet the increase was not equal in proportion to the increase in population.

BIRTHS.

(*See Table 1, 2 and 3, Pages 5, 6, 7 and 8.*)

The Births registered in the whole Province in 1888 numbered 46,953, an increase of 1,049 over the number registered in 1887, and were in the proportion of 21.8 to 1,000 persons living.

The Births in the cities numbered 8,880 ; an increase of 321, and a proportion of 27.0 per 1,000. In the principal towns they numbered 2,617, an increase of 240, and a proportion of 23.4 per 1,000. In the rural districts the number registered was 35,456, a proportion of 20.7 per 1,000 living.

The Districts of Algoma and Muskoka and Parry Sound returned large increases in Births, viz., 456 and 251 respectively, chiefly owing to the organization of new municipalities with proper officials to collect and return vital statistics. Twenty-three counties in 1888 registered more Births than in 1887, particularly the counties of Carleton, York, Middlesex, Lambton, Kent and Frontenac. The falling off was principally in the counties of Prescott and Russell (united), Brant, Lennox and Addington, Peterborough, Huron, Hastings and Prince Edward.

The returns of Births for the last few years shew that those counties, cities and towns which for one year returned an increase in the number of Births registered over the previous year, generally returned a decrease the following year, and contrariwise, those which returned a decrease in one year returned an increase the following year. This is exemplified in the registration reports of 1886, 1887 and 1888. In the year 1887 the returns from eight counties, viz., Brant, Essex, Grey, Haldimand, Huron, Lennox and Addington, Peterborough, Prince Edward and the District of Haliburton, shewed an increase in the number of Births registered as compared with the number in 1886, whereas the same localities in 1888 shewed a decrease in the number of Birth registrations. Again, the following twelve counties, viz., Carleton, Halton, Kent, Lambton, Leeds and Grenville (united), Lincoln, Ontario, Oxford, Perth, Renfrew, Victoria and Welland, exhibited a decrease in the number of registrations of Births in 1887 as compared with 1886. In 1888, however, the same counties shewed an increase over the number registered in 1887.

Four of the eleven cities, London, Kingston, Brantford and Guelph, returned an increase in the number of Births in 1887 over the number returned in 1886. In 1888 they returned a decrease; and in three of the other cities, Ottawa, St. Thomas and St. Catharines, there was a decrease in 1887 and an increase in 1888. The change was the greatest in Ottawa. In 1886 that city returned 244 more births than in 1885. In 1887 the registration of Births was 375 less than in 1886, and in 1888 they numbered 353 more than in 1887.

The return of Births received from the city of Toronto shew a steady increase in numbers every year.

SEX.

(*See Table 4, 5 and 6, Pages 10 and 11.*)

There were 24,354 male and 22,599 female births in 1888, a proportion of 107.6 males to 100 females, not quite so great as in 1887. The largest excess of male over female births during the last ten years was in 1885, the proportion in that year was 109 males to 100 females.

The month which gave the largest excess was in October, 112.3 to 100, and the smallest in November, 100.8 to 100.

In the cities, the proportion of male to female births was much larger than in the rest of the Province; in the former it was 110.8 to 100, and in the latter 107 to 100.

The month of January returned the largest excess of male births in the cities, 125.3 to 100, and July the least, 100.9 to 100 female births.

Season.

(*See Table 7 and 8, Page 12.*)

March, as usual, returned the highest number of Births, 4,189, and November the lowest, 3,569. December held the lowest place in 1887. The difference between the two extremes was 620. The first and third quarters returned more Births than the other two quarters.

Twins and Triplets.

(*See Table 9, Page 13.*)

The births of twin children appear to be decreasing. In 1887 the number registered was 72 pairs less than in 1886; in 1888 the number was 54 pairs less than in 1887.

No cases of triplets were registered in 1887. In 1888 three cases were reported, viz., one from the county of Middlesex, one from the united counties of Stormont, Dundas and Glengarry, and one from the county of Welland.

Illegitimate Births.

There has been great disparity between the number of illegitimate births registered in different years, as the following abstracts shew:

In 1883 there were 989 illegitimate births.
1884 " " 644, a decrease of 345.
1885 " " 621, " 23.
1886 " " 671, an increase of 50.
1887 " " 396, a decrease of 275.
1888 " " 618, an increase of 222.

No other cause can be assigned for these sudden changes than that a number of these births were not registered in certain years. No accurate conclusions can therefore be drawn from these irregular data as to whether the births of illegitimate children are on the increase or decrease in this Province.

MARRIAGES.

(*See Tables 1, 2 and 3, Pages 5, 6, 7 and 8.*)

The Marriages registered in 1888 numbered 14,551, an increase of 91 over 1887, giving a rate of 13.4 persons married to 1,000 living. In the cities the number returned was 3,512, an increase of 65 marriages and a rate of 21.4 persons married to 1,000 living. In the principal towns the total marriages numbered 1,454, and a rate of 26 persons married to 1,000 living; while in the rural districts the rate was only 11.4 per 1,000. Residents of rural districts are often compelled to resort to cities and towns, where the clergymen chiefly reside, to celebrate their marriages, and as all marriages are required by the Registration Act to be registered in the municipality in which they are celebrated, the ratio of marriages to population in cities and towns is increased by these marriages above their normal rate, and correspondingly decreased in the rural districts.

According to the statistics of other countries a ratio of from 14 to 16 persons married, or 7 to 8 marriages to 1,000 persons living, is generally considered a fair average rate.

Denominations.

(*See Table 10, Page 16.*)

The largest number of persons married in 1888 gave as their religious persuasion when married that of Methodists, then follow in numerical order Presbyterians, Episcopalians and Roman Catholics. The Quakers returned the fewest marriages—only 80 marriages having been celebrated by them. The returns also shew that there were less marriages in 1888 than in 1887 amongst the Methodists, Presbyterians, Roman Catholics and Lutherans, and more amongst the Episcopalians, Baptists, Congregationalists, Evangelical Association and Quakers. These increases and decreases were not, however, sufficiently large to affect materially the percentage to the whole number of marriages.

Months.

(*See Table 11, Page 17.*)

As usual the largest number of marriages took place in the month of December, and in the fourth quarter of the year; the smallest number occurred in August, and in the third quarter. The great difference in the percentage of marriages for December and August was very striking. The returns shew that 11.5 per cent. of all the marriages took place in December, while only 6.2 per cent. occurred in August. The reason of this has been pointed out in former reports.

Ages.

(*See Table 12, Page 18.*)

During the year, 2,767 persons were married under 20 years of age; of this number 2,560 were females and 207 males. In the next period, between 20 and 25 years, 11,566 persons were married, 6,578 females and 4,988 males, shewing that the proportion of females to males was not nearly so great as in the preceding period. In every other period of life the ages of the males when married exceeded those of the females.

The following table shews the number and percentage of males and females married in each period of life :—

PERIOD.	Males.		Females.	
	Number.	Per Cent.	Number.	Per Cent.
Under 20 years	207	1.4 per cent.	2560	17.6 per cent.
Between 20 and 25 years	4988	34.1 "	6578	45.3 "
" 25 " 30 "	5272	36.2 "	3365	23.1 "
" 30 " 35 "	1987	13.7 "	1016	7.0 "
" 35 " 40 "	923	6.4 "	472	3.3 "
" 40 " 45 "	420	3.0 "	212	1.4 "
" 45 " 50 "	264	1.7 "	144	1.0 "
" 50 " 55 "	171	1.2 "	73	.51 "
" 55 " 60 "	106	.7 "	36	.20 "
" 60 " 65 "	93	.6 "	39	.21 "
" 65 " 70 "	45	.4 "	9	.06 "
70 years and over	29	.2 "	2	.01 "
Ages not given	46	.4 "	45	.31 "
	14551	100.00 per cent.	14551	100.00 per cent.

Marriages at 70 Years and Over.

(*See Table 13, Page 19.*)

There were 31 persons married at 70 years and over, 29 bridegrooms and 2 brides. The oldest bridegroom was 84 years, and the oldest bride 72 years. The united ages of the oldest couple married were 148; their respective ages were 78 and 70 years. The greatest disparity between the ages of any couple married was that of a man 84 years old, who took for his wife a girl of the age of seventeen years. This marriage took place in the united counties of Northumberland and Durham. Another bridegroom was 73 years of age when married and his bride only 21 years of age.

Youthful Marriages.

Amongst the marriages of persons of youthful age, the returns shew that nine girls were married at the early age of 14 years, and 25 at 15 years. No youths were married at those juvenile ages, although two were married at the age of 17, and 7 at 18 years. The united ages of the youngest couple when married were only 31 years; the bridegroom being 17 and his bride 14 years. They were married in the county of Norfolk.

TABLE 1.

TABLE shewing the total number of Births, Marriages and Deaths in each County in 1887 and 1888.

COUNTIES.	Population.	BIRTHS.				MARRIAGES.				DEATHS.				TOTALS.				RATIO TO 1,000 OF THE POPULATION.		
		Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Algoma	30350	550	1006	456	.....	170	194	24	.....	275	225	.....	50	995	1425	430	.....	33.1	6.3	7.4
Brant	37239	886	763	.....	123	278	264	.....	14	392	418	26	.....	1556	1445	.....	111	24.1	7.0	11.2
Bruce	71244	1476	1520	44	.....	489	408	.....	81	597	553	.....	44	2562	2481	.....	81	21.3	5.7	7.7
Carleton	70513	2268	2647	379	.....	627	619	.....	8	1225	1382	157	.....	4120	4648	528	.....	37.5	8.8	19.6
Dufferin	22589	529	512	.....	17	169	159	.....	10	284	205	.....	79	982	876	.....	106	23.1	7.0	9.1
Elgin	46597	899	951	52	.....	291	349	58	.....	423	532	109	.....	1613	1832	219	.....	20.4	7.4	11.4
Essex	51218	1521	1458	.....	63	434	619	185	.....	740	812	72	.....	2695	2889	194	.....	28.4	12.8	15.8
Frontenac	46812	899	969	70	.....	307	313	6	.....	602	478	.....	124	1808	1760	.....	48	20.7	6.6	10.2
Grey	77582	1466	1419	.....	56	460	425	.....	35	632	591	.....	41	2558	2435	....	123	18.2	5.4	7.6
Haldimand	27491	578	496	.....	82	156	142	.....	14	243	274	31	.....	977	912	.....	65	18.0	5.2	10.0
Halton	24112	427	462	35	.....	131	109	.....	22	221	229	8	.....	779	800	21	.....	19.2	4.5	9.4
Haliburton	6511	176	172	.....	4	41	47	6	.....	84	49	.....	35	301	268	.....	33	26.4	7.2	7.3
Hastings	60712	1191	1113	.....	78	380	458	78	.....	668	650	.....	18	2239	2221	.....	18	18.3	7.5	10.7
Huron	84179	1571	1476	.....	95	388	440	52	.....	679	632	.....	47	2638	2548	.....	90	17.5	5.2	7.5
Kent	59769	1035	1223	88	.....	473	419	.....	54	582	532	.....	50	2090	2174	84	.....	20.4	7.0	9.0
Lambton	57238	1188	1299	111	.....	332	363	31	.....	556	559	3	.....	2076	2221	145	.....	22.7	6·3	9.8
Lanark	37372	745	719	.....	26	293	275	.....	18	368	345	.....	23	1406	1339	.....	67	19.2	8.1	9.2
Leeds and Grenville	66181	969	993	24	.....	443	424	.....	19	530	591	61	.....	1942	2008	66	.....	15.0	6.4	8.9
Lennox and Addington	29133	466	349	.....	117	188	173	.....	15	245	216	.....	29	899	738	.....	161	12.0	6.0	7.4
Lincoln	34719	606	669	63	.....	209	218	9	.....	409	457	48	.....	1224	1344	120	.....	19.2	6.3	13.1
Middlesex	102389	1827	1962	135	.....	609	634	25	.....	1101	1064	....	37	3537	3660	123	.....	19.1	6.1	10.4
Muskoka and Parry Sound	39926	1054	1205	251	.....	244	228	.....	16	343	395	52	.....	1641	1828	187	.....	30.2	5.7	10.0
Norfolk	36879	647	592	.....	55	214	231	17	.....	261	321	60	.....	1122	1144	22	.....	16.0	6.2	8.7
Northumberland and Durham	85129	1356	1391	35	.....	466	464	.....	2	743	751	8	.....	2565	2606	41	....	16.3	5.4	8.8
Ontario	53693	998	1034	36	.....	272	273	1	.....	515	537	22	.....	1785	1844	59	.....	19.2	5.1	10 0
Oxford	55176	1028	1056	28	.....	343	373	30	.....	587	626	39	.....	1958	2055	97	.....	19.1	6.7	11.3

TABLE 1.

TABLE shewing the total number of Births, Marriages and Deaths in each County in 1887 and 1888.—*Continued.*

COUNTIES.	Population.	Births.				Marriages.				Deaths.				Totals.				Ratio to 1,000 of the Population		
		Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Peel	28793	507	499	.....	8	153	158	5	.....	289	312	23	.....	948	969	21	.....	17.3	5.5	11.0
Perth	59055	1123	1131	8	.....	363	365	2	.....	530	490	.....	40	2016	1986	.....	30	20.0	6.1	8.4
Peterborough	33270	849	747	.....	102	246	226	.....	20	324	353	29	.....	1419	1326	.....	93	22.4	6.7	10.6
Prescott and Russell	41826	1401	1181	.....	220	262	206	.....	56	623	548	.....	75	2286	1935	.....	351	28.2	4.9	13.1
Prince Edward	23149	366	286	.....	80	144	151	7	.....	235	265	30	.....	745	702	.....	43	12.4	6.9	11.4
Renfrew	44271	1154	1214	60	.....	310	273	.....	37	380	364	.....	16	1844	1851	7	.....	27.4	6.1	8.2
Simcoe	82394	1710	1762	52	.....	514	476	.....	38	651	655	4	.....	2875	2893	18	.....	21.3	5.8	8.0
Stormont, Dundas & Glengarry	72618	1202	1245	43	.....	416	421	5	.....	593	618	25	.....	2211	2284	73	.....	17.1	5.8	8.5
Victoria	37021	755	781	26	.....	233	198	.....	35	322	286	.....	36	1310	1265	.....	45	21.1	5.3	7.7
Waterloo	47008	1404	1439	35	.....	394	372	.....	22	526	668	142	.....	2324	2479	155	.....	30.6	8.0	14.2
Welland	34948	682	701	19	.....	204	155	.....	49	314	380	66	.....	1200	1236	36	.....	20.0	4.4	10.9
Wellington	72808	1345	1286	.....	59	399	401	2	.....	699	665	.....	34	2443	2352	.....	91	17.6	5.5	9.1
Wentworth	73649	1857	1804	.....	43	568	580	12	.....	1205	1163	.....	42	3630	3547	.....	83	24.5	7.9	15.8
York	183408	5194	5421	227	.....	1847	1948	101	.....	3418	3543	125	....	10459	10912	453	.....	29.5	10.6	19.3
Totals	2148971	45904	46953	2277	1228	14460	14551	756	565	23414	23734	1040	820	83778	85238	3099	1639	21.8	6.7	11.0
		Increase in Births, 1049.				Increase in Marriages, 91.				Increase in Deaths, 320.				Total Increase B. M. D., 1460.						

TABLE 2.

TABLE shewing the total number of Births, Marriages and Deaths in each City in 1887 and 1888.

CITIES.	Population as returned by the Assessors.	BIRTHS.				MARRIAGES.				DEATHS.				TOTALS.				RATIO TO 1,000 OF THE POPULATION.		
		Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Toronto	139432	3677	3901	224	.....	1479	1582	103	....	2688	2839	151	...	7844	8322	478	.....	28.0	11.3	20.3
Hamilton	43082	1126	1080	.....	46	420	396	....	24	687	720	33	....	2233	2196	.....	37	25.0	9.2	16.0
Ottawa	40000	1349	1702	353	.....	465	464	....	1	840	958	118	....	2654	3124	470	.....	42.0	11.6	23.9
London	26786	610	516	.....	94	263	261	....	2	422	381	....	41	1295	1158	.....	137	19.2	9.7	14.2
Kingston	16216	442	331	.....	111	189	139	....	50	287	188	....	99	918	658	.....	260	20.4	8.5	11.6
Brantford	13054	325	340	15	.....	147	133	....	14	192	208	16	....	664	681	17	....	26.0	10.1	15.9
St. Thomas	10476	229	240	11	.....	123	154	31	....	154	132	....	22	506	526	20	.....	23.0	14.7	12.6
Guelph	10413	270	261	.....	9	96	93	....	3	177	175	...	2	543	529	....	14	25.0	9.0	16.8
St. Catharines	10080	151	175	24	.....	97	98	1	....	171	208	37	....	419	481	62	.....	17.3	9.7	20.6
Belleville	10269	216	170	.....	46	89	103	14	....	176	140	....	36	481	413	.....	68	16.5	10.0	13.6
Stratford	9002	164	164	.....	.....	79	89	10	....	100	101	1	....	343	354	11	.....	18.2	9.8	11.2
	328810	8559	8880	627	306	3447	3512	159	94	5894	6050	356	200	17900	18442	1058	516	27.0	10.7	18.4
		Increase in Births, 321.				Increase in Marriages 65.				Increase in Deaths, 156.				Total Increase, B. M. D., 542.						

TABLE 3.

TABLE shewing the total number of Births, Marriages and Deaths in the Principal Towns in 1887 and 1888.

PRINCIPAL TOWNS.	Population as returned by the Assessors.	BIRTHS.				MARRIAGES.				DEATHS.				TOTALS.				RATIO TO 1,000 OF THE POPULATION.		
		Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Number in 1887.	Number in 1888.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Barrie	5387	104	97	.....	7	81	46	.....	35	60	60	....	....	245	203	....	42	18.0	8.5	11.1
Berlin	6810	177	192	15	.....	75	71	.....	4	93	100	7	....	345	363	18	....	28.2	10.4	14.6
Brampton	3297	70	64	.....	6	38	36	.....	2	71	91	20	....	179	191	12	....	19.4	10.9	27.6
Brockville	8826	148	167	19	.....	103	81	.....	22	123	132	9	....	374	380	6	....	20.0	9.7	15.8
Chatham	8329	105	139	34	.....	149	108	.....	41	85	102	17	....	339	349	10	....	16.7	12.9	12.2
Cobourg	4692	122	107	.....	15	42	23	.....	19	69	66	....	3	233	196	....	37	21.8	5.0	14.0
Cornwall	6402	116	118	2	.....	79	57	.....	22	51	75	24	....	246	250	4	....	18.4	8.9	11.7
Galt	7162	203	186	.....	17	60	60	.....	.....	108	120	12	....	371	366	....	5	25.9	8.3	16.7
Lindsay	5789	123	101	.....	22	80	79	.....	1	67	59	....	8	270	239	....	31	17.4	13.6	10.2
Napanee	3201	60	66	6	.....	58	65	7	.....	52	56	4	....	170	187	17	....	20.6	20.1	17.4
Owen Sound	6359	127	276	149	.....	74	118	44	.....	65	94	29	....	266	488	222	....	43.4	18.5	14.7
Pembroke	4146	145	189	44	.....	90	42	.....	48	59	57	....	2	294	288	....	6	45.5	10.1	13.7
Perth	3976	122	85	.....	37	68	52	.....	16	48	64	16	....	238	201	....	37	21.4	13.1	16.1
Peterborough	8989	222	254	32	.....	149	112	.....	37	113	120	7	....	484	486	2	....	28.2	12.4	13.3
Picton	3000	42	41	.....	1	62	49	.....	13	40	53	13	....	144	143	....	1	13.6	12.2	13.2
Port Hope	5161	88	89	1	.....	67	55	.....	12	56	51	....	5	211	195	....	16	17.2	10.6	10.0
Whitby	2886	42	60	18	.....	25	26	1	.....	58	51	....	7	125	137	12	....	20.7	9.0	17.6
Windsor	9041	198	215	17	.....	146	271	125	.....	102	117	15	....	446	603	157	....	23.7	30.0	12.9
Woodstock	8314	163	171	8	.....	56	103	47	.....	110	126	16	....	329	400	71	....	20.6	12.4	15.1
Totals	111767	2377	2617	345	100	1502	1454	224	272	1430	1594	189	25	5309	5665	531	175	23.4	13.0	14.3
		Increase in Births, 240.				Decrease in Marriages, 48.				Increase in Deaths, 164.				Total increase in B., M. and D., 356.						

BIRTHS.

TABLE 4.

Births by Months in the Province, 1888, shewing the proportion of Male to Female Births.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males	2050	2038	2154	1984	1928	1994	2074	2168	2134	2100	1792	1938	24354
Females	1885	1954	2035	1846	1782	1789	1943	1950	1961	1869	1777	1808	22599
Total.....	3935	3992	4189	3830	3710	3783	4017	4118	4095	3969	3569	3746	46953
Male births to 100 female births	108.7	104.3	105.8	107.4	108.1	111.4	106.7	111.1	108.8	112.3	100.8	107.1	107.6

TABLE 5.

CITIES.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males	415	362	431	406	354	354	413	428	441	410	340	362	4716
Females	331	355	376	377	325	320	409	378	364	366	336	319	4256
Total.....	746	717	807	783	679	674	822	806	805	776	676	681	8972
Male births to 100 female births	125.3	119.7	115.6	107.7	108.9	110.6	100.9	113.2	121.1	112.0	101.2	110.3	110.8

TABLE 6.

Shewing the number of Births and Deaths during the last ten years, also excess of males over females.

		BIRTHS.		DEATHS.															
YEAR.	SEX.	No.	Excess of males.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Ages not given.	Total.	Excess of males.
1879	Males....	21343	1651	2204	1128	400	200	271	702	537	549	643	854	961	602	145	262	9458	958
	Females.	19692	.....	1665	1031	377	233	353	920	668	563	523	632	714	469	124	228	8500	....
1880	Males....	22019	1726	2419	1465	518	246	315	764	519	578	607	844	1020	614	117	264	10290	778
	Females.	20293	.....	1960	1330	458	238	398	1021	673	564	512	624	783	498	118	335	9512	.....
1881	Males....	21147	1580	2940	1563	588	347	391	885	613	675	703	891	1103	673	144	309	11825	829
	Females.	19567	.....	2306	1557	556	303	458	1142	838	627	575	658	955	596	121	304	10996	.....
1882	Males....	21901	1373	2630	1507	572	287	402	836	593	631	692	869	1056	700	141	319	11235	670
	Females.	20528	.....	2244	1435	578	306	454	1094	766	570	565	731	896	550	132	244	10565	.....
1883	Males....	22115	1259	2759	1181	410	271	357	934	653	625	700	876	1050	665	123	349	10953	857
	Females.	20866	.....	2123	1034	415	294	455	1171	866	624	583	681	853	589	100	308	10096	.....
1884	Males....	22994	1484	2996	1104	417	243	344	893	602	612	703	913	1262	751	136	315	11291	880
	Females.	21510	.....	2246	1053	389	271	438	1182	875	655	582	704	989	616	130	281	10411	.....
1885	Males....	23587	1946	2750	1222	512	267	351	926	694	666	711	968	1197	742	142	302	11450	795
	Females.	21641	.....	2105	1077	439	300	418	1277	911	709	647	733	979	629	145	286	10655	.....
1886	Males....	24071	1684	2936	1467	558	265	378	935	650	646	722	923	1210	799	128	305	11922	660
	Females.	22387	.....	2357	1338	599	329	456	1114	871	687	654	770	953	687	133	314	11262	.....
1887	Males....	23859	1814	3004	1307	563	310	361	973	667	666	781	986	1337	817	135	296	12203	992
	Females.	22045	.....	2337	1146	551	336	452	1181	853	668	705	812	1073	665	141	291	11211	.....
1888	Males....	24354	1755	3302	1304	500	311	410	949	659	697	841	1129	1356	762	160	134	12514	1294
	Females.	22599	.....	2577	1145	487	321	440	1128	828	708	693	881	1088	641	178	105	11220	....
Total for 10 years	Males....	227398	.....	27940	13248	5038	2147	3580	8797	6187	6345	7103	9253	11562	7125	1371	2855	113141	.....
	Females.	221128	.....	21920	12146	4849	2931	4322	11230	8149	6375	6039	7226	9283	5940	1322	2696	104428	.....
Grand total	.....	438526	16270	49860	25394	9887	5678	7902	20027	14336	12720	13142	16479	20845	13065	2693	5551	217569	8713

TABLE 7.

Order of Births, by Months in 1887 and 1888.

MONTHS.	1887.			MONTHS.	1888.		
	Males.	Females.	Total.		Males.	Females.	Total.
March	2238	2103	4341	March	2154	2035	4189
April	2078	1937	4015	August	2168	1950	4118
September	2063	1854	3917	September	2134	1961	4095
August	1979	1912	3819	July	2074	1943	4017
May	1988	1882	3880	February	2038	1954	3992
January	1993	1860	3853	October	2100	1869	3969
October	2042	1759	3801	January	2050	1885	3935
July	1972	1802	3774	April	1984	1846	3830
February	1917	1800	3717	June	1994	1789	3783
November	1860	1820	3680	December	1938	1808	3746
June	1906	1699	3605	May	1928	1782	3710
December	1813	1617	3430	November	1792	1777	3569
Total	23859	22045	45904	Total	24354	22599	46953

TABLE 8.

Quarterly Return of Births in 1887 and 1888.

QUARTERS.	1887.			1888.		
	Males.	Females.	Total.	Males.	Females.	Total.
Quarter ending March 31st	6148	5763	11911	6242	5874	12116
" June 30th	5982	5518	11500	5906	5417	11323
" September 30th	6014	5568	11582	6376	5854	12230
" December 31st	5715	5196	10911	5830	5454	11284
Total	23859	22045	45904	24354	22599	46953

TABLE 9.

Illegitimate Births, Twins and Triplets.

YEAR.	Illegitimate Births.			No. of Pairs of Twins.	No. of Cases of Triplets.
	No.	Population to the whole Number of Births.	Ratio to every 1,000 Births.		
1879	524	One in every 78 Births	12.7	378	1
1880	671	" 63 "	15.8	407	6
1881	748	" 54 "	18.3	384	3
1882	966	" 43 "	22.7	389	5
1883	989	" 43 "	23.0	377	8
1884	644	" 69 "	14.4	382	8
1885	621	" 72 "	13.7	238	7
1886	671	" 69 "	14.4	375	3
1887	396	" 116 "	8.6	303	.....
1888	618	" 76 "	13.1	249	3
Average for 10 years	684		.....	348	4.4

MARRIAGES.

TABLE 10.

Marriages by Denominations, with Percentage and Proportion to the whole.

DENOMINATIONS.	Number of persons married.	Per cent. of the whole.	Proportion to the whole number of persons married.
Methodists	10,057	34.6	1 in every 5.7 persons married.
Presbyterians	5,731	19.7	1 " 10.6 "
Episcopalians	5,209	18.0	1 " 11.1 "
Roman Catholics	4,043	13.8	1 " 14.4 "
Baptists	1,582	5.5	1 " 36.8 "
Lutherans	591	2.1	1 " 98.5 "
Congregationalists	565	1.9	1 " 103.0 "
Evangelical Association	323	1.1	1 " 180.7 "
Mennonites	182	.7	1 " 320.0 "
Quakers	80	.3	1 " 727.5 "
Other Denominations	517	1.8	1 " 112.5 "
No Denomination given	222	.5	1 " 262.1 "
	29,102	100.00	

TABLE 11.

Marriages by Months, in numerical order, for Seven Years.

1882.		1883.		1884.		1885.		1886.		1887.		1888.	
December	1573	December	1614	December	1543	December	1736	December	1717	December	1713	December	1680
October	1340	October	1547	October	1437	October	1330	October	1342	October	1419	October	1441
November	1330	January	1519	January	1271	September	1297	March	1342	September	1400	November	1347
January	1232	November	1263	November	1256	November	1252	November	1305	November	1375	September	1295
September	1202	March	1167	September	1147	January	1246	September	1286	June	1299	January	1280
March	1164	September	1139	February	1124	March	1114	June	1188	March	1200	February	1162
February	1158	April	1130	April	1109	February	1105	January	1118	January	1174	April	1151
April	1004	February	1044	March	1090	June	1065	February	1068	February	1126	May	1141
May	921	June	1018	June	1066	April	1043	May	903	April	988	June	1122
June	880	May	1014	July	961	July	941	April	894	August	950	May	1031
July	834	July	942	May	855	May	768	July	830	July	885	July	995
August	753	August	821	August	735	August	746	August	815	May	875	August	906
No date given.	58	No date given.	59	No date given.	52	No date given.	32	No date given.	37	No date given.	56	.....	.....
Total	13449	Total	14277	Total	13646	Total	13695	Total	13845	Total	14460	Total	14551

Quarter ending March 31st	3583	marriages.
" " June 30th	3304	"
" " September 30th	3196	"
" " December 31st	4468	"
Total	14551	"

Marriages per quarter	3637
" " month	1212
" " week	303
" " day	43

TABLE 12.

Marriages, by Ages, for Seven Years.

Quinquennial Period of Life.	1882. Whole No. of Marriages, 13,449.		1883. Whole No. of Marriages, 14,277.		1884. Whole No. of Marriages, 13,646.		1885. Whole No. of Marriages, 13,675.		1886. Whole No. of Marriages, 13,845.		1887. Whole No. of Marriages, 14,460.		1888. Whole No. of Marriages, 14,551.		Total No. of Marriages for seven years, 97,903.			
	Males.	Females	Males.	Females	Males.	Females	Males.	Females	Males.	Females	Males.	Females	Males.	Females	Males.	Females	Per cent. of Males.	Per cent. of Females
Under 20 years	175	2808	175	2841	141	2657	144	2542	148	2399	131	2533	207	2560	1121	18340	1.2	18.8
From 20 to 25 years	5072	6659	5341	7168	5125	6849	5007	6781	4869	6761	5039	7035	4988	6578	35441	47831	36.2	49.0
" 25 to 30 "	4758	2516	4944	2599	4784	2580	4862	2765	5065	3030	5225	3078	5272	3365	34910	19933	35.7	20.4
" 30 to 35 "	1657	681	1869	771	1740	710	1752	1746	1832	766	1966	875	1987	1016	12803	5565	13.1	5.5
" 35 to 40 "	733	303	734	337	724	320	788	354	811	390	904	395	923	472	5617	2571	5.7	2.6
" 40 to 45 "	381	174	429	212	381	189	410	178	408	199	408	193	420	212	2837	1357	2.8	1.4
" 45 to 50 "	207	96	240	117	247	109	229	106	243	105	265	121	264	144	1686	798	1.7	.8
" 50 to 55 "	149	72	177	58	162	48	149	58	163	57	181	63	171	73	1152	429	1.2	.4
" 55 to 60 "	107	35	116	60	104	36	114	40	99	28	112	56	106	36	758	291	.8	.3
" 60 to 65 "	77	22	87	22	66	23	70	19	97	30	110	32	93	39	600	187	.6	.2
" 65 to 70 "	44	6	61	8	38	9	45	4	41	12	39	8	45	9	313	56	.3	.05
" 70 to 75 "	26	7	31	5	22	4	14	2	15	4	19	3	29	2	217	33	.2	.03
" 75 to 80 "	11	2	9	1	6	.....	8	.....	10	1	4	.....	.....	.....	.....	.....	.....	.....
" 80 and over	2	.....	.....	.....	6	.....	1	.....	3	1	1	1	.....	.....	.....	.....	.....	.....
Ages not given	50	68	64	78	100	112	82	80	50	62	56	67	46	45	448	512	.5	.52
Total	13449	13449	14277	14277	13646	13646	13675	13675	13845	13845	14460	14460	14551	14551	97903	97903	100.00	100.00

TABLE 13.

List of Bridegrooms and Brides who were seventy years of age and over at the time of their marriage.

COUNTIES.	BRIDEGROOM 70 YEARS AND OVER. Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Brant	Farmer	70	68
"	Laborer	73	56
Elgin	"	70	52
Essex	"	71	41
"	Farmer	71	51
"	"	76	51
Grey	"	73	21
"	Gentleman	73	50
Hastings	"	70	53
Kent	Farmer	78	60
"	"	75	40
Lincoln	"	71	60
Middlesex	Shoemaker	72	39
"	Merchant	70	51
Northumb'd & Durham	Weaver	84	17
Northumb'd & Durham	Farmer	78	70
Oxford	"	71	58
"	"	74	52
"	Pump-maker	76	63
"	Laborer	72	39
Perth	"	73	52
"	Farmer	70	31
Prince Edward	"	77	60
Waterloo	Laborer	70	56
"	Gentleman	70	60
Wentworth	"	77	65
York	Laborer	72	34
"	Banker	73	30
"	Farmer	75	47

COUNTIES.	BRIDE 70 YEARS AND OVER. Occupation of Bridegroom.	Age of Bride.	Age of Bridegroom.
Northumb'd & Durham	Farmer	70	78
Wentworth	Gentleman	72	67

DEATHS.

TABLE 14.—Shewing the Death Rate per 1,000 of population, in each County of the Province for seven years.

COUNTIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.
Algoma	6.7	6.7	9.5	14.02	10.4	12.3	7.4
Brant	10.4	11.3	11.4	12.5	11.5	14.0	11.2
Bruce	8.1	7.4	7.3	7.5	7.1	8.3	7.7
Carleton	23.6	23.0	19.8	19.5	21.7	17.5	19.6
Dufferin	9.1	8.4	9.1	8.6	10.5	12.5	9.1
Elgin	7.5	7.7	8.2	8.7	8.0	9.7	11.4
Essex	14.5	12.6	14.4	14.04	14.8	14.4	15.8
Frontenac	14.8	15.8	12.9	13.1	12.0	12.8	10.2
Grey	8.3	6.4	7.0	7.6	7.4	8.1	7.6
Haldimand	9.2	7.5	8.7	9.4	8.2	8.8	10.0
Halton	11.7	9.4	10.9	10.8	10.0	9.1	9.4
Haliburton							7.3
Hastings	10.6	10.4	13.0	11.3	8.1	11.0	10.7
Huron	8.9	8.2	8.0	7.9	7.0	8.0	7.5
Kent	10.0	9.2	9.9	9.7	8.8	10.0	9.0
Lambton	8.2	8.1	10.4	9.2	9.5	9.7	9.8
Lanark	7.2	7.5	9.4	9.0	10.0	9.8	9.2
Leeds and Grenville	10.7	9.4	9.1	11.6	10.0	8.0	8.9
Lennox and Addington	10.0	9.8	8.7	8.5	7.1	8.4	7.4
Lincoln	12.6	12.7	13.8	13.02	12.4	11.8	13.1
Middlesex	11.8	10.4	12.2	11.6	10.1	10.7	10.4
Muskoka and Parry Sound	10.5	9.4	8.6	11.9	10.1	11.4	10.0
Norfolk	10.2	8.8	9.2	8.8	8.9	7.1	8.7
Northumberland and Durham	9.0	8.9	9.5	11.06	7.9	8.7	8.8
Ontario	10.2	11.8	11.1	10.2	8.8	9.6	10.0
Oxford	12.0	11.2	10.3	9.4	9.4	10.6	11.3
Peel	12.8	10.0	11.5	9.7	10.3	11.4	11.0
Perth	9.5	8.2	7.7	8.1	9.1	9.0	8.4
Peterboro'	10.4	11.8	10.9	10.9	9.6	9.7	10.6
Prescott and Russell	11.4	10.2	11.1	16.7	15.1	14.9	13.1
Prince Edward	16.5	11.9	13.7	12.8	12.1	10.1	11.4
Renfrew	8.1	7.9	8.3	9.2	9.5	8.5	8.2
Simcoe	8.3	8.1	8.5	8.02	7.1	7.9	8.0
Stormont, Dundas and Glengarry	8.2	7.2	8.8	9.2	8.1	8.1	5.5
Victoria	9.5	10.3	10.4	8.4	8.0	9.0	7.7
Waterloo	13.5	11.5	10.9	10.9	11.4	11.2	14.2
Welland	12.1	10.0	10.4	11.8	8.7	9.0	10.9
Wellington	10.9	10.8	10.8	9.7	9.6	9.6	9.1
Wentworth	15.9	18.1	17.0	16.3	16.6	16.3	15.8
York	16.1	17.8	18.1	19.5	21.3	20.2	19.3
Average rate	11.3	10.9	11.2	11.4	11.0	11.5	11.0

TABLE 15.—Death rate to 1,000 of population, during the last seven years in the eleven Cities.

CITIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.
Toronto	20.0	21.3	20.4	21.4	24.2	21.3	20.3
Hamilton	17.7	20.9	18.4	17.1	18.4	16.5	16.0
Ottawa	44.9	39.4	34.0	28.3	33.4	22.3	23.9
London	16.0	13.3	15.8	14.7	14.9	15.6	14.2
Kingston	22.2	25.1	17.5	18.0	17.7	17.7	11.6
Brantford	16.2	13.5	12.0	14.3	15.3	15 2	15.9
St. Thomas	9.8	8.4	8.4	10.3	13.5	15.0	12.6
Guelph	17.0	14.7	17.1	15.6	17.8	17.3	16.8
St. Catharines	16.2	16.5	19.0	15.7	17.6	17.0	20.6
Belleville	18.0	16.8	20.0	18.0	14.8	17.3	13.6
Stratford	8.6	6.8	9.2	10.1	13.7	11.2	11.2
Average rate	21.3	20.2	19.7	19.2	21.4	19.0	18.4

TABLE 16.

Quarterly Return of Deaths in 1888 in the Province.

QUARTERS.	Males.	Females.	Total.	Per cent. of the Whole.
Quarter ending March 31st	3286	2865	6151	25.9
" " June 30th	3090	2794	5884	24.8
" " September 30th	3360	3047	6407	26.9
" " December 31st	2778	2514	5292	22.4
Total	12514	11220	23734	100.00

Quarterly Return of Deaths in 1888 in the Cities.

QUARTERS	Males.	Females.	Total.	Per cent. of the Whole.
Quarter ending March 31st	821	686	1507	24.9
" " June 30th	803	741	1544	25.5
" " September 30th	968	848	1816	30.0
" " December 31st	643	540	1183	19.6
Total	3235	2815	6050	100.00

TABLE 17.

Monthly Return of Deaths arranged according to numbers in the Province.

MONTHS.	Males.	MONTHS.	Females.	Totals.		Per cent. of the Whole.
				Months.	No.	
March	1204	August	1080	August	2269	9.6
August	1189	March	1025	March	2229	9.4
April	1136	September	1001	April	2136	9.0
September	1126	April	1000	September	2127	8.9
May	1072	July	966	July	2011	8.4
January	1062	January	928	January	1990	8.4
July	1045	May	915	May	1987	8.3
February	1020	February	912	February	1932	8.2
December	968	October	897	October	1863	7.9
October	966	June	879	December	1828	7.7
June	882	December	860	June	1761	7.4
November	844	November	757	November	1601	6.8
Total	12514	Total	11220	Total	23734	100.00

Monthly Return of Deaths arranged according to number in the Towns.

MONTHS.	Males.	MONTHS.	Females.	Totals.		Per cent. of the Whole.
				Months.	No.	
September	91	April	83	September	165	10.4
March	84	August	76	April	163	10.2
April	80	September	74	March	151	9.5
February	77	February	72	August	149	9-4
August	73	March	67	February	149	9.4
October,	72	June	65	October	134	8.4
July	67	October	62	July	122	7.6
May	65	November	57	June	116	7.2
December	62	January	56	January	115	7.2
January	59	July	55	December	114	7.1
November	53	December	52	November	110	6.9
June	51	May	41	May	106	6.7
Total	834	Total	760	Total	1594	100.00

TABLE 18.

List of Centenarians, 1888.

No.	Name.	Sex.	Occupation.	Where Born.	Age at Death.	Cause of Death.	Where Died.
1	Ann Thompson	F.	Farmer's wife	Ireland	100 yrs.	Dropsy	Albemarle Township, Bruce County.
2	Mrs. Atkinson	F.	"	"	105 "	Natural causes	Marlborough " Carleton "
3	James Isaac	M.	Farmer	"	101 "	Old age	Mulmur " Dufferin "
4	Ewen Cameron	M.	Gentleman	Scotland	100 "	"	Southwold " Elgin "
5	William Lucky	M.	Carpenter	United States	108 "	"	Chatham Town, Kent "
6	Catharine McDougall	F.	Widow	Scotland	102 "	"	Plympton Township, Lambton "
7	Ann Simpson	F.	"	Ireland	103 "	"	Carleton Village, Lanark "
8	Michael Higgins	M.	Pauper	"	100 "	Apoplexy	London City, Middlesex "
9	Barba Randle	F.			100 "	Old age	Charlotteville Township, Norfolk County.
10	Annie McDonald	F.		Scotland	103 "	"	Dereham " Oxford "
11	Edward Doubledee	M.	Farmer	England	100 "	"	Blandford " " "
12	Israel Talbot	M.	Blacksmith	Boston, U. S.	110 "	"	South Norwich " " "
13	Clemence Maillet	F.	Housewife	Canada	105 "	"	South Plantagenet Tp, Prescott and Russell Co.
14	Jean Marie Bissonnette	M.	Farmer	Cédres, Quebec	106 "	"	Cambridge " " " "
15	Francis Gregson	M.	"	Ireland	100 "	"	Midland Village, Simcoe County.
16	John Struiter	M.	"	Ontario	102 "	"	Matilda Township, Dundas "
17	Duncan McIntosh	M.	"	Scotland	100 "	"	Lancaster " Glengarry "
18	Martha Matthews	F.		Ireland	105 "	"	Lindsay Town, Victoria "
19	Honora Doyle	F.		"	107 "	"	West Flamboro' Township, Wentworth County.
20	Margaret Jordan	F.	Farmer's wife	"	100 "	"	West Garafraxa " Wellington "
21	John McCann	M.	Laborer	"	105 "	"	Toronto City, York County.

TABLE 19.

Nationality of Decedents, over Sixty Years of Age.

1888.	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Total.
Deaths between 60 and 70 years	414	522	314	539	81	87	6	6	41	2010
" " 70 " 80 "	462	786	395	484	95	119	43	1	59	2444
" " 80 " 90 "	314	332	260	234	105	78	17	3	60	1403
" " 90 " 100 "	48	118	56	46	36	7	1	1	4	317
at 100 years and over	1	10	4	3	2	....	.....	.....	1	21
Total	1239	1768	1029	1306	319	291	67	11	165	6195

TABLE 20.

Deaths at different ages, with percentage for seven years, from 1882 to 1887.

	1882.		1883.		1884.		1885.		1886.		1887.		1888.	
	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.
Total under 1 year	4874	22.3	4882	23.2	5242	24.1	4885	21.9	5293	22.8	5341	22.8	5879	24.4
" from 1 to 5 years	2952	13.6	2215	10.5	2157	9.9	2299	10.5	2805	12.1	2453	10.4	2449	10.3
Total under 5 years	7826	35.9	7097	33.7	7399	34.0	7154	32.4	8098	34.9	7794	33.2	8328	34.7
Total from 5 to 10 years	1150	5.2	825	3.9	806	3.7	951	4.3	1157	4.9	1114	4.8	987	4.1
" 10 " 20 "	1449	6.6	1377	6.5	1296	6.0	1336	6.0	1428	6.3	1459	6.2	1482	6.3
" 20 " 30 "	1930	8.8	2105	10.0	2075	9.6	2203	9.9	2049	8.9	2154	9.3	2077	8.8
" 30 " 40 "	1359	6.3	1519	7.2	1477	6.8	1605	7.3	1521	6.5	1520	6.5	1487	6.4
" 40 " 50 "	1301	5.5	1249	5.9	1267	5.8	1375	6.2	1333	5.8	1334	5.7	1405	6.0
" 50 " 60 "	1257	5.8	1283	6.1	1285	5.9	1358	6.1	1376	5.9	1486	6.3	1534	6.5
" 60 " 70 "	1590	7.4	1557	7.4	1617	7.4	1701	7.7	1693	7.2	1798	7.6	2010	8.4
" 70 " 80 "	1952	8.9	1903	9.1	2251	10.4	2176	9.8	2163	9.3	2410	10.3	2444	10.3
" 80 " 90 "	1250	5.8	1254	6.0	1367	6.3	1371	6.4	1486	6.4	1482	6.3	1403	5.9
" 90 " 100 " and over	273	1.2	223	1.1	266	1.4	287	1.3	261	1.2	276	1.3	338	1.5
Ages not given	563	2.6	657	3.1	596	2.7	588	2.6	619	2.7	587	2.5	239	1.1
Total	21900	100.00	21049	100.00	21702	100.00	22105	100.00	23184	100.00	23414	100.00	23734	100.00

TABLE 21.

Ten Highest causes of Death, with their percentage of the whole number of Deaths from specified causes, for the years 1881 to 1888 inclusive.

1881.			1882.			1883.			1884.		
Whole number of Deaths from specified causes.....		21,997	Whole number of Deaths from specified causes.....		21,097	Whole number of Deaths from specified causes.....		20,299	Whole number of Deaths from specified causes.....		21,149
Diseases.	Number of Deaths.	Per cent. of the whole.	Diseases.	Number of Deaths.	Per cent. of the whole.	Diseases.	Number of Deaths.	Per cent. of the whole.	Diseases.	Number of Deaths.	Per cent. of the whole.
Phthisis.....	2397	10.8	Phthisis.....	2464	11.6	Phthisis.....	2500	12.3	Phthisis.....	2347	11.1
Old Age.....	1972	8.9	Anæmia.....	1895	8.9	Old Age.....	1731	8.5	Old Age.....	2065	9.7
Infantile Debility.....	1481	6.7	Old Age.....	1841	8.7	Anæmia.....	1600	7.8	Anæmia.....	1697	8.0
Diphtheria.....	1171	5.3	Pneumonia.....	1322	6.2	Pneumonia.....	1335	6.5	Pneumonia.....	1255	5.9
Pneumonia.....	1137	5.1	Diphtheria.....	1239	5.8	Heart Disease.....	921	4.5	Heart Disease.....	929	4.3
Heart Disease.....	886	4.0	Heart Disease.....	753	3.5	Diphtheria.....	709	3.5	Diphtheria.....	668	3.1
Diarrhœa.....	818	3.7	Typhoid Fever.....	555	2.6	Convulsions.....	548	2.7	Paralysis.....	535	2.5
Typhoid Fever.....	616	2.8	Scarlatina.....	543	2.5	Bronchitis.....	497	2.4	Diarrhœa.....	531	2.5
Croup.....	533	2.4	Diarrhœa.....	497	2.3	Diarrhœa.....	471	2.3	Convulsions.....	527	2.4
Convulsions.....	509	2.3	Convulsions.....	492	2.3	Typhoid Fever.....	469	2.2	Enteritis.....	512	2.4

TABLE 21—*Continued.*

1885.			1886.			1887.			1888.		
Whole number of Deaths from specified causes..... ..		21,422	Whole number of Deaths from specified causes.		22,371	Whole number of Deaths from specified causes.....		23,414	Whole number of Deaths from specified causes....		23,734
Diseases.	Number of Deaths.	Per cent. of the whole	Diseases.	Number of Deaths.	Per cent. of the whole.	Diseases.	Number of Deaths.	Per cent. of the whole.	Diseases.	Number of Deaths.	Per cent. of the whole.
Phthisis.....	2313	10.8	Phthisis	2419	10.8	Old Age.....	2617	12.2	Pneumonia.....	2537	10.7
Old Age.....	2073	9.6	Old Age.....	2121	9.4	Phthisis.....	2556	10.9	Phthisis	2521	10.6
Anæmia.....	1597	7.4	Anæmia..	1664	7.4	Pneumonia and Bronchitis	2289	9.7	Old Age.....	2365	10.7
Pneumonia.....	1348	6.3	Pneumonia.....	1507	6.7	Nervous Diseases.. ..	2157	9.1	Nervous Diseases.....	2275	9.5
Diphtheria	1006	4.7	Diphtheria	1406	6.2	Anæmia	2034	8.6	Anæmia.....	2271	9.5
Heart Disease	952	4.4	Heart Disease	1090	4.8	Heart Disease and Apoplexy.....	1456	6.4	Heart Disease	1567	6.6
Convulsions	549	2.1	Convulsions.....	622	2.8	Diphtheria	1340	5.7	Diphtheria	1088	4.1
Paralysis	547	2.5	Diarrhœa	603	2.7	Enteritis	854	3.7	Diarrhœal Diseases...	1934	4.0
Bronchitis	501	2.3	Enteritis.....	516	2.3	Diarrhœal Diseases...	843	3.6	Enteritis	909	3.8
Enteritis..	485	2.2	Paralysis	507	1.3	Cancer	614	2.6	Fevers.	850	3.5

TABLE 22.—Shewing the Population and Deaths in each County ; also

COUNTIES.	Population.	No. of Deaths.	Ratio to Population.	Pneumonia.		Phthisis.		Old Age.	
				No. of Deaths.	Ratio to Population.	No of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Algoma	30350	225	7.4	25	.8	21	.7	8	.3
Brant	37239	418	11.2	58	1.5	49	1.3	36	.9
Bruce	71244	553	7.7	59	.8	68	.9	75	1.6
Carleton	70513	1382	19.6	71	1.1	118	1.6	78	1.1
Dufferin	72589	205	9.1	19	.8	15	.7	14	.6
Elgin	46597	532	11.4	60	1.2	64	1.3	55	1.1
Essex	51218	812	15.8	94	1.8	64	1.2	62	1.2
Frontenac	46812	478	10.2	49	1.0	42	.9	63	1.3
Grey	77582	591	7.6	66	.8	51	.6	92	1.2
Haldimand	27491	274	10.0	46	1.7	20	.7	26	.9
Halton	24112	229	9.4	27	1.1	18	.7	22	.9
Haliburton	6511	49	7.3	3	.4	2	.3	7	1.0
Hastings	60712	650	10.7	43	.7	81	1.3	81	1.3
Huron	84179	632	7.5	76	.9	65	.7	76	.9
Kent	59769	532	9-0	38	.6	66	1.1	55	.9
Lambton	57238	559	9.8	56	.9	81	1.4	52	.9
Lanark	37372	345	9.2	47	1.3	35	.9	44	1.2
Leeds and Grenville	66181	591	8.9	69	1.0	88	1.3	84	1.2
Lennox and Addington	29133	216	7.4	17	.5	29	1.0	36	1.2
Lincoln	34719	457	13.1	60	1.7	57	1.6	40	1.1
Middlesex	102389	1064	10.4	110	1.0	131	1.2	113	1.1
Muskoka and Parry Sound	39926	395	10.0	38	1.0	18	.4	29	.9
Norfolk	36879	321	8.7	37	1.0	34	.9	46	1.2
Northumberland & Durham	85129	751	8.8	115	1.3	80	.9	130	1.5
Ontario	53693	537	10.0	74	1.4	67	1.2	47	.9
Oxford	55176	626	11.3	83	1.5	60	1.0	68	1.2
Peel	28793	312	11.0	36	1.2	31	1,0	41	1.4
Perth	59055	490	8.4	47	.8	50	.8	62	1.0
Peterborough	33270	353	10.6	41	1.2	40	1.2	34	1.0
Prescott and Russell	41826	548	13.1	13	.3	58	1.4	57	1.3
Prince Edward	23149	265	11.4	27	1.1	39	1.7	38	1.6
Renfrew	44271	364	8.2	37	.8	40	.9	37	.8
Simcoe	82394	655	8.0	84	1.1	62	.7	81	.9
Stormont, Dundas and Glengarry	72618	618	8.5	53	.7	98	1.3	74	1.0
Victoria	37021	286	7.7	37	1.0	32	.9	37	1.0
Waterloo	47008	668	14.2	71	1.5	58	1.4	79	1.7
Welland	34948	380	10.9	45	1.2	47	1.3	34	1.0
Wellington	72808	665	9.1	73	1.0	76	1.1	86	1.2
Wentworth	73649	1163	15.8	127	1.7	130	1.8	89	1.2
York	183408	3543	19.3	406	2.2	336	1 8	177	.9
Total	2148971	23734	11.0	2537	1.2	2521	1.18	2365	1.11

the ten highest Causes of Death with their ratio to Population in 1888.

Nervous Diseases.		Anæmia.		Heart Disease.		Diphtheria.		Diarrhœal Diseases.		Enteritis.		Fevers.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. to Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Daaths	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
17	.5	33	1.1	6	.2	18	.6	5	.1	5	.2	14	4
35	.9	21	.6	41	1.1	7	.2	21	.5	14	.3	29	.7
43	.6	64	·8	26	.3	7	.1	27	.4	18	.2	17	.2
88	1.2	219	3.1	78	1.1	82	1.2	151	2.1	46	.6	43	.5
9	.4	25	1.1	7	.3	32	1.4	6	.2	10	.5	4	.2
52	1.0	31	.6	33	.7	20	.4	22	.5	25	.6	20	.4
62	1.2	87	1.7	31	.6	45	.8	27	.5	32	.6	53	1.0
58	1.2	50	1.1	36	.8	11	.2	8	.1	21	.4	20	.4
54	.7	43	.5	40	.5	13	.2	9	.1	35	.4	23	.3
18	.6	19	.7	15	.5	12	.4	6	.2	9	.3	18	.6
29	1.2	14	.6	14	6	7	.3	10	.4	9	.4	9	.4
3	.4	10	1.5	.....	.....	.....	.....	.....	.....	1	.2	2	.3
69	1.1	44	.7	35	.6	27	.4	22	.3	21	.3	20	.3
61	.7	57	.6	33	.4	19	.2	19	.2	31	.3	24	,2
35	.6	53	.8	36	.6	10	.1	22	.4	15	.3	21	.4
49	.8	40	.7	37	.6	16	.2	21	.3	23	.4	42	.7
20	.5	42	1.1	18	.4	10	.2	11	.2	10	.2	17	.3
49	.7	53	.8	44	.6	24	,3	16	.2	22	.3	12	.1
22	.7	11	.3	11	.3	4	.1	14	.4	5	.2	4	.1
47	1.3	36	1.0	44	1.2	15	.4	13	.3	17	.5	11	.3
111	1.0	86	.8	104	1.0	36	.3	51	.5	40	.4	34	.3
33	.9	34	.9	17	.4	39	1.0	18	.5	21	.6	17	.4
34	1.0	10	.3	17	.4	27	.9	9	.2	9	.2	19	.5
80	.9	53	.6	44	.5	19	.2	22	.2	29	.3	20	.2
49	.9	44	.8	21	.4	31	.6	13	.2	30	:6	26	.5
39	.7	53	.9	42	.7	46	.8	19	.3	32	.6	44	.8
39	1.3	17	.6	15	.5	15	.5	4	.1	10	.3	11	.4
46	.8	37	.6	47	.8	20	.3	13	.2	19	.3	16	.2
35	1.0	42	1.3	27	.8	19	.6	16	.5	8	.2	9	.3
29	.7	133	3.1	21	.5	56	1.2	20	.5	8	.2	15	.4
26	1.1	23	1.0	13	.6	17	.7	3	.1	9	.4	7	.3
45	1.0	42	.9	22	.5	6	.1	18	.3	8	.2	14	.3
67	.8	63	.7	38	.4	46	.5	11	.1	27	.3	15	.2
40	.5	48	.6	40	.5	49	.6	30	.4	22	.3	4	.0
31	.8	19	.5	16	.4	10	.2	12	.3	19	.5	7	.2
69	1.5	63	1.1	48	1.0	13	.2	37	.8	32	.7	22	.4
43	1.2	25	.7	22	.6	17	.5	3	.0	15	.4	10	.3
54	.7	62	.8	62	.8	35	.5	15	.2	25	.3	14	.2
137	1.7	118	1.6	105	1.4	44	.6	36	.5	39	.5	26	.3
448	2.4	347	1.9	261	1.4	164	.9	154	.8	138	.7	117	.6
2275	1.07	2271	1.06	1567	·7	1088	.5	934	.43	909	.42	850	.4

TABLE 23.—Shewing the Population and Deaths in each City ; also the

CITIES.	Population according to Assessors.	No. of Deaths.	Ratio to Population.	Nervous Diseases.		Anæmia.		Pneumonia.		Phthisis.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Toronto	139432	2839	20.3	350	2.5	289	2.1	328	2.3	267	1.9
Hamilton	43082	720	16.0	80	1.8	73	1.7	82	1.9	75	1.7
Ottawa	40000	958	23.9	66	1.6	158	3.7	31	.8	77	1.9
London	26786	381	14.2	43	1.6	42	1.6	48	1.8	37	1.3
Kingston	16216	188	11.6	22	1.3	19	1.1	19	1.1	16	1.0
Brantford	13054	208	15.9	24	1.1	11	.8	29	2.2	22	1 6
St. Thomas	10476	132	12.6	17	1.6	8	.7	18	1.7	13	1.2
Guelph	10413	175	16.8	27	2.6	24	2.3	12	1.1	17	1.6
St. Catharines	10080	208	20.6	22	2.1	11	1.0	28	2.7	32	3.1
Belleville	10269	140	13.6	21	2.0	6	.5	17	1.6	23	2.2
Stratford	9002	101	11.2	8	.8	11	1.2	4	.4	11	1.2
Total	328810	6050	18.4	680	2,0	652	1.9	616	1.9	590	1.8

TABLE 24.—Shewing the Population and Deaths in each of the Principal Towns ;

PRINCIPAL TOWNS.	Population according to Assessors.	No. of Deaths.	Ratio to Population.	Pneumonia.		Nervous Diseases.		Phthisis.		Old Age.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Barrie	5387	60	11.1	13	2.4	4	.7	7	1.3	10	1.8
Berlin	6810	100	14.6	8	1.1	11	.6	8	1.2	22	3.2
Brampton	3297	91	27.6	13	4.0	12	3.6	11	3.3	14	4.2
Brockville	8826	132	15.8	15	1.7	13	1.4	17	1.9	15	1.7
Chatham	8329	102	12.2	8	.9	13	1.5	20	2.3	5	.6
Cobourg	4692	66	14.0	5	1.0	9	1.9	4	.8	10	2.1
Cornwall	6402	75	11.7	7	1.1	10	1.5	9	1.4	3	.4
Galt	7162	120	16.7	16	2.2	15	2.1	10	1.4	10	1.4
Lindsay	5789	59	10.2	5	.8	8	1.3	7	1.2	8	1.3
Napanee	3201	56	17.4	6	1.8	9	2.8	10	3.1	7	2.1
Owen Sound	6359	94	14.7	7	1.1	15	2.3	10	1.5	10	1.5
Pembroke	4146	57	13.7	5	1.2	9	2.1	4	1.0	4	1.0
Perth	3976	64	16.1	15	3.7	5	1.3	5	1.3	5	1.3
Peterborough	8989	120	13.3	15	1.6	12	1.4	9	1.0	8	.9
Picton	3000	53	13.2	4	1.3	7	2.3	10	3.3	7	2.3
Port Hope	5161	51	10.0	1	.2	4	.7	2	.3	6	1.1
Whitby	2886	51	17-6	6	2.1	4	1.4	8	2.8	4	1.4
Windsor	9041	117	12.9	13	1.4	12	1.3	12	1.3	5	.5
Woodstock	8314	126	15.1	21	2.5	8	.9	10	1.2	7	.8
Total	111767	1594	14.3	183	1.7	181	1.6	173	1.5	160	1.4

ten highest causes of Deaths, with their ratio to 1,000 of Population in 1888.

Heart Disease.		Diarrhœal Diseases.		Old Age.		Diphtheria.		Enteritis.		Fevers.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
207	1.4	134	.9	120	.8	128	.9	97	.7	88	.6
65	1.5	26	.6	29	.7	32	.8	28	.8	17	.4
55	1.3	111	2.8	41	1.0	54	1.1	33	.8	32	.7
33	1.2	28	1.0	27	1.0	7	.2	16	.6	11	.4
17	1.0	4	.2	22	1.3	5	.3	12	.8	7	.4
21	1.5	8	.6	14	1.0	4	.2	6	.4	13	1.0
4	.3	5	.4	13	1.2	6	.5	7	.6	5	.5
15	1.5	7	.6	17	1.6	8	.7	3	.3	2	.2
19	1.9	4	.4	11	1.0	8	.7	6	.5	4	.4
7	1.6	7	.6	20	1.9	1	.....	5	.4	6	.5
9	1.0	2	.2	13	1.4	6	.6	4	.4	8	.9
452	1.3	336	1.0	327	1.0	249	.7	217	.6	193	.6

also the ten highest causes of Death, with their ratio to 1,000 of Population in 1888.

Anæmia.		Heart Disease.		Diarrhœal Diseases.		Enteritis.		Fevers.		Diphtheria.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. or Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
5	.9	4	.7	3	.6	1	.1	2	.3	3	.6
7	1.0	2	.3	11	.6	6	.9	3	.8	1	.1
5	1.5	3	.9	1	.3	1	.3	....	.....	...	.....
14	1.6	7	.8	7	.8	2	.2	7	.8	3	.3
3	.4	6	.7	6	.7	8	.9	6	.7	2	.3
7	1.5	5	1.0	2	.4	4	.8	1	.2	.....	.....
11	1.7	5	1.0	6	1.3	.....	.....	.....	.....	8	1.2
6	.8	11	1.5	8	1.1	7	.9	4	.5	2	.2
4	.7	3	.5	.....	.....	7	1.2	2	.5	.....	.....
1	.3	3	.9	4	1.2	2	.6	1	.3	.....	.....
12	1.8	6	.9	2	.3	3	.4	6	.9	1	.1
3	.7	4	1.0	9	2.1	1	.2	1	.2	3	.7
10	2.5	2	.5	3	.7	4	1.0	1	.2	.....	.....
17	1.9	10	1.1	6	.7	3	.4	3	.4	9	1.0
4	1.3	1	.3	.....	.....	3	1.0	4	1.3	.....	.....
2	.3	8	1.5	1	.2	3	.6	4	.7	2	.3
4	1.4	4	1.4	1	.3	3	1.0	.....	.....	7	1.4
20	2.2	7	.8	6	.7	7	.8	9	1.0	2	.2
16	1.9	7	.8	3	.4	6	.7	9	1.8	12	1.4
151	1.3	98	.9	79	.7	71	.63	63	.56	55	.5

TABLE 25.

Shewing the Five highest Causes of Deaths, in the different periods of Life, and the number of Decedents from each cause.

Total deaths under 1 year.....	5879	Total deaths between 1 and 5 years.....	2449	Total deaths between 5 and 10 years.....	987	Total deaths between 10 and 15 years.....	632
Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No of Deaths.	Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.
1. Anæmia.....	1721	1. Diphtheria.....	423	1. Diphtheria.....	333	1. Diphtheria	135
2. Nervous diseases.....	702	2. Pneumonia and Bronchitis .	380	2. Nerv. Diseases & Convuls'ns	93	2. Phthisis.....	63
3. Pneumonia	586	3. Nerv. Diseases & Convuls'ns	347	3. Fevers.....	90	3. Fevers.	57
4. Diarrhœal diseases.....	557	4. Croup	211	4. Pneumonia.....	68	4. Pneumonia	55
5. Cholera Infantum.....	470	5. Diarrhœal Diseases..... .	187	5. Croup	62	5. Nervous Diseases	46
Total	4036	Total	1548	Total	646	Total	361

Total deaths between 15 and 20 years	850	Total deaths between 20 and 30 years	2077	Total deaths between 30 and 40 years.....	1487	Total deaths between 40 and and 50 years	1405
Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.
1. Phthisis	253	1. Phthisis.....	818	1. Phthisis	430	1. Phthisis	286
2. Fevers..	90	2. Fevers.....	176	2. Pneumonia	165	2. Pneumonia	191
3. Pneumonia.....	87	3. Pneumonia	151	3. Heart Disease.....	104	3. Heart Disease	136
4. Nervous Diseases	64	4. Nervous Diseases.....	134	4. Cancer.....	90	4. Cancer	126
5. Diphtheria	51	5. Enteritis	133	5. Fevers.....	87	5. Nervous Diseases.....	88
Total	545	Total	1412	Total	876	Total	827

TABLE 25.—*Continued.*

Total deaths between 50 and 60 years	1534	Total deaths between 60 and 70 years	2010	Total deaths between 70 and 80 years	2444	Total deaths at 80 years and over	1741
Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.	Five highest causes of death in that period	No. of Deaths.	Five highest causes of death in that period.	No. of Deaths.
1. Heart Disease	223	1. Heart Disease	409	1. Old Age	1062	1. Old Age	2598
2. Phthisis	202	2. Pneumonia	274	2. Heart Disease	308	2. Heart Disease	95
3. Pneumonia	192	3. Nervous Diseases	201	3. Pneumonia	271	3. Pneumonia	88
4. Nervous Diseases	142	4. Phthisis	166	4. Nervous Diseases	200	4. Nervous Diseases	68
5. Cancer	140	5. Cancer	121	5. Dropsy	92	5. Dropsy	38
Total	899	Total	1171	Total	1933	Total	2887

TABLE 26.

Deaths by Occupations, shewing the Ages at Death, also aggregate and average Age.—1888.

OCCUPATIONS.	Ages.																
	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and over.	Total.
Class I—Cultivators of the Soil, Etc.																		
Farmers	130	104	90	96	81	106	129	177	240	354	359	339	317	169	70	19	6	2786
Gardeners	.....	3	.....	1	1	4	4	2	3	3	7	4	5	2	.....	.....	.....	39
Labourers	90	64	52	41	49	50	54	62	71	68	72	63	68	20	12	5	1	842
Teamsters	4	6	3	4	4	4	7	6	2	6	2	1	1	1	.....	.....	.....	51
Total Class I	224	177	145	142	135	164	194	247	316	431	440	407	391	192	82	24	7	3718
Class II—Mechanics.																		
Blacksmiths	7	5	4	1	2	8	8	10	10	4	7	3	4	1	1	.....	1	76
Brickmakers	1	.....	.....	1	1	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	7
Bricklayers	1	1	2	.....	2	2	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	12
Bakers and Confectioners	6	3	1	3	3	4	5	1	3	4	1	.....	.....	.....	.....	.....	.....	34
Carpenters	11	9	16	10	6	12	27	18	17	19	14	17	11	6	.....	.....	1	194
Cabinet-makers	4	1	2	3	3	1	1	3	5	10	5	2	.....	.....	.....	.....	.....	40
Carriage and Wagon-makers	1	3	1	4	3	4	2	2	1	2	7	1	.....	.....	.....	.....	.....	31
Coopers	2	1	.....	.....	3	1	2	1	4	4	4	3	3	.....	.....	.....	.....	28
Factory Operatives	7	4	2	2	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	18
Masons	1	2	5	2	3	5	4	1	3	5	5	3	3	1	.....	.....	.....	43
Machinists	4	4	3	6	4	3	2	3	4	1	.....	1	.....	.....	.....	.....	.....	35
Moulders	.....	2	2	2	1	1	1	.....	1	2	1	.....	1	.....	2	.....	.....	16
Millwrights	.....	.....	.....	.....	1	1	2	3	1	.....	1	.....	1	.....	.....	.....	.....	10
Painters	8	1	.....	4	4	1	2	.....	.....	2	1	2	1	.....	.....	.....	.....	26
Printers and Bookbinders	8	5	6	7	9	4	2	3	1	3	2	.....	.....	.....	.....	.....	.....	50
Plasterers	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	5

Stonecutters	1	2	1			3	3	2	2			2						16
Shoemakers	2	1	3	5	3	3	6	5	12	16	16	9	6	3	1	1		92
Saddlers and Harness-makers	1	2	1	2	4		1	2	2	1		1						17
Tinsmiths	1	4	1	3			1	1	1	1		3						16
Tailors	5	1	2	4		3	2	4	10	5	8	4	1	2	2			53
Tobacconists and Cigarmakers	4	1	1	2	1													9
Tanners and Curriers						1	2		1									4
Watchmakers and Jewellers	2	2	2	1		1		1	1		1			1				12
Weavers	1								1	8	6	8	4		1	1		30
Other Mechanics	4	5	6	6	5	5	5	7	12	6	2	4	4		1			72
Total Class II	82	59	62	68	58	63	79	71	94	94	83	67	39	15	8	2	2	946
CLASS III—MERCANTILE MEN AND SHOP KEEPERS.																		
Agents	1	9	8	4	6	5	7	4	3	2	2	2	1					54
Book-keepers and Clerks	23	22	12	16	4	8	6	5	1	5	1	5	1	1				110
Butchers	8	3	3	2	3	2	3	4	8	3	4	2	2					47
Brewers and Distillers		1	1							1								3
Chemists and Druggists	3				1	1	1	1	1	2	1		1					12
Contractors and Builders	3		1	3	1	2		2	2	5	5	2	2	2				30
Lumbermen	1		3		3	3	5	1	1	5			4					26
Merchants	4	7	15	13	18	16	9	12	17	18	15	9	11	5				169
Millers	1	4	3	2	2	4		4	3	5	2	1	2	1				34
Manufacturers		2		2	2		4	1	5	1	5	4	1					27
Tavern-keepers		4	3	6	6	9	9	4	5	4	1	2						53
Total Class III	44	52	49	48	46	50	44	38	46	51	36	27	25	9				565
CLASS IV—PROFESSIONAL MEN.																		
Artists		3		3	3		1	1	1		1							13
Bankers	1	2		3			1	3	1		1							12
Clergymen		3		2	4	3	1	3	8	4	1	4	3	3				39
Dentists			1	1	1	1				1								5
Engineers	2	4	2	1	2	3		5	7	3	2	3		1				35
Lawyers			1	1		4	2	4	1			3						16
Musicians	2	2	1	1	1			2					1					10
Physicians		4	1	3	1	7	6	1	1				1	1	1			27
Public Officials		4	1	4	3	5	9	11	6	19	9	10	4	2		1		88
Students	15	3																18
Teachers, male	12	7	6	2	1	1	1		2	1	3	1	3	2				42
" female	10	2	4	3	1	2		1		1		1				1		26
Total Class IV	42	34	17	24	17	26	21	31	27	29	17	22	12	9	1	2		331

TABLE 26.—*Continued.*

Deaths by Occupations, shewing the Ages at Death, also aggregate and average Age.

OCCUPATIONS.	Ages.																
	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and over.	Total.
CLASS V—MISCELLANEOUS OCCUPATION.																		
Bartenders and Waiters	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
Cooks	1	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
Gentlemen	2	5	2	1	4	8	6	14	14	25	50	34	40	20	6	1	1	233
Hunters and Fishermen	1	.....	.....	.....	.....	3	1	1	.....	.....	1	2	.....	.....	.....	.....	.....	9
Railway Employees	8	11	3	7	3	11	2	4	2	1	1	.....	1	.....	.....	.....	.....	54
Sailors	4	4	2	.....	2	1	.....	2	1	2	1	1	1	2	.....	1	.....	24
Volunteers, Soldiers and Pensioners	1	1	1	.....	1	1	1	3	6	2	4	5	3	2	3	.....	.....	34
Occupations not specified	.....	1	1	4	4	5	5	2	3	1	.....	1	2	.....	.....	.....	1	30
Total Class V	19	26	11	13	16	29	15	26	26	31	57	43	47	24	9	2	2	396
CLASS VI—FEMALES AT WORK.																		
Servants, Females	24	15	4	2	3	7	.....	2	5	1	4	4	5	.....	.....	.....	.....	76
Milliners and Dressmakers	10	8	2	5	2	6	.....	1	1	2	3	3	3	1	.....	.....	.....	47
Total Class VI	34	23	6	7	5	13	.....	3	6	3	7	7	8	1	.....	.....	.....	123

TABLE 26—*Continued.*

RECAPITULATION.

Deaths by Occupations, shewing the Ages at Death, also aggregate and average Age, 1888.

OCCUPATIONS.	Ages.																		
	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and over.	Total.	Aggregate Age.	Average Age.
Total, Class I.—Cultivators of the Soil, Etc.	224	177	145	142	135	164	194	247	316	431	440	407	391	192	82	24	7	3718	229796	61.8 years.
" II.—Mechanics.....	82	59	62	68	58	63	79	71	94	94	83	67	39	15	8	2	2	946	50778	53.6 "
" III.—Mercantile Men, Etc.....	44	52	49	48	46	50	44	38	46	51	36	27	25	9	....	....	....	565	28493	50.2 "
" IV.—Professional Men, Etc....	42	34	17	24	17	26	21	31	27	29	17	22	12	9	1	2	....	331	16835	50.8 "
" V.—Miscellaneous Occupations.	19	26	11	13	16	29	15	26	26	31	57	43	47	24	9	2	2	396	24723	62.6 "
" VI.—Females at work.....	34	23	6	7	5	13	....	3	6	3	7	7	8	1	....	....	....	123	5235	42.5 "
Grand total.....	445	371	290	302	277	345	353	416	515	639	640	573	522	250	100	30	11	6079	355860	58.5 years.

EXPLANATION OF THE DIAGRAMS.

The births in the Province, in the cities, and in the towns, are indicated on diagrams 1 and 2, by straight red lines, and the deaths in the same places on diagrams 3 and 4, by straight black lines.

The death waves in the cities, towns, and rural districts are indicated by the following lines :—

Cities. ——

Towns. ---------

Rural Districts. + + +

The mortality from lung diseases, nervous diseases, diphtheria and fevers in the Province, also in the cities, towns, and rural districts is indicated by the following lines :—

Province. ——

Cities and Towns. ---------

Rural Districts. + + +

To those interested in vital statistics, a study of these diagrams, which shew a comparison of the mortality in the different localities of the Province, willbe found interesting. It is believed that they are drawn so plainly as not to require any lengthy explanations.

DIAGRAMS.

No. 1.

Diagram shewing the ratio of Births to each 1000 of the Population in each County of the Province in 1888.




The figures at the top of the perpendicular lines indicate the ratio of births in each 1000 of the population.

Designed by F. Warwick.

No. 2.


Diagram showing the ratio of Births to each 1000 of the Population in each City and Town in the Province in 1888.



The figures at the top of the perpendicular lines indicate the ratio of births to each 1000 of the population.

No. 3.

Diagram showing the ratio of Deaths to each 1000 of the Population in each County of the Province in 1888.



Designed by F. WARWICK.

The figures at the top of the perpendicular lines indicate the ratio of deaths to each 1000 of the population.

No. 4.

Diagram shewing the ratio of Deaths to each 1000 of the Population in each City and Town in 1888.





Diagram No. 5.


Showing the ratio of Deaths to each 1000 of the Population during the months of the year in the Cities, Principal Towns and in the Rural Districts for 1888.




Designed by F. Warwick.

Diagram No. 6.

Comparison between the mortality from Lung Diseases, Nervous Diseases, Diphtheria







Designed by F. Warwick.

Diagram No. 7.


and Fevers in the Province, in the Cities and Towns, and in the Rural Districts.





No. 8.

Ratio of Deaths during the different periods of life



DEATHS.

In the Province.

No. of Deaths, 23,734; ratio to Population, 11.0 per 1,000.

The rate in 1888 was a little lower than in 1887, owing to an allowance being made for the increase in population.

In the counties the rate in 1888 ranged from 7.5 per 1,000 in Huron; 7.6 in Grey; and 7.7 in Bruce to 15.8 per 1,000 in Essex and Wentworth; and 19.6 per 1,000 in Carleton and York.

The same peculiar changes from year to year in the returns, referred to in the observations on births, are also noticeable in the returns of deaths, as the following extracts shew. Nine counties, viz.: Bruce, Dufferin, Frontenac, Grey, Hastings, Huron, Kent, Lennox and Addington, Victoria and the Districts of Algoma and Haliburton, returned more deaths in 1887 than in 1886, but less in 1888 than in 1887; and the following ten counties, viz.: Brant, Carleton, Essex, Halton, Leeds and Grenville (united), Lincoln, Norfolk, Peel, Prince Edward and York, returned less deaths in 1887 than in 1886, and more deaths in 1888 than in 1887, shewing how regularly the returns fluctuate in many counties.

The greatest variation in the returns in any county was in Carleton. In 1886 it returned 1,486 deaths, an increase of 230 over the number returned in 1885; in 1887 the deaths nnmbered 1,225, a decrease of 261; again in 1888 the same county returned 1,382 deaths, an increase of 157, so that in consequence of these variations the deaths only increased 126 over the number returned in 1885.

The ratio of deaths in eleven counties, viz.: Bruce, Grey, Huron, Leeds and Grenville (united), Norfolk, Northumberland and Durham (united), Perth, Renfrew, Simcoe, Stormont, Dundas and Glengarry (united), Victoria and in the Districts of Algoma, and Haliburton was less than 9 per 1,000, in six of them only 8 per 1,000, and three of them were as low as 7 per 1,000. The cause of these low ratios can be only attributed to the non-registration of the deaths occurring in those counties and districts.

Cities.

No. of deaths, 6,050; ratio 18.4 per 1,000.

The death ratio per 1,000 in the cities was less than in 1887, although there were 156 more deaths; owing to the increase in population being greater in proportion than the increase in the number of deaths.

The changes in the return of deaths from year to year in the cities were similar to those from the counties as the following extracts shew. Four cities, London, Kingston, St. Thomas and Belleville, registered more deaths in 1887 than in 1886; in 1888, however, they returned a decrease, while six cities, viz.: Toronto, Hamilton, Ottawa, Brantford, St. Catharines and Stratford, which returned a decrease in 1887 from 1886, returned an increase in 1888 over 1887. Ottawa City exhibited the greatest change. In 1887 the deaths in that city numbered 260 less than in 1886, whereas in 1888 they were 118 more than in 1887. The death-rate in St. Catharines in 1888 was unusually high 20.6 per 1,000 accounted for in part by a large increase in the number of deaths from consumption. In 1887 only 9 deaths were reported from that disease, whereas in 1888 32 deaths were so reported.

The lowest death-rate was returned from Stratford, 11.2 per 1,000.

Principal Towns.

No. of deaths, 1,594 ; ratio 14.3 per 1,000.

The returns from the principal towns shew an increase of 164 deaths, and also a slight increase in the ratio per 1,000 of the population over 1887. The death-rate in the town of Brampton was very high 27.6 per 1,000, higher in fact than in any, county, city or town in the Province. During the last five years the ratio in that town has been more than 20 per 1,000, in every year.

If the population given by the assessors (3,297) be correct, Brampton cannot be considered a healthy locality, if judged by its death-rate. There were however, 14 deaths from old age recorded, which if deducted from the total deaths in that town would reduce the death-rate to 23.3 per 1,000. The principal causes of death were phthisis, nervous diseases, pneumonia, and other lung diseases.

Sex and Season.

See table 16 and 17 ; pages 20 and 21.

The deaths of males in the Province numbered 12,514; and the females 11,220, giving a proportion of 111.5 males to 100 females ; the proportion in 1887 was 108 8 to 100. In the births registered in the Province in 1888, the proportion between the sexes was 107.6 males to 100 females, therefore the proportion of male to female deaths was greater than the proportion of male to female births. In the periods of life under one year, from 1 to 5, and from 5 to 10 years the mortality of males exceeded that of the females, and also in all the periods from 50 years and upwards, except in the ages between 90 and 100 years, where the female deaths exceeded the males. In the periods from 10 to 15 years, and in each of the four succeeding periods, viz. : from 15 to 20 years ; 20 to 30 years ; 30 to 40 years, and 40 to 50 years ; more female deaths were recorded than males.

In the cities the proportion between male and female births was 110.8 males to 100 females, in the deaths 114.9 males to 100 females, therefore the proportion between the sexes was greater in the cities than in the Province.

The deaths in the month of August numbered 2,269, being 133 more than in the same month in 1887, causing that month to take the first place in the order of deaths by months. In previous years March held that position. The months of June and November are the healthiest months of the year, they occupy the eleventh and twelfth position respectively in the order of deaths by months. In the returns from the cities, August also holds the first place and November the twelfth or lowest position.

Ages.

See tables 18, 19 and 20 ; pages 22, 23 and 24.

The increase in the mortality in 1888 was chiefly amongst children under one year, the returns showing 538 more deaths at that tender age than in 1887.

Infantile mortality is determined largely by the prevalence of diarrhœal diseases, and it appears from the returns that in 1888 these diseases were more than usually prevalent in the months of August and September amongst children under one year. In the next period from one to five years the number of deaths was nearly the same as in 1887. Many changes are, however, observable in the mortality during the other periods of life. Between 5 and 10 years there was a decrease of 127 deaths ; between 10 and 20 years an increase of 23 ; between 20 and 30 years a decrease of 77, and also a decrease of 33 in the period between 30 and 40 years. In the next four periods, 40 to 50 years ; 50 to 60 years ; 60 to 70 years, and 70 to 80 years, there was an increase in each period, but in the period from 80 to 90 years, therewas a decrease of 79, and in the last period of life from 90 to 100 there was an increase of 62 years.

In the cities there was an increase of 343 deaths of children under one year, and in five other periods there was also an increase. In the other seven periods, however, there was a decrease in the mortality as compared with 1887.

Centenarians.

See table 18 ; page 22.

In 1888 the deaths of 21 reputed centenarians were reported. In 1887 there were 24 reported. Twelve of the 21 registered in 1888 are stated to have exceeded a century of life, and one man named Israel Talbot, of the County of Oxford, was recorded as having attained the age of 110 years at the time of his death. It seems hardly necessary to repeat what has been so often stated in former reports, that except in one or two cases no reliable evidence was obtainable to prove that these parties lived to the advanced ages registered from year to year.

Nationality of Decedents Over 60 Years of Age.

See table 19 ; page 23.

This table gives the birth place of all who died in Ontario at the age of sixty years and over. They numbered 6,195 or 391 more than in 1887 Natives of Ireland, predominated, Canadians were next highest, then follow the English and Scotch ; the numbers of the other nationalities were small in comparison with the four above-named

TEN HIGHEST CAUSES OF DEATH.

See tables 22, 23 and 24 ; pages 28, 29 30 and 31.

Pneumonia.

No. of Deaths, 2,537.

Under this comprehensive heading were included Inflammation of the Lungs Bronchitis, and other diseases of the lungs not included under Phthisis.

The number of those who died from these causes in 1888 was so much in excess of the number recorded in 1887, that together they became the highest cause of death in 1888.

The ratio to population was as follows :

For the whole Province	1.2	per 1,000
" cities	1.9	"
" towns	1.7	"
" rural districts	1.02	"

The counties of York, Essex, Haldimand, Lincoln and Wentworth, returned the highest mortality from these Lung diseases.

In the other counties the mortality varied from .3 per 1,000, in Prescott and Russell (united), to 1.5 in Brant.

The returns from the cities shew that the death-rate from these causes was very high in St. Catharines, Toronto and Brantford, viz : 2.7, 2.3 and 2.2 per 1,000 respectively. The mortality was still higher in the towns ; Brampton's death-rate from the same causes was 4.0 per 1,000 ; Perth 3.7 per 1,000 ; Woodstock 2.5 per 1,000 ; Barrie 2.4 per 1,000, and Galt 2,2 per 1,000.

As usual a very large percentage of these deaths were of children under one year of age. In the Province they numbered 586 or 23 per cent. of the total deaths in this class. In the cities they numbered 166 or 27 per cent. In the towns 57 or 31 per cent., and in the rural districts 363 or 21 per cent.

Phthisis (Consumption).

No. of deaths, 2,521.

There was a slight decrease in the number of deaths from this cause; it still, however, holds the second highest place in the causes of death in the Province. Medical men and other scientists have for many years studied to devise means to decrease the mortality from Consumption, but so far without that success which their efforts have deserved.

The ratio to population was as follows:

For the whole	Province	1.18	per 1,000
"	cities	1.8	"
"	towns	1.5	"
"	rural districts	1.03	"

Consumption was most fatal in the counties of York, Wentworth, Prince Edward, Lincoln and Carleton, and the least so, in the counties of Grey, Simcoe, Huron, Halton, Haldimand, and in the districts of Haliburton, and Muskoka. In the cities St. Catharines returned the highest rate 3.1 per 1.000, nearly double the average for the eleven cities. Belleville's death-rate was also high 2.2 per 1,000. The towns of Brampton, Picton and Napanee, had a much larger death-rate than the other towns, the two first-named had each a ratio of 2.2 per 1,000, and Napanee 3.1 per 1,000.

In the rural districts the rate was considerably below that for the whole Province.

In the returns from the Province a much larger number of females than males were victims of Consumption, especially in the periods of life from 15 to 20 years; 20 to 30 years, and 30 to 40 years. In the cities the mortality from this cause was greater among the males than the females, in the two periods from 15 to 20, and 20 to 30 years.

Old Age.

No. of deaths, 2,365

Old age in 1887 occupied the position of first in the list; this year it is third, the number of deaths in 1888 being 252 less than in 1887.

The ratio to population was as follows:

For the whole	Province	1.11	per 1,000
"	cities	1.0	"
"	towns	1.4	"
"	rural districts	1.1	"

With the exception of a few counties in which the death-rate from old age was either very high or very low, the variation in the death-rate in the different counties was not very great, only varying from .9 per 1,000 to 1.4 per 1,000.

In the cities the death-rate was less than in either of the other localities. Life in cities was not conducive to old age.

Nervous Diseases.

No. of Deaths, 2,275.

Nervous diseases include all affections of the Brain, and Infantile Convulsions. They occupied the fourth place in the list for the Province, first in the list for the cities, and second in the list for the towns.

There was an increase of 108 deaths from these causes in 1888.

The ratio to population was as follows :

For the whole Province	1.07	per 1,000.
" cities	2.0	"
" towns	1.6	"
" rural districts	.8	"

The large number of children dying from Infantile Convulsions was the principal cause of so many deaths having been recorded from Nervous diseases.

In the period of age under one year aud from one to five, 1,139 deaths were recorded under Nervous diseases, a very large proportion of them died from Infantile Convulsions, and in the cities and towns the same Infantile mortality was recorded, viz,, 357 under one year, and 125 between one and five years.

The season of fatality from all these diseases was in the first three months of the year in the Province and cities. In the towns the second quarter was the most fatal.

Anæmia (General Debility.)

No. of Deaths, 2,271.

Under this heading are classed those infants and old people for whose deaths no other cause was given than " Debility."

The ratio to population was as follows :

For the whole Province	1.06	per 1,000.
" cities	1.9	"
" towns	1.3	"
" rural districts	.8	"

The number of children recorded as having died from Infantile Debility under one year of age was 1,721, over seventy-two per cent. of the whole number of deaths classed under Anæmiá

Owing to the absence in many cases of a medical man at the time of the death of these children, a proper diagnosis of the causes of death was not given, and often no cause whatever was assigned, they were therefore classed under " Infantile Debility." As 734 of them died during the hot summer months of July, August and September, it was quite probable that the majority of them died from Diarrhœal diseases, generally very prevalent in those months.

Heart Diseases (Including Apoplexy.)

No. of Deaths, 1,567.

The mortality from diseases of the heart are increasing from year to year, as the returns shew. There was an increase in 1888 of 111 over the number returned in 1887.

The ratio to population was as follows:

For the whole Province	.7	per 1,000.
" cities	1.3	"
" towns	.9	"
" rural districts	.6	"

The deaths from these diseases were fairly divided between the different months of the year.

The majority of the deaths from Heart disease (940 or 60 per cent.) occurred in the periods of life betwcen 50 and 60 years, 60 to 70 years and 70 to 80 years.

It was, generally speaking, more fatal in the cities than in the rest of the Province.

Diphtheria.

No. of Deaths, 1,088.

It is a pleasure to record the continued decrease in the number of deaths from this very fatal disease. In 1887 there was a decrease of 66 deaths from this cause; in 1888 the deaths were 252 less than in 1887.

The ratio to population was as follows:

For the whole Province	.5	per 1,000.
" cities	.7	"
" towns	.5	"
" rural districts	.4	"

The counties of Carleton, Dufferin, and Prescott and Russell (United), returned the highest death-rate from Diphtheria. Although the County of Prescott and Russell (United), returns a high death-rate from Diphtheria, 1.2 per 1,000, it was much lower than in 1887, when it was 2.1 per 1,000 living. It was also rather prevalent in the counties of Essex, Norfolk, Oxford, Prince Edward and York, The county of Prince Edward which returned only two deaths from this disease in 1887, returned 17 deaths in 1888.

Diarrhœal Diseases.

No. of Deaths, 934.

These diseases were more prevalent than in 1887, and have therefore advanced from the ninth to the eighth place in the ten highest causes of death in the Province.

A similar advance also took place in the cities, and towns, owing to the increased mortality in these places from Diarrhœal diseases. The cities held the eighth place in the list in 1887, in 1888 they advanced to the sixth. The towns held the ninth place in 1887, in 1888 they stand seventh in the list.

The ratio to population was as follows:

For the whole Province	.43	per 1,000
" cities	1.00	"
" towns	.7	"
" cities	.3	"

Many of the deaths of infants reported as dying in the summer months from Infantile Debility were probably victims to some of the diarrhœal diseases, and should have been so reported. If this inference is correct, the death-rate from these diseases would have been still higher than that given, viz., .43 per 1,000.

These diseases prevailed as usual in the hot weather, being but little prominent until July, and decreasing after September.

They are diseases of the extremes of life, viz., infancy and old age, especially in the former, as 557 or nearly 60 per cent died when under one year of age.

Enteritis and Gastritis (Inflammation of Bowels and Stomach.)

No. of Deaths, 909.

The ratio to population was as follows:

For the whole Province	.....	.42	per 1,000.
" cities	.....	.6	"
" towns	.....	.63	"
" rural districts	.....	.36	"

No county gave a very high death-rate from these diseases, though in the following counties the rate was more than the average, viz., York and Waterloo, .7 per 1,000, each, Carleton, Elgin, Essex, Ontario and Oxford, .6 per 1,000, each.

The death-rate from Diarrhœal diseases was higher in the cities. In Hamilton, Ottawa and Kingston, it was .8 per 1,000, and in some of the towns the death-rate was still higher, viz., in Lindsay, 1.2 per 1,000, Perth, Picton and Whitby, 1.0 per 1,000, each.

The deaths from Enteritis were in excess among the young and old, in the other periods of life the mortality was small. July and August were the most fatal months

Fevers.

No. of Deaths, 850.

The different kinds of fevers have been grouped under the above general heading. The mortality from them has increased to so large an extent, that they appear for the first time in the ten highest causes of death, occupying the tenth or last position.

The ratio to population was as follows:

For the whole Province	.....	.4	per 1,000.
" cities	.....	.6	"
" towns	.....	.56	"
" rural districts	.....	.3	"

Typhoid Fever continues to be the most fatal of the fevers, although there was a slight decrease in the number who died from it in 1888. In the following counties more than the average mortality from Typhoid Fever was returned, viz., Brant, Essex, Lambton and Oxford. In the cities of Stratford, Brampton and Ottawa, the same fever was quite prevalent. In the towns of Woodstock, Picton, Windsor and Owen Sound, the death-rate from all kinds of fevers was unusually high, viz., 1.8, 1.3, 1.0 and .9, respectively, while the average for all the towns was only .56 per 1,000. More deaths are reported from fevers at the ages between 20 and 30 years than at any other period in life.

The rural districts present a very low death-rate from fevers, in comparison with that of the cities and towns.

FIVE HIGHEST CAUSES OF DEATH IN THE DIFFERENT PERIODS OF AGE.

(*See Table 25, Page 32.*)

This table presents the five principal causes of death, and the position they occupy as regards priority in each of the twelve periods of age. In the first division under one year, Anæmiá, which includes Infantile Debility, was the highest cause of Death ; it does not appear again as one of the five causes of death in any other period of life, as the greater portion of the deaths from this cause were children under one year.

Nervous diseases appear in every period except one, but they never occupied the highest position, generally ranking fourth or fifth. Pneumonia, although not the highest cause of death in any period, holds a prominent position in every period of age; therefore these two causes of death, Nervous diseases and Pneumonia, seem to affect people in every period of life. Diphtheria was first in the second, third and fourth periods, and last in the fifth.

The mortality from Phthisis was not so great under ten years of age, as to give it a place among the five highest causes of death ; it held the first position however in the four periods from 15 to 20, 20 to 30, 30 to 40, and 40 to 50 years, it was also the second highest cause of death between 10 and 15 years, and fourth between 60 and 70 years. No other disease held the position of the principal or highest cause of death in so many periods of life as Phthisis. Heart disease ranks first in the two periods between 50 and 60 years, and between 60 and 70 years, it was also second in the last two periods, from 70 to 80, and from 80 to 90 years.

Fevers appear in five periods, generally as the third highest cause of death.

DEATHS BY OCCUPATIONS.

(*See Table 26, Page 34.*)

No. of Deaths, 6,079 ; Average Age, 58.5 Years.

There was a decrease of 294 deaths of those whose calling or occupation was given. The average length of life was, however, nearly two years longer than in 1887.

The following is a review of the different classes, into which the various occupations were divided.

Classs I.—Cultivators of the Soil.

No. of Deaths, 2,825 ; Average Age, 61.8 Years.

Farmers and others engaged in the cultivation of the land, are, considering their numbers longer lived than any other workers. Of the 2,825 who died while following this calling, 1,654 or 60 per cent., lived to be 65 years of age and over, 266 lived to be over 85 years, and six were 100 years old and over at the time of their deaths.

Class II.—Mechanics.

No. of Deaths, 946 ; Average Age, 53.6 Years.

Carpenters return 194 deaths, the highest number in this class. They were not, however, the longest lived, as quite a number of them (64) died before reaching the age of fifty years.

Tailors and Shoemakers generally return a very high average age, few of them died before fifty years of age ; the majority, 96 or 66 per cent. of all of them, lived to be over sixty years of age. There were recorded the deaths of 30 Weavers, all excepting one died at sixty years and over, therefore their average age 62 years, was the highest in this class.

Those who followed the occupations of Bakers, Factory operatives, Plasterers, Stone cutters and Cigarmakers, were all short lived. Of the 82 deaths returned from these five callings, only 30 lived to be fifty years of age.

Class III.—Mercantile Men and Shopkeepers.

No. of Deaths, 565; Average Age, 50.2 Years.

The greatest mortality in this class was amongst Merchants, their deaths numbered 169, their length of life was above the average for the whole class.

The deaths of 110 Book-keepers and Clerks were recorded, their average age was low, only 19 out of the 110 who died, reached the age of fifty-five years, and 73 died before attaining the age of forty years.

Class IV.—Professional Men.

No. of Deaths, 331; Average Age, 50.8 Years.

The deaths of the members of three professions, Divinity, Medicine and Law, numbered 82. Clergymen lived longer than Doctors or Lawyers, as 23 of the 39 who died in 1888 were over 60 years of age at the time of their decease, and six of them lived to be 80 years and over; only three Physicians lived to that advanced age, and all the Lawyers died under 80 years of age.

Public Officials were the longest lived of this class, but the deaths of several superannuated civil service officials at advanced ages were included in the list.

Male teachers outlived the female teachers by many years, the returns shewing that 12 male teachers lived to be 60 years of age and over, while only three female teachers lived to be over 60 years of age. The mortality amongst female teachers was greatest under forty years, as 19 out of the 26 who died were under that age.

The heavy strain especially on the nervous system, to which those who follow teaching are subject, bears more heavily on females than upon males, and often results in their deaths in early life, or causes them to abandon the profession.

Class V.—Miscellaneous Occupations.

No. of Deaths, 396; Average Age, 62.6 Years

The members of this class together returned an average length of life longer than either of the other classes, The most prominent in the class both as to numbers and length of life were gentlemen. A large number of persons who some time previous to their death had retired from the duties of active life, were at their death returned as gentlemen, without any reference to the occupations they may at one time of their lives have followed, and as this ceasing to follow any occupation does not generally take place until late in life, therefore these gentlemen generally die at a good old age.

The deaths of 54 Railway Employees were recorded, principally in early life; 43 of them died under the age of 50 years, and only five lived to be more than 60 years.

The precarious nature of their occupation tended to shorten their lives.

Class VI.—Females at Work.

No. of Deaths, 123; Average Age, 42.5 Years.

This class only includes two occupations, female Domestics, and Milliners and Dressmakers. The average age of Domestics was about four years longer than Milliners and Dressmakers, shewing that household duties are more conducive to long life than needlework.

Few of either Domestics or Milliners and Dressmakers attained a greater age than 50 years, the returns shewing that of the 123 deaths of those who followed these two callings, only 35 were above 50 years of age at their death.

Deaths.

The most important part of vital statistics is that which relates to the registration of deaths, especially the causes thereof. The lengthening of life in many parts of England since the establishment of civil registration, was caused by the death statistics published in the Registrars General's Annual Reports, which pointed out the excess of mortality in certain localities from fevers and other contagious diseases. This led the authorities of those localities to investigate the cause, and when found, measures were taken to remedy the evil, with the result that the death-rate was lowered and the length of life increased.

The benefit to be derived from death statistics. mainly depends upon their correctness, therefore, it becomes the duty of every one, particularly parents and medical men, to assist in perfecting the returns of deaths, when required to register the particulars of a death, by seeing that all the items required for registration are correctly and fully given, especially the "cause of death," the most important item, and one sometimes omitted or imperfectly given.

The following extracts from the remarks made by the Registrar General of England, in his Annual Report for 1887, on the fifty years of registratiou in that country, will be found interesting and instructive.

"The Registration Act of England came into force in July, 1837, and was opposed by the clergy and the uneducated masses, and supported by the medical and legal pro- "fession, particularly by the former. The Royal College of Physicians and Surgeons "issued a circular pledging themselves, and asking all their members to do the same, to "give in every instance that might fall under their care, an authentic name of the fatal "disease. The immediate benefit to medical knowledge to be derived from this action "on their part, was a more accurate knowledge, not only of the comparative prevalence "of various mortal diseases as regards the whole of England and Wales, but also of the "localities in which they respectively prevail, and the age, sex and condition of life, "which each principally affect; but a far greater benefit than any foreseen by these "medical authorities has in reality been obtained from it, namely, an addition of more "than two years to the average span of life of the inhabitants of England and Wales. "That such an addition has, however, been made, and that it has been the result of the "Registration Act that came into force in 1837, is beyond all doubt. For it is the "*registration of deaths*, and of their causes that has made sanitation possible."

The Registrar General also quotes the following from the late Professor Parkes: "The attention now paid to public health, is in a large degree owing to the careful "collection of the statistics of births and deaths, and of the causes of death which have "been collected in England. It may truly be said indeed, that not only all Europe, "but gradually the entire world has been influenced, by the work of the Registrar "General of England. We are now able to determine the limits of mortality and its "causes with some precision, and are being led to a consideration of the causes which "bring about a too high death-rate."

The Registrar General further adds: "That it was only when the accumulation "and classification of registered facts showed that excess of mortality from certain "forms of disease was almost invariably associated with certain ascertainable external "conditions, that sanitary reformers were able to devise remedial measures, and bring "them to bear upon unhealthy localities with such precision as to give a fair chance of "success.

I have the honour to be, Sir,

Your obedient servant,

H. S. CREWE,
Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1888.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Algoma:																	
Males	36	37	48	55	58	46	38	38	44	52	44	38	534	4	.....	3	4
Females	37	31	43	40	46	37	42	38	30	43	48	37	472	6	.....	2	3
Total	73	68	91	95	104	83	80	76	74	95	92	75	1006	5 pairs.	.....	5	7
Brant:																	
Males	28	21	24	33	30	39	29	28	33	34	26	34	359	4	.....	5	6
Females	29	30	33	36	27	35	39	41	34	29	36	35	404	8	.....	1	3
Total	57	51	57	69	57	74	68	69	67	63	62	69	763	6 pairs.	.....	6	9
Bruce:																	
Males	59	73	66	63	75	71	51	62	64	67	56	76	783	8	.....	2	5
Females	70	62	70	55	63	46	62	57	54	62	64	72	737	6	.....	6	4
Total	129	135	136	118	138	117	113	119	118	129	120	148	1520	7 pairs.	.....	8	9
Carleton:																	
Males	131	106	121	123	117	96	125	114	124	115	112	125	1409	18	.....	124	14
Females	104	117	113	86	100	94	122	93	101	100	107	101	1238	12	.....	110	12
Total	235	223	234	209	217	190	247	207	225	215	219	226	2647	15 pairs.	.....	234	26
Dufferin:																	
Males	18	24	18	24	18	20	24	27	29	25	15	17	259	1	.....	1	1
Females	19	17	28	21	14	24	30	17	29	18	14	22	253	5	.....	1	1
Total	37	41	46	45	32	44	54	44	58	43	29	39	512	3 pairs.	.....	2	2
Elgin:																	
Males	41	46	54	45	31	33	29	42	41	48	36	37	483	6	.....	4	5
Females	39	40	44	37	33	34	50	39	44	34	37	37	468	4	.....	3	2
Total	80	86	98	82	64	67	79	81	85	82	73	74	951	5 pairs	.....	7	7

Essex :																	
Males	65	72	63	50	51	63	61	85	60	57	40	53	720	1		3	5
Females	73	57	67	55	55	55	52	80	63	65	56	60	738	7		3	1
Total	138	129	130	105	106	118	113	165	123	122	96	113	1458	4 pairs.		6	6
Frontenac :																	
Males	54	48	43	41	36	41	33	37	42	43	39	47	504	7		6	5
Females	43	47	48	38	42	33	29	39	39	40	26	41	465	5		10	3
Total	97	95	91	79	78	74	62	76	81	83	65	88	969	6 pairs		16	8
Grey :																	
Males	65	60	67	63	72	77	54	65	64	74	42	69	772	7		2	3
Females	44	69	53	44	46	58	49	57	58	66	44	59	617	5		3	6
Total	109	129	120	107	118	135	103	122	122	140	86	128	1419	6 pairs.		5	9
Haldimand :																	
Males	18	23	18	18	21	29	21	36	25	23	17	20	269	3		2	3
Females	19	12	16	22	21	18	17	23	19	18	19	23	227	3		1	1
Total	37	35	34	40	42	47	38	59	44	41	36	43	496	3 pairs.		3	4
Halton:																	
Males	19	26	20	23	12	22	21	17	13	28	20	25	246	1		1	1
Females	13	14	18	10	15	22	14	17	25	21	21	26	216	1			1
Total	32	40	38	33	27	44	35	34	38	49	41	51	462	1 pair.		1	2
Haliburton :																	
Males	6	8	13	7	3	8	10	14	4	16	3	6	98	1		3	2
Females	7	4	7	4	6	8	4	12	6	10	3	3	74	3		1	2
Total	13	12	20	11	9	16	14	26	10	26	6	9	172	2 pairs.		4	4
Hastings :																	
Males	48	43	55	35	48	47	52	59	44	55	47	52	585	7		2	6
Females	46	47	38	40	46	40	38	44	49	45	39	56	528	3		3	4
Total	94	90	93	75	94	87	90	103	93	100	86	108	1113	5 pairs.		5	10
Huron :																	
Males	70	44	71	49	68	63	64	67	67	68	58	56	745	4		3	9
Females	57	63	65	56	62	56	68	69	61	67	57	50	731	4		3	5
Total	127	107	136	105	130	119	132	136	128	135	115	106	1476	4 pairs.		6	14

TABLE A.—BIRTHS BY MONTHS, 1888.—*Continued.*

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Kent:																	
Males	67	56	50	45	42	50	65	43	67	64	44	54	647	9	.....	2	5
Females	53	45	61	47	49	39	44	43	45	56	50	44	576	5	.....	2	1
Total	120	101	111	92	91	89	109	86	112	120	94	98	1223	7 pairs.	.....	4	6
Lambton:																	
Males	60	43	52	55	53	40	64	63	63	62	52	52	659	2	....	3	4
Females	51	53	53	46	54	42	43	74	61	48	55	60	640	4	.....	1	2
Total	111	96	105	101	107	82	107	137	124	110	107	112	1299	3 pairs.	.....	4	6
Lanark:																	
Males	25	33	30	30	32	30	30	32	32	32	32	32	370	2	.....	3	5
Females	28	29	31	26	30	25	26	27	31	28	30	28	349	4	.....	3	3
Total	53	62	61	56	62	55	66	59	63	60	62	60	719	3 pairs.	.....	6	8
Leeds and Grenville:																	
Males	38	43	45	40	32	52	47	50	46	49	43	31	516	2	.....	.....	2
Females	30	41	35	46	33	46	43	54	36	41	38	34	477	2	.....	2	1
Total	68	84	80	86	65	98	90	104	82	90	81	65	993	2 pairs.	.....	2	3
Lennox and Addington:																	
Males	15	13	17	10	13	19	16	24	21	10	16	17	193	3	.....	1	2
Females	12	15	11	12	14	14	12	9	12	12	13	20	156	3	.....	1	.....
Total	27	28	28	22	27	33	28	33	33	22	29	37	349	3 pairs.	.....	2	2
Lincoln:																	
Males	35	23	31	24	28	35	24	30	28	28	23	26	335	4	.....	2	4
Females	30	27	34	29	34	25	22	32	23	22	28	28	334	8	.....	1	1
Total	65	50	65	53	62	60	46	62	51	50	51	54	669	6 pairs.	.....	3	5

Middlesex:																	
Males	82	79	85	87	82	87	85	104	81	79	75	87	1013	7	3	10	5
Females	75	93	79	91	64	71	91	86	67	82	72	78	949	11	.....	4	2
Total	157	172	164	178	146	158	176	190	148	161	147	165	1962	9 pairs.	1 set.	14	7
Muskoka and Parry Sound:																	
Males	58	60	57	57	47	51	58	48	65	48	46	46	641	8	.....	3	5
Females	47	62	53	48	43	39	64	41	52	37	35	43	564	4	.....	2	4
Total	105	122	110	105	90	90	122	89	117	85	81	89	1205	6 pairs.	.....	5	9
Norfolk:																	
Males	25	24	20	17	20	21	29	26	36	22	18	22	280	2	.....	3	2
Females	29	29	22	28	25	23	27	29	35	16	24	25	312	4	.....	1	2
Total	54	53	42	45	45	44	56	55	71	38	42	47	592	3 pairs.	.....	4	4
Northumberland and Durham:																	
Males	52	64	70	66	62	52	70	57	64	67	48	52	724	13	.....	1	3
Females	64	59	58	52	47	49	63	54	62	48	54	57	667	13	.....	5	1
Total	116	123	128	118	109	101	133	111	126	115	102	109	1391	13 pairs.	.....	6	4
Ontario:																	
Males	41	40	48	39	31	39	61	58	39	37	44	45	520	8	.....	7	4
Females	42	47	47	46	34	41	54	43	48	39	33	40	514	4	.....	3	5
Total	83	87	95	85	65	80	115	101	87	76	77	85	1034	6 pairs.	.....	10	9
Oxford:																	
Males	40	58	54	42	33	48	48	61	40	41	31	36	532	2	.....	1	2
Females	38	55	48	47	40	39	42	50	48	46	43	28	524	8	....	3	2
Total	78	113	102	89	73	87	90	111	88	87	74	64	1056	5 pairs.	.....	4	4
Peel:																	
Males	31	23	27	17	24	20	27	17	23	20	17	20	266	2	.....	.....	2
Females	21	24	24	20	20	20	17	19	23	17	11	17	233	2	.....	.....	.....
Total	52	47	51	37	44	40	44	36	46	37	28	37	499	2 pairs.	.....	.....	2
Perth:																	
Males	52	53	51	47	49	58	42	47	55	59	48	49	610	3	.....	3	4
Females	42	53	54	41	42	47	37	33	43	51	41	37	521	3	.....	2	2
Total	94	106	105	88	91	105	79	80	98	110	89	86	1131	3 pairs.	.....	5	6

TABLE A.—BIRTHS BY MONTHS, 1888.—*Continued,*

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Peterborough :																	
Males	29	30	37	39	43	37	40	38	31	35	23	42	424	3	.....	4	2
Females	33	22	18	22	28	29	31	26	40	25	24	25	323	3	.....	3	5
Total	62	52	55	61	71	66	71	64	71	60	47	67	747	3 pairs.	.....	7	7
Prescott and Russell :																	
Males	46	63	62	60	47	44	56	44	49	50	43	41	605	2	.....	2	3
Females	43	51	71	55	38	45	54	43	46	43	45	42	576	6	.....	2	2
Total	89	114	133	115	85	89	110	87	95	93	88	83	1181	4 pairs.	.....	4	5
Prince Edward :																	
Males	11	10	16	11	13	15	11	13	12	12	8	7	139	1	.....	.....	2
Females	13	11	11	13	14	8	17	9	19	9	10	13	147	1	.....	2	1
Total	24	21	27	24	27	23	28	22	31	21	18	20	286	1 pair.	.....	2	3
Renfrew :																	
Males	56	50	62	52	60	56	58	49	61	49	54	43	650	8	.....	5	8
Females	49	45	49	38	45	48	43	46	53	54	50	44	564	2	.....	2	3
Total	105	95	111	90	105	104	101	95	114	103	104	87	1214	5 pairs.	.....	7	11
Simcoe :																	
Males	72	86	88	65	77	77	76	78	77	89	72	68	925	8	.....	7	4
Females	70	68	76	67	68	71	79	70	67	78	63	60	837	4	.....	3	5
Total	142	154	164	132	145	148	155	148	144	167	135	128	1762	6 pairs.	.....	10	9
Stormont, Dundas and Glengarry :																	
Males	53	58	54	58	49	55	53	52	51	48	52	55	638	5	1	4	4
Females	52	53	58	56	48	53	51	45	48	43	46	54	607	5	2	3	5
Total	105	111	112	114	97	108	104	97	99	91	98	109	1245	5 pairs.	1 set.	7	9

Victoria :																	
Males	33	39	36	32	33	29	38	37	38	33	29	37	414	3	.....	3	3
Females	35	31	33	30	28	33	29	28	24	24	38	34	367	3	.....	2	3
Total	68	70	69	62	61	62	67	65	62	57	67	71	781	3 pairs.	.....	5	6
Waterloo :																	
Males	63	67	65	58	55	63	62	60	63	62	61	52	731	6	.....	4	4
Females	67	51	70	60	62	54	50	63	62	64	59	46	708	8	.....	5	2
Total	130	118	135	118	117	117	112	123	125	126	120	98	1439	7 pairs.	.....	9	6
Welland :																	
Males	34	24	31	29	34	27	26	36	28	26	29	28	352	2	2	2	2
Females	31	29	36	33	26	28	24	33	29	25	31	24	349	2	1	1	.....
Total	65	53	67	62	60	55	50	69	57	51	60	52	701	2 pairs.	1 set.	3	2
Wellington :																	
Males	59	50	53	54	52	44	50	61	54	56	53	66	652	10	.....	5	7
Females	49	60	58	52	48	51	48	53	56	50	52	57	634	12	.....	3	6
Total	108	110	111	106	100	95	98	114	110	106	105	123	1286	11 pairs.	.....	8	13
Wentworth :																	
Males	77	63	99	70	85	79	75	98	88	81	65	55	935	9	.....	25	12
Females	84	66	86	69	70	74	65	75	86	75	61	58	869	7	.....	27	11
Total	161	129	185	139	155	153	140	173	174	156	126	113	1804	8 pairs.	.....	52	23
York :																	
Males	238	255	233	251	192	211	251	251	268	236	211	220	2817	44	.....	77	14
Females	197	225	216	228	202	215	241	239	233	218	200	190	2604	58	.....	50	15
Total	435	480	449	479	394	426	492	490	501	454	411	410	5421	51 pairs.	.....	127	29
Total Males	2050	2038	2154	1984	1928	1994	2074	2168	2134	2100	1792	1938	24354	.....	6	338	183
" Females	1885	1954	2035	1846	1782	1789	1943	1950	1961	1869	1777	1808	22599	.....	3	280	132
Grand Total	3935	3992	4189	3830	3710	3783	4017	4118	4095	3969	3569	3746	46953	249 pairs	3 sets.	618	315

H. S. CREWE,
Inspector.

TABLE A.—CITIES.—BIRTHS BY MONTHS, 1888.

CITIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Toronto:																	
Males	170	177	168	196	133	156	193	183	203	169	147	150	2045	38	.....	76	11
Females	136	138	147	175	143	150	198	184	170	168	143	122	1874	52	.....	45	10
Total	306	315	315	371	276	306	391	367	373	337	290	272	3919	45 pairs.	.....	121	21
Hamilton:																	
Males	52	35	61	50	56	49	46	68	56	52	39	32	596	4	.....	22	9
Females	45	44	52	49	43	39	44	46	48	48	43	30	531	6	.....	28	8
Total	97	79	113	99	99	88	90	114	104	100	82	62	1127	5 pairs.	.....	50	17
Ottawa:																	
Males	86	57	89	81	71	56	89	72	78	72	76	78	905	10	..	49	8
Females	62	75	76	56	62	60	85	54	64	67	69	67	797	6	.....	41	9
Total	148	132	165	137	133	116	174	126	142	139	145	145	1702	8 pairs.	.....	90	17
London:																	
Males	24	16	21	20	22	30	20	26	26	25	22	24	279	4	.....	8	3
Females	22	23	22	25	18	19	24	24	16	20	13	18	244	8	.....	2	.....
Total	46	39	46	45	40	49	44	50	42	45	35	42	523	6 pairs.	.....	10	3
Kingston:																	
Males	26	19	12	12	10	12	13	10	12	21	11	14	172	1	.....	4	2
Females	19	16	14	15	19	9	11	16	13	16	6	20	174	1	.....	9	1
Total	45	35	26	27	29	21	24	26	25	37	17	35	346	1 pair.	.....	13	3
Brantford:																	
Males	9	11	13	14	10	13	14	11	18	21	8	15	157	3	.....	5	6
Females	13	16	15	16	11	13	14	21	16	11	17	20	183	7	.....	1	3
Total	22	27	28	30	21	26	28	32	34	32	25	35	340	5 pairs.	.....	6	9

St. Thomas:																	
Males	11	14	13	9	7	7	6	16	8	15	12	12	130	.....	...	1	2
Females	9	11	12	7	3	9	12	8	8	10	16	8	113	.....	.....	1	.....
Total	20	25	25	16	10	16	18	24	16	25	28	20	243	.....	.....	2	2
Guelph:																	
Males	7	9	20	15	9	10	17	10	9	8	9	16	139	2	.....	4	4
Females	9	12	17	11	8	6	10	8	13	11	6	13	124	2	.....	3	4
Total	16	21	37	26	17	16	27	18	22	19	15	29	263	2 pairs.	.....	7	8
St. Catharines:																	
Males	11	6	10	2	10	8	6	7	10	10	6	8	94	.....	... ..	1	2
Females	9	7	11	8	7	2	5	6	4	5	9	8	81	.....	.. ..	.....	.....
Total	20	13	21	10	17	10	11	13	14	15	15	16	175	... .	.....	1	2
Belleville:																	
Males	12	8	12	2	10	8	6	15	9	8	5	7	102	4	.....	2	3
Females	5	7	2	9	5	3	3	7	7	6	5	9	68	2	.....	.. ....	.....
Total	17	15	14	11	15	11	9	22	16	14	10	16	170	3 pairs.	... ..	2	3
Stratford:																	
Males	7	10	9	5	16	5	3	10	12	9	5	6	97	1	.....	.....	1
Females	2	6	8	6	6	10	3	4	5	4	9	4	67	1	.....	.. ..	.....
Total	9	16	17	11	22	15	6	14	17	13	14	10	164	1 pair.	.....	.....	1
Total Males	415	362	431	406	354	354	413	428	441	410	340	362	4716	67	.....	170	51
" Females	331	355	376	377	325	320	409	378	364	366	336	319	4256	85	.....	132	35
Grand Total	746	717	807	783	679	674	822	806	805	776	676	681	8972	76 pairs.	.....	302	86

H. S. CREWE,
Inspector.

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS AND AGES, 1888.

SEX.	Religious Denomination of Bride and Bridegroom.												How Married.		COUNTIES.	Ages.												
	Episcopalians.	Presbyterians.	Methodists.	Roman Catholic.	Baptists.	Congregationalists.	Lutherans.	Evangelical Association.	Mennonites.	Quakers.	Other Denominations.	No Denomination given.	Total.	License.	Banns.		Under 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 years and over.	Ages not given.
Males ..	30	63	29	60	4	2	3	....	..	..	....	3	194	....	....	Algoma	5	56	75	24	12	3	3	3	1	....	....	....	12
Females	33	53	39	53	2	3	3	....	..	..	2	6	194	....	....		73	75	18	8	1	....	2	5	....	....	....	....	12
Total.	63	116	68	113	6	5	6	....	..	..	2	9	388	153	41		78	131	93	32	13	3	5	8	1	....	....	....	24
Males ..	43	42	96	20	37	7	2	2	2	1	8	4	264	....	....	Brant	9	95	93	37	11	4	3	7	1	3	....	1	....
Females	46	38	78	28	50	14	1	....	..	..	6	3	264		....		56	123	55	17	7	2	1	1	1	1	....	....	....
Total.	89	80	174	48	87	21	3	2	2	1	14	7	528	256	8		65	218	148	54	18	6	4	8	2	4	....	1	....
Males ..	54	146	110	42	18	3	10	12	2	4	6	1	408	....	....	Bruce	3	115	171	76	18	9	5	6	1	3	1	....	....
Females	48	160	99	42	20	9	10	11	..	2	5	2	408	...	....		61	201	86	32	10	5	8	1	2	2	....	....	....
Total.	102	306	209	84	38	12	20	23	2	6	11	3	816	369	39		64	316	257	108	28	14	13	7	3	5	1	....	....
Males ..	119	92	123	223	22	11	5	3	1	..	10	10	619	....	...	Carleton	8	179	214	93	56	27	20	7	6	1	....	....	8
Females	107	93	119	240	21	8	5	5	1	..	15	5	619	....	....		104	226	147	44	45	24	16	....	2	....	....	....	11
Total.	226	185	242	463	43	19	10	8	2	..	25	15	1238	481	138		112	405	361	137	101	51	36	7	8	1	....	....	19
Males ..	39	38	69	5	3	1	....	....	1	..	3	....	159	....	....	Dufferin	....	43	67	28	14	3	2	....	....	1	1	....	....
Females	40	30	74	5	3	1	2	....	1	..	2	1	159	....	....		29	75	36	9	5	3	1	....	1	....	....	....	....
Total.	79	68	143	10	6	2	2	....	2	..	5	1	318	143	16		29	118	103	37	19	6	3	....	1	1	1	....	....
Males ..	38	55	149	21	56	13	3	6	..	..	7	1	349	....	....	Elgin	7	125	111	54	29	10	3	4	2	3	....	1	....
Females	46	48	162	17	55	8	....	4	1	..	7	1	349	....	....		64	145	73	33	23	7	4	....	...	....	....	....	....
Total.	84	103	311	38	111	21	3	10	1	..	14	2	698	320	29		71	270	184	87	52	17	7	4	2	3	....	1	....
Males ..	81	66	208	187	38	9	8	1	..	..	19	2	619	....	....	Essex	10	247	190	66	49	19	15	5	9	5	1	3	....
Females	74	58	206	205	40	6	13	....	..	..	14	3	619	....	....		152	266	119	42	19	9	5	4	2	1	....	....	....
Total.	155	124	414	392	78	15	21	1	..	..	33	5	1238	503	116		162	513	309	108	68	28	20	9	11	6	1	3	....

Males...	73	38	123	42	8	15	1	3	..	..	7	3	313	....	....	Frontenac..........	9	109	101	46	21	18	5	....	2	2	....	....	...
Females	81	35	135	27	6	15	3	3	..	..	6	2	313	....	....		64	129	64	27	13	10	5	1	....	....	....	....	....
Total.	154	73	258	69	14	30	4	6	..	..	13	5	626	287	26		73	238	165	73	34	28	10	1	2	2	....	....	....
Males ..	67	128	123	17	26	7	26	9	3	2	9	8	425	....	....	Grey..............	3	126	167	72	21	14	5	5	1	1	1	3	6
Females	68	120	119	15	33	8	29	9	5	1	12	6	425	....	....		66	180	110	35	12	7	6	2	....	1	....	....	6
Total.	135	248	242	32	59	15	55	18	8	3	21	14	850	390	35		69	306	277	107	33	21	11	7	1	2	1	3	12
Males ..	21	21	55	8	19	5	4	4	2	3	....	....	142	....	....	Haldimand.........	3	48	51	21	6	3	1	2	3	3	1	....	....
Females	18	18	52	6	21	5	4	5	2	3	4	4	142	....	...		31	61	31	14	3	..	2	....	....	....	....	....	....
Total.	39	39	107	14	40	10	8	9	4	6	4	4	284	136	6		34	109	82	35	9	3	3	2	3	3	1	....	....
Males ..	21	29	38	9	5	4	1	....	..	..	2	....	109	....	....	Halton....... ..	2	30	41	21	5	5	3	2	....	....	....	....	....
Females	23	22	41	6	7	3	2	2	..	..	1	2	109	....	....		17	39	37	8	2	4	1	1	....	....	....	....	....
Total.	44	51	79	15	12	7	3	2	..	..	3	2	218	104	5		19	69	78	29	7	9	4	3	....	....	....	....	....
Males ..	8	11	17	1	2	1	....	....	..	..	5	2	47	....	....	Haliburton.........	3	15	20	3	5	1	....	....	....	....	....	....	....
Females	13	11	13	1	5	1	....	....	..	..	2	1	47	....	....		18	17	9	2	1	...	....	....	....	....	....	....	....
Total.	21	22	30	2	7	2	....	....	..	..	7	3	94	47	....		21	32	29	5	6	1	...	....	....	....	....	....	....
Males ..	52	63	245	72	8	7	....	....	3	..	5	3	458	....	....	Hastings......	15	159	160	53	35	10	9	5	4	2	3	1	2
Females	58	62	246	68	7	8	....	....	3	..	4	2	458	....	....		112	185	98	28	21	6	3	....	2	....	1	....	2
Total.	110	125	491	140	15	15	....	....	6	..	9	5	916	416	42		127	344	258	81	56	16	12	5	6	2	4	1	4
Males ..	52	138	187	19	9	2	9	13	2	1	8	....	440	....	....	Huron......... ...	1	129	191	61	25	12	8	5	3	3	2	....	....
Females	51	139	178	20	11	7	8	14	1	1	10	....	440	....	....		49	205	131	33	7	5	4	4	1	1	....	....	....
Total.	103	277	365	39	20	9	17	27	3	2	18	....	880	432	8		50	334	322	94	32	17	12	9	4	4	2	....	....
Males ..	58	73	172	45	36	9	2	6	1	2	11	4	419	....	....	Kent..............	9	135	153	63	27	10	5	3	3	3	2	2	4
Females	48	78	182	42	37	2	2	5	2	3	13	5	419	...	....		96	178	96	22	8	2	4	3	2	4	....	....	4
Total.	106	151	354	87	73	11	4	11	3	5	24	9	838	404	15		105	313	259	85	35	12	9	6	5	7	2	2	8
Males ..	60	70	148	20	36	8	3	4	..	1	7	6	363	....	....	Lambton..........	7	118	167	37	17	6	5	1	2	2	1	....	....
Females	47	67	156	22	32	11	6	2	3	2	8	7	363	....	....		80	153	99	21	7	....	1	1	....	1	....	....	....
Total.	107	137	304	42	69	19	9	6	3	3	15	13	726	349	14		87	271	266	58	24	6	6	2	2	3	1	....	....
Males ..	66	80	54	44	10	13	2	2	1	..	2	1	275	...	....	Lanark	2	91	92	55	11	6	7	4	4	1	1	....	1
Females	68	75	58	41	10	14	2	3	..	..	2	2	275	....	....		33	127	76	24	6	3	2	1	....	2	....	....	1
Total.	134	155	112	85	20	27	4	5	1	..	4	3	550	245	30		35	218	168	79	17	9	9	5	4	3	1	....	2

MARRIAGES BY DENOMINATIONS AND AGES, 1888.—*Continued.*

SEX.	Religious Denomination of Bride and Bridegroom.													How Married.		COUNTIES.	Ages.												
	Episcopalians.	Presbyterians.	Methodists.	Roman Catholic.	Baptists.	Congregationalists.	Lutherans.	Evangelical Association.	Mennonites.	Quakers.	Other Denominations.	No Denomination given.	Totals.	License.	Banns.		Under 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 years and over.	Ages not given.
Males..	93	70	155	53	26	11	1	3	1	..	5	6	424	....	....	Leeds and Grenville.	9	137	158	60	23	12	12	4	5	2	....	1	1
Females	81	75	163	56	22	13	....	2	2	..	3	7	424	....	....		73	171	108	46	16	2	5	2	....	....	....	....	1
Total.	174	145	318	109	48	24	1	5	3	..	8	13	848	392	32		82	308	266	106	39	14	17	6	5	2	....	1	2
Males..	33	24	91	21	..	....	....	....	1	1	2	....	173	....	....	Lennox & Addington	2	61	51	25	14	4	7	3	2	2	1	....	1
Females	34	17	96	23	....	....	....	....	1	..	2	....	173	....	....		30	81	35	14	8	1	1	....	....	2	....	....	1
Total.	67	41	187	44	....	....	....	....	2	1	4	....	346	152	21		32	142	86	39	22	5	8	3	2	4	1	....	2
Males..	40	38	79	20	13	9	2	7	2	2	3	3	218	....	....	Lincoln	3	83	71	24	13	10	4	3	2	3	....	1	1
Females	47	33	67	23	14	8	3	6	2	2	9	4	218	....	....		40	96	46	15	6	5	....	3	2	4	....	....	1
Total.	87	71	146	43	27	17	5	13	4	4	12	7	436	209	9		43	179	117	39	19	15	4	6	4	7	....	1	2
Males..	156	121	235	44	44	18	3	2	2	..	6	3	634	....	..	Middlesex	9	182	243	93	40	27	14	13	4	4	2	2	1
Females	157	127	224	46	43	12	4	4	2	..	9	6	634	....	....		74	280	165	51	20	18	8	12	2	3	....	....	1
Total.	313	248	459	90	87	30	7	6	4	..	15	9	1268	602	32		83	462	408	144	60	45	22	25	6	7	2	2	2
Males..	46	63	74	19	7	2	7	1	1	..	6	2	228	....	....	Muskoka and Parry Sound	4	80	93	26	8	6	4	1	1	3	1	....	1
Females	46	60	83	18	4	2	7	1	1	..	4	2	228	....	....		80	95	32	10	2	2	1	....	3	2	....	....	1
Total.	92	123	157	37	11	4	14	2	2	..	10	4	456	217	11		84	175	125	36	10	8	5	1	4	5	1	....	2
Males..	25	25	97	6	62	1	4	2	..	..	3	6	231	....	....	Norfolk	6	99	74	20	12	7	4	3	1	5	....	....	....
Females	34	26	89	4	62	4	4	2	..	..	4	2	231	....	....		61	107	44	10	3	3	1	....	2	....	....	....	....
Total.	59	51	186	10	124	5	8	4	..	..	7	8	462	226	5		67	206	118	30	15	10	5	3	3	5	....	....	....
Males..	75	90	245	16	7	10	1	3	1	..	9	7	464	....	....	Northumberland and Durham	4	164	161	61	29	15	8	6	5	3	4	2	2
Females	59	88	265	18	5	7	1	3	3	..	8	7	464	....	....		68	210	111	40	16	7	4	2	1	1	2	1	1
Total.	134	178	510	34	12	17	2	6	4	..	17	14	928	443	21		72	374	272	101	45	22	12	8	6	4	6	3	3

Males ..	35	55	134	23	12	3	....	5	4	..	2	....	273	....	....	Ontario	4	68	121	47	13	10	4	4	....	2	....	....	....			
Females	27	70	121	27	18	2	....	....	5	..	3	....	273	....	....		31	118	83	21	7	7	4	2	....	....	....	....	....			
Total.	62	125	255	50	30	5	....	5	9	..	5	....	546	260	13		35	186	204	68	20	17	8	6	....	2	....	....	....			
Males ..	57	74	151	8	50	2	8	9	6	2	3	3	373	....	....	Oxford	3	138	117	55	32	6	10	5	1	3	.	3	....			
Females	47	60	154	8	74	3	8	7	3	5	2	2	373	....	....		59	187	76	24	13	3	4	4	1	1	1	....	....			
Total.	104	134	305	16	124	5	16	16	9	7	5	5	746	361	12		62	325	193	79	45	9	14	9	2	4	1	3	....			
Males ..	36	31	74	6	4	4	....	....	..	..	2	1	158	....	....	Peel	2	38	74	23	15	1	3	1	....	1	....	....	....			
Females	38	39	62	8	6	2	....	....	..	..	2	1	158	....	....		12	88	36	12	7	....	3	....	....	....	....	....	....			
Total.	74	70	136	14	10	6	....	....	..	..	4	2	316	154	4		14	126	110	35	22	1	6	1	....	1	....	....	....			
Males ..	51	99	113	28	1	3	45	15	..	7	2	1	365	....	....	Perth	3	110	132	63	23	12	4	4	8	3	1	2	....			
Females	56	98	111	28	....	4	43	16	..	6	2	1	365	....	....		43	165	102	26	15	6	3	3	1	1	....	....	....			
Total.	107	197	224	56	1	7	88	31	..	13	4	2	730	346	19		46	275	234	89	38	18	7	7	9	4	1	2	....			
Males ..	31	42	81	58	6	....	1	1	1	..	....	5	226	....	....	Peterborough	....	72	88	36	17	4	4	2	....	2	1	....	....			
Females	31	52	73	57	7	....	....	....	..	..	1	5	226	....	....		45	101	52	13	7	3	4	1	....	....	....	....	....			
Total.	62	94	154	115	13	....	1	1	1	..	1	10	452	175	51		45	173	140	49	24	7	8	3	....	2	1	....	....			
Males ..	7	11	11	174	1	....	1	1	..	..	....	....	206	....	....	Prescott and Russell	5	87	70	23	10	6	2	1	....	....	2	....	....			
Females	9	12	11	171	2	....	....	1	..	..	....	....	206	....	....		70	82	32	12	4	3	1	2	....	....	....	....	....			
Total.	16	23	22	345	3	....	1	2	..	..	....	....	412	55	151		75	169	102	35	14	9	3	3	....	....	2	....	....			
Males ..	22	12	104	6	....	1	..	....	3	..	2	1	151	....	....	Prince Edward	3	71	42	14	10	1	3	4	1	....	1	1	....			
Females	18	13	103	7	....	....	....	....	3	..	6	1	151	....	....		29	75	26	10	6	1	....	3	....	1	....	....	....			
Total.	40	25	207	13	....	1	....	....	6	..	8	2	302	143	8		32	146	68	24	16	2	3	7	1	1	1	1	....			
Males ..	34	58	54	79	6	6	19	9	..	..	1	7	273	....	....	Renfrew	5	83	112	35	12	16	5	2	1	2	....	....	....			
Females	28	66	49	83	11	5	16	8	..	..	2	5	273	....	....		57	101	78	17	8	6	4	2	....	....	....	....	....			
Total.	62	124	103	162	17	11	35	17	..	.	3	12	546	207	66		62	184	190	52	20	22	9	4	1	2	....	....	....			
Males ..	79	131	166	61	13	9	1	....	..	3	9	4	476	....	....	Simcoe	2	181	182	51	30	11	3	4	6	5	1	....	....			
Females	83	129	157	65	15	7	4	2	..	2	6	6	476	...	....		96	230	97	29	13	4	1	2	1	2	1	....	....			
Total.	162	260	323	126	28	16	5	2	..	5	15	10	952	429	47		98	411	279	80	43	15	4	6	7	7	2	....	....			

TABLE B.—MARRIAGES BY DENOMINATIONS AND AGES, 1888.—*Continued.*

SEX.	Religious Denomination of Bride and Bridegroom.												How Married.		COUNTIES.	Ages.											
	Episcopalians.	Presbyterians.	Methodists.	Roman Catholic.	Baptists.	Congregationalists.	Lutherans.	Evangelical Association.	Mennonites.	Quakers.	Other Denominations.	No Denomination given.	Total.	License.	Banns.		Under 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 years and over.	Ages not given.
Males ..	53	119	97	107	5	7	19	3	2	2	3	4	421	.....	....	Stormont, Dundas and Glengarry....	3	159	118	63	40	13	7	5	5	2	3	..	3
Females	47	106	99	120	13	4	19	1	2	2	3	5	421	.....	....		74	182	89	37	20	7	3	2	2	1	1	..	3
Total.	100	225	196	227	18	11	38	4	4	4	6	9	842	344	77		77	341	207	100	60	20	10	7	7	3	4	..	6
Males ..	25	44	93	22	8	....	....	....	....	....	5	1	198	.....	....	Victoria.....	3	58	89	27	8	2	2	1	2	3	1	..	2
Females	25	42	95	23	7	....	....	....	....	....	5	1	198	.....	....		28	105	47	10	4	2	2	...	....	....	....	..	..
Total.	50	86	188	45	15	....	....	....	....	....	10	2	396	187	11		31	163	136	37	12	4	4	1	2	3	1	..	2
Males ..	27	55	62	65	13	10	68	22	38	4	8	...	372	.....	....	Waterloo.....	5	152	141	36	13	8	5	6	3	....	1	2	..
Females	31	58	64	65	10	5	67	24	38	2	8	....	372	.....	....		61	170	97	27	8	2	2	1	1	3	....	..	..
Total.	58	113	126	130	23	15	135	46	76	6	16	....	744	278	94		66	322	238	63	21	10	7	7	4	3	1	2	..
Males ..	36	20	45	12	12	2	7	8	4	4	5	....	155	.....	....	Welland	....	55	53	23	12	4	1	4	1	1	...	1	..
Females	34	17	53	11	16	1	7	6	3	4	3	....	155	.....	....		22	76	32	13	6	2	2	1	....	1	....	..	..
Total.	70	37	98	23	28	3	14	14	7	8	8	....	310	131	24		22	131	85	36	18	6	3	5	1	2	...	1	..
Males ..	56	132	137	35	8	15	5	5	...	..	7	1	401	.....	....	Wellington.....	3	122	147	54	36	21	5	5	2	2	4	..	..
Females	49	135	129	38	11	16	10	4	...	..	8	1	401	.....	....		66	192	102	20	11	3	4	1	2	....	...	..	..
Total.	105	267	266	73	19	31	15	9	...	..	15	2	802	377	24		69	314	249	74	47	24	9	6	4	2	4	..	..
Males ..	141	109	225	51	37	6	4	1	...	..	6	....	580	.....	....	Wentworth.....	7	207	206	80	38	18	8	6	4	4	1	1	..
Females	140	108	221	60	35	5	5	1	1	..	4	....	580	.....	....		90	266	148	36	17	8	8	2	2	1	1	1	..
Total.	281	217	446	111	72	11	9	2	1	..	10	....	1160	535	45		97	473	354	116	55	26	16	8	6	5	2	2	..

Males ..	596	306	573	240	82	61	13	4	7	3	58	5	1948	.....	.....	} York .... {	26	761	665	238	113	46	46	25	10	8	7	2	1
Females	583	311	569	257	93	45	15	6	6	3	54	6	1948	.....	.....		246	1015	442	124	65	30	14	4	3	3	2	..	..
Total.	1179	617	1142	497	175	106	28	10	13	6	112	11	3896	1832	116		272	1776	1107	362	178	76	60	29	13	11	9	2	1
Males ..	2636	2882	5042	1989	754	297	288	166	91	42	256	108	14551	.....	.....	} Totals ..... {	207	4988	5272	1987	923	420	264	171	106	93	45	29	46
Females	2573	2849	5015	2054	828	268	303	157	91	38	261	114	14551	.....	.....		2560	6578	3365	1016	472	212	144	73	36	39	9	2	45
Total.	5209	5731	10057	4043	1582	565	591	323	182	80	517	222	29102	13090	1461		2767	11566	8637	3003	1395	632	408	244	142	132	54	31	91

H. S. CREWE,
Inspector.

TABLE C.—MARRIAGES BY MONTHS, 1888.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No Date given.	Total number of Couples Married.
Algoma	16	17	12	17	16	15	12	13	14	26	19	17	.....	194
Brant	25	22	22	24	21	10	17	16	30	24	25	28	.....	264
Bruce	32	38	43	34	25	32	15	24	37	44	40	44	.....	408
Carleton	49	27	36	55	44	69	56	51	66	74	52	40	.....	619
Dufferin	23	19	12	10	9	13	11	12	7	9	16	18	.....	159
Elgin	26	27	31	27	30	24	19	26	27	41	31	40	.....	349
Essex	55	49	43	45	42	38	45	39	45	75	76	67	.....	619
Frontenac	33	23	31	27	25	32	23	21	31	17	16	34	.....	313
Grey	43	45	48	43	17	26	20	22	33	29	33	66	.....	425
Haldimand	17	12	9	13	11	10	13	9	10	12	7	19	.....	142
Halton	10	9	10	6	8	5	9	7	12	14	8	11	.....	109
Haliburton	6	5	4	3	4	2	4	5	2	4	3	5	.....	47
Hastings	40	41	31	29	22	39	31	26	42	49	47	61	.....	458
Huron	38	42	64	33	34	22	17	17	38	40	29	66	.....	440
Kent	34	39	31	26	33	27	25	29	33	47	43	52	.....	419
Lambton	32	22	23	21	29	24	25	22	31	35	51	48	.....	363
Lanark	19	17	18	31	22	25	23	18	23	32	24	23	.....	275
Leeds and Grenville	43	36	32	29	33	28	26	32	48	39	38	40	.....	424

Lennox and Addington	12	23	18	12	9	11	14	15	13	12	16	18		173
Lincoln	23	15	13	9	16	19	13	17	19	23	23	28		218
Middlesex	48	42	57	54	46	59	35	23	61	67	45	97		634
Muskoka and Parry Sound	17	15	16	20	28	14	18	14	18	22	19	27		228
Norfolk	21	16	19	13	22	10	12	12	23	22	24	37		231
Northumberland and Durham	42	43	51	27	18	23	29	21	32	45	50	83		464
Ontario	19	22	34	19	20	22	11	12	24	25	28	37		273
Oxford	40	27	27	31	32	25	26	18	37	44	32	34		373
Peel	13	20	24	8	4	13	6	3	10	7	16	34		158
Perth	29	37	27	22	28	25	21	20	36	37	33	50		365
Peterborough	23	21	15	29	15	16	18	14	13	15	21	26		226
Prince Edward	13	9	10	9	7	11	10	8	19	15	18	22		151
Prescott and Russell	22	14	4	17	11	13	30	20	21	25	23	6		206
Renfrew	25	13	16	31	29	28	18	20	18	30	29	16		273
Simcoe	51	42	35	39	40	50	32	26	35	43	34	49		476
Stormont, Dundas and Glengarry	36	45	23	30	21	36	33	31	41	40	35	50		421
Victoria	29	20	8	20	11	13	10	4	18	18	22	25		198
Waterloo	32	37	33	36	23	27	24	21	25	39	32	43		372
Welland	6	18	8	14	15	16	14	10	12	13	16	13		155
Wellington	44	35	50	41	26	23	23	23	35	33	32	36		401
Wentworth	40	34	39	35	33	42	46	41	71	75	54	70		580
York	154	124	114	162	152	185	161	144	185	180	187	200		1948
Total	1280	1162	1141	1151	1031	1122	995	906	1295	1441	1347	1680		14551

H. S. CREWE,
Inspector.

DEATHS.

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.

ALGOMA—POPULATION, 22,350.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	...	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	1	....	....	....	....	....	....	....	....	....	2	Croup	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	..	....	..	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	....	....	....	1	Diarrhœal Diseases	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	....	....	....	....	....	1	....	1	2	....	....	4		4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	2	3	3	1	5	15	Diphtheria	1	5	5	2	2	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	1	1	....	....	3		....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	3	....	1	2	....	6	Typhoid Fever	....	....	....	....	....	3	....	....	....	....	....	....	....	...	3
Females	....	....	....	....	....	....	....	1	....	....	2	....	3		....	....	....	....	1	1	....	....	....	....	....	....	....	....	1
Males	....	..	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	2	....	....	....	....	....	....	....	....	2	Other Fevers	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	1	....	....	....	2		....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Measles	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	....	....	....	1	2	Whooping Cough	2	....	....	....	....	....	....	....	....	..	....	....	....	....	....
Females	....	....	1	....	....	....	....	...	....	....	....	1	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	3	1	....	....	1	...	4	1	1	....	12	Anæmia, including Infantile Debility	9	2	....	....	....	....	1	....	....	....	..	....	....	....	....
Females	1	1	....	....	1	2	1	5	4	2	1	3	21		17	1	....	....	....	3	....	....	....	....	....	....	....	....	....

Males..							1			1		1	3	Dropsy							1		2						
Females		1							1				2	Dropsy					1					1					
Males..				1									1	Cancer															1
Females														Cancer															
Males..		1		3	2			1				2	9	Phthisis					4		1	2	1						1
Females	1	2	1	2	2				1	2		1	12	Phthisis					4	4	1			2					1
Males..		1	2		1	1		3	1			2	11	Nervous Diseases, includ. Convulsions	4	2	1		2					1					1
Females	2			1	1			1			1		6	Nervous Diseases, includ. Convulsions	4					1				1					
Males..	1		1			1			1		1		5	Heart Diseases						1		1		1	1				1
Females									1				1	Heart Diseases	1														
Males..	2	2	2	2	2	1	1		2	2		2	18	Pneumonia and Bronchitis	2	4	1			1	3	3	2		1				1
Females	1		2		1	1				1		1	7	Pneumonia and Bronchitis	1	3						2		1					
Males..			2			1				2			5	Enteritis and Gastritis		1				1				1	1				1
Females														Enteritis and Gastritis															
Males..								1					1	Liver Diseases									1						
Females				1	1								2	Liver Diseases							1	1							
Males..														Kidney Diseases															
Females														Kidney Diseases															
Females	1	1		1	2	1						1	7	Child Birth					2	4									1
Males..	1		1		3					1	1		7	Old Age											6	1			
Females					1								1	Old Age													1		
Males..	3	1	2			1	2	2	3		1	1	16	Violent Deaths, Accidents, etc.		1		1		3	7	3	1						
Females														Violent Deaths, Accidents, etc.															
Males..											1		1	Suicide															1
Females														Suicide															
Males..	3		3	1	1	2	1	1	2			1	15	Other diseases and cause not specified.	9	1		1		1		1	1						1
Females	1		2	1	5	2	1	1				2	15	Other diseases and cause not specified.	6	2		2		1		2							2
Total Males..	10	7	17	11	9	7	7	14	17	11	8	15	133	Total Deaths from all causes	29	18	8	5	8	10	13	10	8	3	9	1			11
Total Females	8	6	7	8	14	6	3	9	10	8	4	9	92	Total Deaths from all causes	37	10	1	3	8	14	3	5		5			1		5
Grand Total.	18	13	24	19	23	13	10	23	27	19	12	24	225		66	28	9	8	16	24	16	15	8	8	9	1	1		16

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

BRANT.—Population, 37,239.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	2	4	2	1	....	....	9	Cholera Infantum.	7	2	....	....	....	....	....	..	....	....	....	....	....	....	....
Females	....	....	....	....	2	....	8	5	....	....	.. .	....	15		15	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	1	2	Croup	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	2	....	....	....	....	....	....	..	....	....	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	...	...	1	....	1	1	4	2	1	1	11	Diarrhœal Diseases..	8	2	....	....	....	....	....	1	....	....	....	....	....	....	...
Females	....	....	....	1	....	....	2	3	2	....	1	1	10		4	1	....	....	....	1	1	....	1	2	....	....	....	....	....
Males...	1	....	1	....	....	....	....	....	....	....	....	....	2	Diphtheria	.. .	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	2	....	....	....	1	....	....	....	....	....	....	5		1	1	2	....	1	....	....	....	...	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	1	4	5	1	....	12	Typhoid Fever ...	....	....	...	....	2	4	3	1	1	....	1	....	....	....	....
Females	....	....	....	....	....	....	1	1	3	....	....	....	5		.	....	.. .	1	1	2	1	....	....	....	....	....	....	...	....
Males...	....	....	....	....	....	....	....	1	1	....	....	....	2	Scarlet Fever.....	...	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	...	...	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	....	....	....	....	1	.. ..	....	2	Other Fevers	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
Females	1	..	....	....	....	....	1	....	1	3	....	1	7		....	1	1	1	....	2	1	1	....	....	....	....	....	...	....
Males...	....	....	....	....	1	....	1	....	....	....	....	....	2	Measles	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	1	....	1	Whooping Cough.	....	1	....	....	....	....	....	....	....	....	....	....	....	..	....
Females	....	....	1	1	....	....	1	1	1	2	....	....	7		6	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	...	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	1	....	1	....	....	1	1	....	5	Anæmia, including Infantile Debility	3	1	....	....	....	....	...	....	....	1	....	....	....	....	....
Females	....	1	1	2	2	2	1	3	....	1	....	3	16		13	....	....	....	....	1	.. .	1	....	....	....	....	....	....	1

Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Dropsy..........	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	1	....	2		...	....	....	....	....	....	..	....	1	1	....	....	....	....	....
Males...	....	1	1	....	....	1	....	1	....	....	....	....	4	Cancer..........	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....
Females	1	....	....	....	1	....	....	2	....	....	1	....	5		....	....	....	....	....	....	....	...	....	2	1	2	....	....	....
Males...	2	1	2	2	1	2	2	1	1	2	3	2	21	Phthisis..........	2	1	....	....	3	5	4	....	3	2	1	....	....	....	....
Females	2	3	4	1	4	3	2	2	3	1	2	1	28		....	....	1	....	2	10	8	4	3	....	....	....	....	....	....
Males...	2	1	9	2	....	1	2	3	....	....	1	....	21	Nervous Diseases, includ. Convulsions	9	3	1	....	1	....	1	....	1	2	3	....	....	....	...
Females	2	....	2	1	2	...	1	3	1	...	....	2	14		9	1	1	.	....	1	....	....	....	....	1	....	1	....	....
Males...	1	2	3	2	3	3	1	3	....	3	2	1	24	Heart Diseases ...	1	....	....	....	....	....	2	3	4	7	7	....	....	....	....
Females	1	....	1	4	3	....	2	2	2	1	....	1	17		....	....	1	....	....	....	....	3	5	4	4	....	....	....	....
Males...	....	1	6	5	6	....	3	....	2	1	3	1	28	Pneumonia and Bronchitis......	9	2	....	2	1	3	2	2	1	2	1	3	....	....	....
Females	1	3	4	5	5	4	....	2	....	1	4	1	30		12	4	1	1	1	1	1	2	....	1	2	1	....	....	3
Males...	....	....	....	....	1	....	1	4	....	2	1	1	10	Enteritis and Gastritis	4	3	. .	...	....	...	1	....	1	....	1	....	....	....	....
Females	....	1	....	....	1	....	....	....	1	....	...	1	4		2	....	....	....	....	....	....	1	....	1	....	....	....	....	....
Males...	...	1	....	1	1	....	....	....	....	....	....	....	3	Liver Diseases ...	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....
Females	...	....	....	....	....	2	....	....	....	....	....	....	2		....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
Males...	....	1	....	....	....	....	1	....	....	....	....	2	4	Kidney Diseases..	....	....	....	....	....	....	1	....	...	1	1	1	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	1	2		...	...	....	....	....	....	....	....	1	....	1	....	....	....	..
Females	....	....	1	3	....	2	...	2	...	....	....	....	8	Child Birth........	....	....	....	....	....	4	3	....	1	....	....	....	....	....	....
Males...	2	3	....	1	2	....	....	....	2	3	?	...	15	Old Age..........	....	....	....	....	....	....	....	....	....	....	8	3	3	...	1
Females	3	4	1	3	2	2	....	....	1	1	....	4	21		....	....	....	....	....	....	....	....	....	....	13	8	....	....	....
Males...	1	....	1	1	3	1	....	1	....	....	....	....	8	Violent Deaths, Accidents, etc ..	....	....	....	....	3	....	1	....	2	....	2	....	....	....	..
Females	....	....	....	....	....	1	....	....	1	....	....	....	2		....	....	....	....	....	....	...	....	....	2	....	....	....	....	..
Males...	....	....	....	1	2	....	....	....	....	....	....	....	3	Suicide..........	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	...	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	3	....	....	1	2	1	3	....	....	....	3	....	13	Other diseases and cause not specified.	10	....	....	1	....	....	....	....	....	2	....	....	....	....	....
Females	1	1	1	2	....	....	....	2	2	1	....	1	11		4	2	.. .	....	....	1	2	1	....	....	....	....	....	....	1
Total Males...	12	11	24	17	24	9	20	20	16	22	19	9	203	Total Deaths from all causes.......	54	20	3	3	10	12	15	8	18	21	27	8	3	....	1
Total Females	14	16	18	23	22	17	19	29	19	12	9	17	215		67	14	7	3	5	23	18	13	13	13	22	11	1	....	5
Grand Total.	26	27	42	40	46	26	39	49	35	34	28	26	418	....	121	34	10	6	15	35	33	21	31	34	49	19	4	....	6

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

BRUCE—Population, 71,244.

SEX.	Months.													CAUSE OF DEATH	Ages.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Cholera Infantum.	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	2	....	....	....	3		1	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	3	....	....	....	....	1	1	....	1	....	2	9	Croup.....	3	5	1	...	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	1	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	1	2	1	5	3	....	....	....	13	Diarrhœal Diseases	6	5	1	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	1	....	1	....	....	2	6	3	..	....	1	14		8	5	....	....	....	1	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	1	2	Diphtheria	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	1	....	....	....	2	....	1	..	....	5		1	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	1	1	....	3	Typhoid Fever ...	....	....	....	....	....	1	....	1	....	1	....	....	..	..	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	1	....	....	1	....	....	....	....	....	....	....	4	Other Fevers	1	....	1	....	1	..	1	....	....	....	....	....	....	....	....
Females	1	2	....	2	....	....	1	1	....	2	....	....	9		1	....	2	1	....	3	....	1	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	...	....	....	2	....	....	...	....	1	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Whooping Cough.	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	1	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	...	....	1	....	....	....	..	1	1	3	Rheumatism and Gout	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....
Females	....	....	..	....	....	....	..	....	....	....	1	....	1		....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Males...	2	5	2	...	2	6	4	6	3	5	2	1	38	Anæmia, including Infantile Debility	36	...	1	....	....	....	1	....	....	....	....	....	....	....	....
Females	1	1	3	1	4	1	2	4	2	3	4	....	26		24	1	....	....	...	....	....	....	....	1	....	....	....	....	....

Males...	1	1	1	1	1	2	....	1	....	....	1	....	9	Dropsy	....	....	....	1	1	....	....	....	1	2	3	1	....	....	....
Females	....	1	2	1	2	2	1	1	....	....	2	1	13		....	....	....	....	....	....	2	....	....	5	4	1	1	....	....
Males...	2	1	3	....	....	1	....	1	2	....	....	....	10	Cancer	....	....	....	....	....	....	1	....	3	3	3	....	....	....	....
Females	1	1	1	1	....	....	....	1	....	....	1	....	6		....	....	....	....	....	....	....	3	2	....	....	1	....	....	....
Males...	3	1	3	3	5	3	2	4	3	3	2	5	37	Phthisis	2	3	....	....	5	10	5	2	5	2	....	1	....	....	2
Females	1	3	4	5	3	3	2	....	2	2	2	4	31		....	1	1	....	5	9	5	5	3	1	....	....	....	....	1
Males...	2	3	2	4	1	1	1	1	6	....	3	2	26	Nervous Diseases, includ. Convulsions	10	4	2	1	....	1	1	3	1	1	2	....	....	....	....
Females	4	....	3	2	....	1	2	1	1	2	....	1	17		5	2	2	1	1	....	2	....	2	2	....	....	....	....	....
Males...	1	4	2	1	4	....	....	....	2	1	....	2	17	Heart Diseases ...	....	....	1	1	....	1	3	2	....	5	3	1	....	....	....
Females	....	3	....	....	1	....	....	....	2	1	1	1	9		....	1	...	....	....	....	....	1	1	3	1	1	1	....	....
Males...	1	1	3	3	5	6	....	....	2	1	5	4	31	Pneumonia and Bronchitis.....	10	3	....	....	....	1	2	3	1	3	5	2	1	....	....
Females	2	4	2	4	2	2	2	2	....	2	3	3	28		8	4	1	3	2	2	....	1	1	2	4	....	...	....	....
Males...	1	1	....	3	....	....	....	....	....	1	....	....	6	Enteritis and Gastritis	1	2	....	....	....	1	1	....	....	....	1	....	....	....	....
Females	1	....	....	2	....	.. .	3	3	....	1	....	2	12		2	....	1	1	. ..	....	1	3	....	....	4	....	....	....	....
Males...	2	2	2	1	....	1	....	1	....	1	....	1	11	Liver Diseases....	....	2	1	....	1	....	2	1	2	....	2	....	....	....	....
Females	1	. ..	....	1	....	....	3	1	1	....	1	....	8		....	2	1	1	....	...	....	2	1	1	....	...	....	....	....
Males...	....	....	....	....	....	1	1	1	1	1	1	4	10	Kidney Diseases..	....	....	....	....	....	2	....	....	3	2	3	....	....	....	....
Females	....	....	....	....	....	....	1	....	2	....	....	....	3		....	....	....	1	....	....	....	1	....	1	....	....	....	....	....
Females	1	....	1	....	1	....	1	1	1	....	....	....	6	Child Birth	....	....	....	....	....	3	3	....	....	....	....	....	....	....	....
Males...	3	2	8	6	1	4	3	2	....	3	1	4	37	Old Age.....	....	....	....	....	....	....	....	....	....	....	20	12	5	....	...
Females	6	4	3	6	4	2	....	1	3	4	3	2	38		....	....	....	....	....	....	....	....	....	....	14	17	7	....	....
Males...	....	....	4	....	2	1	3	1	2	....	....	1	14	Violent Deaths, Accidents, etc..	....	1	1	1	1	3	3	1	....	3	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	1	....	....	....	2		....	1	....	....	....	....	....	....	....	....	....	1	....	....	....
Males...	....	....	....	....	1	....	....	....	....	.. .	....	1	2	Suicide	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	..	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	3	1	2	2	....	1	2	....	1	1	14	Other diseases and cause not specified.	7	..	2	....	1	....	....	1	1	....	....	1	....	....	1
les	2	....	2	3	1	....	3	2	2	....	1	....	16		3	3	....	1	1	2	3	....	1	....	....	1	....	....	1
Total Males...	21	27	33	23	26	31	17	25	28	18	18	31	298	Total Deaths from all causes.....	78	28	11	4	10	20	21	15	18	23	43	18	6	....	3
Total Females	23	21	21	31	18	11	26	26	22	18	20	18	255		57	25	12	9	9	22	16	17	11	16	28	22	9	....	2
Grand Total.	44	48	54	54	44	42	43	51	50	36	38	49	553	....	135	53	23	13	19	42	37	32	29	39	71	40	15	....	5

CARLETON—POPULATION, 70,513.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	2	6	3	1	1	....	1	14	Cholera Infantum.	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	3	1	1	....	....	....	6		6	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	3	....	3	2	1	....	....	....	....	1	1	13	Croup	5	8	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	....	1	....	1	....	....	....	....	....	....	.. .	4		2	1	1	...	....	....	....	....	....	....	....	....	....	....	....
Males...	5	4	6	3	3	2	31	18	5	2	1	3	83	Diarrhœal Diseases	70	10	2	....	....	....	....	....	....	....	1	....	....	....	....
Females	3	3	4	3	2	2	31	17	2	....	1	....	68		51	9	....	...	....	....	....	2	1	2	1	2	....	....	....
Males...	3	4	4	1	4	5	1	4	2	....	2	3	33	Diphtheria	8	10	10	3	1	....	1	....	....	....	....	....	....	....	....
Females	1	3	3	13	3	3	6	5	4	6	2	....	49		6	23	12	4	1	3	....	....	....	....	....	....	....	....	....
Males...	1	4	....	2	....	2	....	....	....	....	....	4	13	Typhoid Fever	....	....	4	....	....	1	3	1	2	1	1	....	....	....	....
Females	2	....	....	....	....	....	...	...	2	2	3	2	11		....	....	3	2	3	1	....	....	1	....	1	....	....	....	....
Males...	....	....	....	1	2	....	....	....	....	....	....	....	3	Scarlet Fever	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	2	1	1	....	....	....	....	....	....	4		1	2	1	....	....	..	....	....	....	....	....	..	....	....	....
Males...	2	1	....	1	....	1	2	....	....	....	....	....	7	Other Fevers	1	....	1	1	3	....	....	1	....	....	....	....	....	....	....
Females	....	1	2	....	1	....	..	....	....	....	1	....	5		1	1	..	1	1	....	....	....	1	....	....	....	....	....	....
Males...	5	....	....	....	....	....	....	....	....	....	....	....	5	Measles	2	3	...	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	3	....	....	....	....	....	1	....	1	1	6		....	5	....	....	....	....	....	....	....	1	....	....	....	....	....
Males...	....	....	1	1	....	1	....	....	....	....	1	....	4	Whooping Cough	3	....	1	....	....	....	....	....	....	....	....	....	....	..	....
Females	....	1	....	....	....	....	....	....	....	1	....	1	3		2	....	....	....	..	....	....	....	....	1	....	....	....	....	....
Males...	....	....	....	....	....	1	....	1	.. .	....	1	....	3	Rheumatism and Gout	....	....	....	....	....	1	...	....	....	....	2	....	....	....	....
Females	....	1	....	1	....	2		1	....	....	1	....	6		....	....	....	....	....	2	1	....	1	....	1	1	....	....	....
Males...	12	7	9	17	11	7	28	11	2	2	3	5	114	Anæmia, including Infantile Debility	98	4	....	2	....	2	2	....	1	4	1	....	....	....	....
Females	9	10	2	13	8	4	28	10	6	1	7	7	105		87	7	1	1	2	...	2	....	1	3	1	....	....	....	....

Males...	....	....	1	....	....	1	4	1	....	....	....	....	7	Dropsy	2	....	....	....	....	1	....	2	1	1	..	....	....	....	....								
Females	....	....	1	....	1	....	....	2	2	1	....	....	7		1	..	..	1	3	....	1	....	1	....	....	....	....	....								
Males...	2	2	....	4	1	1	....	1	....	....	4	3	18	Cancer	....	....	....	....	....	2	....	4	5	4	3	....	....	....								
Females	2	2	1	4	....	1	3	1	5	2	1	2	22		....	....	....	....	....	1	2	5	4	6	1	....	....	....	1							
Males...	9	1	8	6	7	1	8	4	7	2	3	2	58	Phthisis	3	3	....	....	5	16	7	12	5	2	4	....	....	....	1							
Females	6	9	5	3	....	6	9	8	4	4	2	4	60		1	3	1	2	....	29	8	8	4	2	....	....	....	....	2							
Males...	4	8	5	5	6	4	5	4	2	2	2	....	47	Nervous Diseases, includ. Convulsions	15	2	2	....	1	2	4	5	1	5	6	1	....	3								
Females	2	3	2	1	5	9	4	9	3	1	2	....	41		21	6	1	1	1	2	3	....	1	1	1	3	....	....								
Males...	5	3	1	....	1	4	5	4	2	2	6	6	39	Heart Diseases	3	1	....	....	....	3	5	6	4	6	7	1	....	....	3							
Females	7	3	1	3	2	1	5	8	....	....	4	5	39		4	....	3	1	2	3	5	3	4	6	6	2	....	....	....							
Males...	2	7	3	5	8	2	2	....	5	4	3	3	44	Pneumonia and Bronchitis	15	4	3	....	....	2	2	3	2	8	5	....	....	....	....							
Females	3	1	5	2	....	5	2	1	..	1	3	4	27		7	7	....	....	....	2	...	4	3	3	1	....	....	....	....							
Males...	....	1	3	....	4	1	6	1	1	1	3	....	21	Enteritis and Gastritis	1	7	4	....	...	2	....	1	1	3	1	....	....	....	1							
Females	5	4	4	....	1	2	3	2	....	1	2	1	25		4	3	2	2	....	3	3	....	4	3	1	....	..	....	....							
Males...	....	1	...	....	1	....	2	....	1	....	1	2	8	Liver Diseases	....	....	....	....	....	1	1	1	3	....	2	....	....	....	....							
Females	....	1	....	..	....	....	3	....	1	....	....	....	5		3	1	....	....	....	....	....	....	1	....	....	....	....	....	....							
Males...	2	....	....	....	....	1	3	....	1	2	1	2	12	Kidney Diseases	1	....	....	1	....	1	....	2	3	2	2	....	....	....	....							
Females	...	...	....	1	1	....	2	....	....	2	1	3	10		....	2	....	....	1	1	....	1	2	1	1	1	....	....	....							
Females	5	....	....	4	1	..	....	2	....	....	....	....	12	Child Birth	....	....	....	....	....	8	4	....	....	....	....	....	....	....	....							
Males...	3	5	2	2	4	1	4	9	2	5	2	1	40	Old Age	....	....	....	....	....	....	....	....	....	..	29	10	1	....	....							
Females	2	....	9	1	2	7	2	3	3	4	3	2	38		....	....	....	....	....	....	....	....	....	....	23	10	5	...	....							
Males..	1	....	...	4	1	3	3	....	4	....	....	1	17	Violent Deaths, Accidents, etc.	....	1	1	1	2	5	....	2	2	3	....	....	....	....	....							
Females	....	....	....	2	....	1	2	....	1	....	1	....	7		....	....	1	2	....	1	....	....	1	2	....	....	....	....	....							
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....							
Females	....	....	....	....	....	....	....	....	....	..	....	....	....		....	....	....	....	....	....	....		....	....	....	....	....	....	....							
Males...	20	12	14	9	11	15	14	7	4	4	6	11	127	Other diseases and cause not specified.	73	6	5	1	2	8	5	7	7	5	3	....	1	....	4							
Females	14	8	12	14	10	10	7	2	3	4	3	5	92		48	5	3	2	2	4	8	5	5	10	....	....	....	....	....							
Total Males...	78	63	57	64	66	56	124	68	39	27	40	48	730	Total Deaths from all causes	316	59	33	9	14	47	30	47	38	44	67	12	2	....	12							
Total Females	63	50	56	65	39	54	110	72	38	30	38	37	652		245	75	29	19	18	60	37	28	35	41	38	19	5	....	3							
Grand Total..	141	113	113	129	105	110	234	140	77	57	78	85	1382	....	561	134	62	28	32	107	67	75	73	85	105	31	7	....	15							

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

DUFFERIN—POPULATION, 22,589.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	....	....	1	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	1	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	1	....	....	2	Croup	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	1	1	....	....	3	Diarrhœal Diseases	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	1	....	....	1	....	....	....	....	3		1	1	....	....	....	....	....	....	....	1	....	....	....	....	....
Males	....	....	1	1	....	1	....	....	3	7	1	1	15	Diphtheria	2	9	....	3	....	....	1	....	....	....	....	....	....	....	....
Females	....	3	1	....	....	1	....	3	2	3	1	3	17		5	7	4	1	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Typhoid Fever	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Scarlet Fever	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Other Fevers	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	1	1	Whooping Cough	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	2	....	4	1	....	2	3	....	2	2	2	19	Anæmia, including Infantile Debility	16	2	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	1	....	....	....	....	1	....	1	....	2	1	6		5	....	....	....	....	1	....	....	....	....	....	....	....	....	....

Males		1							1	1			3	Dropsy									1	2					
Females		1											1										1						
Males								1				1	2	Cancer									1			1			
Females	1												1			1													
Males	1	1		1	1		2				1		7	Phthisis	1					2	2	1		1					
Females		1		1	1	1	1	1	1		1		8		1					2	1	2	1	1					
Males	1											1	2	Nervous Diseases, includ. Convulsions	1						1								
Females	2			1	1		1				1	1	7		2	2						1			2				
Males						1	1				2		4	Heart Diseases						1		1		1	1				
Females	1				1	1							3								1		1				1		
Males			4	3		1		1				2	11	Pneumonia and Bronchitis	2	2			1	1	2		1	1					1
Females	2	2	1	1	1				1				8		1	2			1	2	1		1						
Males	1	1				1	1	1	1				6	Enteritis and Gastritis					4	1			1						
Females								2	1	1			4					1	1	1				1					
Males			1					2		1			4	Liver Diseases		1				1	2								
Females									1				1							1									
Males					1						2	2	5	Kidney Diseases		1				1		1		1		1			
Females	1					1		1					3								1	1		1					
Females	1	1					1						3	Child Birth						1	1	1							
Males	1	2		1	3				1			1	9	Old Age											4	3		1	1
Females	1	1			1					2			5												2	2	1		
Males		1	1	1	1	1							5	Violent Deaths, Accidents, etc.					1	3	1								
Females																													
Males														Suicide															
Females																													
Males		3	2	1	1		2				3		12	Other Diseases and cause not specified.	2	1	1					3	2	2					1
Females	2	1		1	2	3	1	3	1	1	1	1	17		5	3		1		1			2	1					4
Total Males	5	12	9	14	8	5	8	10	7	14	11	11	114	Total Deaths from all causes	28	18	2	3	6	11	8	7	8	9	5	5		1	3
Total Females	11	12	2	4	8	7	5	13	8	8	6	7	91		22	18	4	3	2	9	5	5	6	5	4	2	2		4
Grand Total	16	24	11	18	16	12	13	23	15	22	17	18	205		50	36	6	6	8	20	13	12	14	14	9	7	2	1	7

TABLE D.—COUNTIES.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

ELGIN—POPULATION, 46,597.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	1	....	....	3	2	....	....	....	6	Cholera Infantum.	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	2	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	2	....	....	3	Croup	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	..	....	2	1	....	....	....	....	1	....	....	5		....	5	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	....	....	....	1	3	6	....	2	....	1	13	Diarrhœal Diseases	7	3	1	....	....	....	1	....	....	1	....	....	....	....	....
Females	....	....	1	....	....	....	....	2	3	....	....	3	9		3	3	1	....	....	....	....	1	....	....	....	1	....	....	....
Males	....	....	....	2	....	1	....	....	....	....	1	3	7	Diphtheria	....	1	4	1	....	....	....	....	....	....	....	....	1	....	....	....
Females	1	....	2	1	....	....	....	....	1	2	2	4	13		2	7	3	1	...	....	....	....	....	....	....	....	....	....	....
Males	....	1	1	....	1	....	....	....	1	1	1	2	8	Typhoid Fever	....	....	....	1	..	6	....	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	1	....	2		....	....	1	....	...	1	....	....	....	.	....	....	....	....	....
Males	....	....	....	....	1	....	....	....	....	....	....	....	1	Scarlet Fever	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	1	....	....	....	....	....	1	....	3		....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	1	..	....	1	Other Fevers	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	3	1	....	5		....	1	....	1	1	1	....	....	....	1	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	1	....	2	Measles	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	..	....	..	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	..	....	....	....	....	1	....	....	....	....	1	Whooping Cough.	1	...	....	....	....	....	....	....	....	..	....	....	....	....	....
Females	....	....	...	....	....	....	1	....	1	..	1	...	3		2	1	...	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	1	...	1	....	1	....	..	....	....	....	....	....	3		...	....	....	....	....	1	....	....	1	....	1	....	....	....	....
Males	2	3	2	1	2	1	1	2	2	2	2	....	20	Anæmia, including Infantile Debility	9	2	..	2	1	1	....	....	3	2	....	....	....	....	....
Females	....	1	4	....	1	2	1	1	...	1	....	....	11		6	....	..	....	1	....	1	....	..	3	....	....	....	....	....

Males		1							1		1		3	Dropsy									1	2					
Females					2			1	3	2			8								2		2	2	1				1
Males					1		1	2	1	1			6	Cancer								1	1		3		1		
Females		2	1				1	1	1		1	2	9									2	4	1	2				
Males	1		2	2	4	1	3	3	4	2	1	2	25	Phthisis		2	1	1		7	5	1	2	6					
Females		4	2	2	2	2	4	1	4	9	2	7	39		1			2	4	11	12	3	3	1	1	1			
Males	2	7	3	6	6	2	1	2	2	1	1	2	35	Nervous Diseases, includ. Convulsions	14	7		1	2			3	1	4	1	1	1		
Females	1		2	2	2		1	1	1	2	3	2	17		5	2				1		1	1	1	2	2			2
Males	1	1	1	1	4	3	1	1	1	1	2	1	18	Heart Diseases	2					1			5	3	6	1			
Females	2	1		2	1		2	1		1	2	3	15					1		2	1	1		5	3	2			
Males	3	4	8	7	2		1		1	2	2	2	32	Pneumonia and Bronchitis	5	4	3				1	6	2	4	6				1
Females	4	5	6	5		2		1	2	1	1	1	28		8	6			1	2	3	1	2	1	1	2			1
Males		4	1	1			1	1	1	1	1	1	12	Enteritis and Gastritis	2				1	2	1	1	1	4					
Females	2	1	1	1		4	1		1	1		1	13				1	2	1	2	2		3	1	1				
Males				2				3		1			6	Liver Diseases						1		1	1	3					
Females				1						1		1	3							1		1			1				
Males		1	1		2	1	1	1		1		2	10	Kidney Diseases					1		1		2	1	5				
Females	1									1			2		1						1								
Females	1				2				1				4	Child Birth					2	2									
Males	3	1	2	3		3	1	2	4	3	3		25	Old Age											13	10	1	1	
Females	5	3	5	3	3	1		1	3		1	5	30												11	14	5		
Males	4	1	2	1	2	1	1		5	3	2	2	24	Violent Deaths, Accidents, etc.		2	2	1	2	3	2		3	4	2				3
Females								1					1			1													
Males			1			1							2	Suicide						1		1							
Females																													
Males	4		4			2	1	4	2		4	4	25	Other diseases and cause not specified:	10	2	1	2	1	1				5					3
Females	2	2		2			1	1	3	1		8	20		5		1	1	1	4	1	2	1	3					1
Total Males	21	24	29	26	26	17	16	31	28	24	22	22	286	Total Deaths from all causes.	56	29	13	9	8	23	11	14	22	40	37	13	3	1	7
Total Females	21	20	25	21	16	12	13	14	25	26	16	37	246		36	29	7	8	11	28	23	12	17	19	24	22	5		5
Grand Total.	42	44	54	47	42	29	29	45	53	50	38	59	532		92	58	20	17	19	51	34	26	39	59	61	35	8	1	12

TABLE D.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

ESSEX.—POPULATION, 51,218.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	6	6	6	....	....	....	18	Cholera Infantum.	14	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	1	6	6	3	....	....	....	16		13	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	3	1	....	3	1	....	....	....	2	1	2	1	14	Croup	2	10	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	3	1	1	....	2	1	....	....	1	1	....	12		1	9	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	5	4	7	1	....	....	17	Diarrhœal Diseases	5	5	5	....	....	....	....	....	1	1	....	....	....	....	....
Females	....	....	....	....	....	....	3	3	3	1	....	....	10		4	4	....	....	....	....	....	....	....	1	1	....	....	....	....
Males...	2	5	1	3	3	3	....	....	1	7	4	1	30	Diphtheria	2	14	10	1	....	2	....	....	1	....	....	....	....	..	....
Females	2	....	1	....	....	....	....	....	1	3	....	8	15		1	6	8	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	..	2	2	....	....	1	....	....	5	3	....	14	Typhoid Fever	1	1	2	....	2	1	2	2	1	2	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	1	2	1	....	6		....	....	....	1	2	3	....	....	....	....	....	....	....	....	....
Males...	....	....	....	2	2	1	....	....	....	1	1	....	7	Scarlet Fever	1	4	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	4	2	2	1	1	1	....	2	....	..	14		1	7	4	2	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	1	....	....	....	..	2	1	....	6	Other Fevers	....	3	....	1	....	1	....	1	....	....	....	....	....	....	..
Females	....	....	....	....	....	3	....	....	1	1	1	....	6		1	1	2	....	....	....	....	1	1	....	....	....	....	....	....
Males...	....	....	1	1	....	1	....	....	....	....	4	....	7	Measles	1	3	2	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	1	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	2	1	....	1	1	....	....	....	....	5	Whooping Cough	1	3	1	....	....	..	....	....	....	....	....	....	....	....	....
Females	2	....	2	....	....	....	1	1	1	....	....	....	7		3	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	1	....	....	....	1	1	....	....	....	4	Rheumatism and Gout	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....
Females	....	2	....	2	....	....	....	....	....	....	....	....	4		....	....	....	....	1	....	....	....	1	....	2	....	....	....	....
Males...	5	4	2	4	4	4	2	4	4	1	6	4	41	Anæmia, including Infantile Debility	38	2	....	....	....	1	....	....	3	....	....	....	....	....	....
Females	6	....	3	4	4	4	6	2	4	1	3	6	43		35	2	....	....	....	2	1	....	1	2	....	....	....	....	....

Males...	1					2				1	1		5	Dropsy			1							2	2						
Females	1									3			4		2									1	1						
Males...						1		1		1	2		5	Cancer							1		2	1	1						
Females			3		1		1				1		6		1						1	2	2								
Males...	1	3	4	7	2	6	3	1	3	3	1	2	36	Phthisis	3	3	1	2	7	6	4	1	5	4							
Females	1	2	2	4	2	1	4	1	2	4	1	4	28		1	1	1		1	9	7	4	2	2							
Males...	4	8	5	2		1	3	4	1	2	2	2	34	Nervous Diseases, including Convulsions	10	4	2	1	1	1	1		3	4	5	2					
Females		4	4	2			3	5	4	3	1	2	28		9	6		1			4		5	1	1	1					
Males...	2	1			3	1		1	1	1	2	1	13	Heart Diseases				1				1		7	2	1				1	
Females		1	4	3	1	1	2	2	2		1	1	18		1			1		2	3	2	5	3	1						
Males...	7	10	7	3	5	1		3	1	4	4	3	48	Pneumonia and Bronchitis	14	11			1	2	2	2	6	5	2	2			1		
Females	6	7	9	6	7	4	2			1	2	2	46		13	8	1		1	8		2	1	7	4	1					
Males...	1	1	4	3	2			2	1	3	1		18	Enteritis and Gastritis	5	2	1	1		1	2	1		1	4						
Females		1		2	3	2		2		4			14		5	1				2		2	1	3							
Males...					2	1		2	1		1		7	Liver Diseases						2	2	3									
Females		1	1	1	1	2	1	1					8							2	1	1	1	1	2						
Males...	4		1	1	1			1	1				9	Kidney Diseases			1			1	1	1	2	1		2					
Females		1				1					3		5		1	1						2			1						
Females	1		3		2	2		1					9	Child Birth					1	3	4	1									
Males...	3	5	3	4	4	1		4	4		1	3	32	Old Age												14	14	4			
Females	1	4	1	2	4	3	4	5	1	1	2	2	30													13	12	5			
Males...	1		1	3	1	2	2	1		2	1	4	18	Violent Deaths, Accidents, etc.	1	4			2	3	1	2	3	1	1						
Females			1		1		1		1	1	1	1	7		1	2				1				2	1						
Males ..											1		1	Suicide						1											
Females																															
Males...	4	4	5	6	3	6	3	3	5	4	2	2	47	Other diseases and cause not specified.	24	5	2	3	2	3	2		3	3							
Females	4	2	1	6	4	3	2	3	2	1	6	1	35		13	5	4	2	3	2	2	3	1								
Total Males...	39	44	37	47	35	31	26	39	39	39	40	23	439	Total Deaths from all causes	122	78	32	11	16	25	19	14	31	33	31	21	4		2		
Total Females	26	29	40	35	33	31	38	34	26	29	24	28	373		107	59	24	7	9	34	23	20	21	23	27	14	5				
Grand Total.	65	73	77	82	68	62	64	73	65	68	64	51	812		229	137	56	18	25	59	42	34	52	56	58	35	9		2		

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

FRONTENAC—Population, 46,812.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	1	2	....	....	....	1	....	....	....	....	4	Cholera Infantum.	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	3	....	....	....	....	1	4		3	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	1	....	....	....	....	....	....	2	Croup	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	....	....	....	....	....	....	....	2		....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	2	....	....	....	1	....	2	....	....	6	Diarrhœal Diseases	2	..	....	....	....	....	1	1	....	2	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	....	2		1	....	....	....	....	....	....	....	1	..	....	....	....	....	....
Males	....	....	1	....	2	1	....	....	....	....	1	....	5	Diphtheria	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	2	2	....	....	....	....	....	....	6		....	....	1	1	1	2	1	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	1	3	....	....	1	2	8	Typhoid Fever	....	2	1	....	1	2	2	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	..	1	1		....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	2	1	....	....	3	Scarlet Fever	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	2	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	....	2	....	....	....	3	Other Fevers	....	....	....	1	....	2	....	....	....	....	..	..	....	....	....
Females	....	....	....	....	1	....	1	....	....	....	....	....	2		....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
Males	...	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	...	1	....	2	....	1	1	....	....	....	1	6	Whooping Cough.	1	2	2	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	1	2	....	....	....	4		1	1	1	1	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	..	....	...	1	....	....	....	1	....	....	2	Rheumatism and Gout	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....
Females	....	....	....	....	....	....	....	....	..	1	1	....	2		....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Males	1	2	1	2	1	1	2	3	2	4	1	2	22	Anæmia, including Infantile Debility	15	2	....	1	....	....	....	....	1	3	....	....	....	....	....
Females	4	3	3	1	....	2	1	1	5	....	4	4	28		16	2	....	....	1	1	...	6	1	1	....	....	....	..	....

Males ..	1		1	1	....	....	....	1	2	....	....	....	2	8	Dropsy	1	....	....	....	1	1	....	2	....	1	....	1	....	....	1							
Females	....	1	....	....	....	2	....	1	....	1	....	....		5		....	....	....	....	....	1	....	....	....	2	2	....	....	....	....						
Males ..	....	1	....	....	....	....	....	....	1	....	....	....		2	Cancer	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....						
Females	1	1	1	....	1	....	1	2	....	....	2	....		9		....	....	....	....	....	....	1	3	....	2	2	....	....	....	1						
Males .	1	2	...	1	4	1	1	1	2	....	2	7		22	Phthisis.....	....	....	....	....	2	5	6	2	3	4	....	....	....	....	....						
Females	3	2	3	....	1	....	2	5	2	1	1	....		20		....	3	....	1	2	9	2	2	1	....	....	....	....	....	....						
Males ..	4	3	2	2	3	2	2	2	2	3	2	7		34	Nervous Diseases,	7	3	....	....	3	1	4	4	4	5	4	....	....	....	....						
Females	2	3	1	....	....	1	1	3	4	3	4	2		24	including Convulsions	4	3	1	2	1	1	2	1	2	4	3	....	....	....	....						
Males ..	3	1	...	2	1	2	1	1	1	1	3	3		19	Heart Diseases ...	1	....	....	..	....	1	5	2	1	6	2	1	....	....	....						
Females	1	3	3	1	3	1	...	....	1	1	1	2		17		....	....	....	....	....	2	1	2	3	4	3	2	....	....	....						
Males ..	3	2	5	3	5	3	2	2	....	....	2	3		30	Pneumonia and	3	3	....	2	1	3	....	5	2	6	4	1	....	....	....						
Females	3	4	3	....	3	....	1	1	....	2	1	1		19	Bronchitis.. ...	1	1	...	....	....	1	1	2	1	6	4	2	....	....	....						
Males ..	2	1	1	....	....	1	2	3	. .	3	....	1		14	Enteritis and	6	1	1	....	....	3	1	1	....	....	1	....	....	....	....						
Females	....	....	....	1	....	1	....	3	1	1	...	....		7	Gastritis..... .	2	1	....	1	....	....	....	1	1	1	....	....	....	....	....						
Males ..	1	....	....	1	1	....	....	....	....	1	2	....		6	Liver Diseases....	....	....	....	....	....	....	....	1	....	3	2	....	....	....	....						
Females	1	....	....	1	....	1	....	....	....	....	....	....		3		....	....	....	....	....	1	....	1	....	1	....	....	....	....	....						
Males ..	....	3	....	..	1	....	1	....	..	2	1	....		8	Kidney Diseases..	....	....	....	1	....	1	....	....	1	4	1	....	....	....	....						
Females	1	....	....	....	....	....	1	....	..	1	1	....		4		....	....	....	1	....	....	1	....	....	2	....	....	....	....	....						
Females	....	....	....	1	....	....	....	1	....	....	....	....		2	Child Birth.....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....						
Males ..	4	3	9	1	....	....	..	3	....	3	2	4		29	Old Age.....	....	....	....	....	....	....	....	....	....	....	9	17	3	....	....						
Females	....	3	4	4	2	1	3	4	4	3	3	3		34		....	....	....	....	....	....	....	....	....	....	20	10	4	....	....						
Males	...	1	....	1	....	....	1	....	2	1	....	2		8	Violent Deaths,	....	....	1	....	1	....	1	....	....	2	2	....	1	....	....						
Females	....	...	....	....	....	....	1	1	2	....	....	....		4	Accidents, etc..	....	2	..	2	....	....	....	....	....	....	....	....	....	....	....						
Males ..	1	....	....	....	1	....	....	....	....	....	....	....		2	Suicide	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....						
Females	....	....	....	....	....	....	....	....	1	....	....	....		1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....						
Males .	2	3	3	1	2	....	....	2	3	....	1	....		17	Other diseases and	5	2	....	1	....	....	....	3	....	4	....	....	....	....	2						
Females	3	1	1	1	1	1	1	2	3	...	1	....		15	cause not specified.	5	....	....	....	1	3	3	2	1	...	....	....	....	....	....						
Total Males ..	24	23	26	19	23	13	16	25	17	22	18	34		260	Total Deaths from	48	20	5	7	10	20	20	23	12	41	26	20	5	....	3						
Total Females	20	22	20	11	15	12	16	26	26	14	20	16		218	all causes.....	34	16	6	9	6	24	12	23	12	23	34	14	4	....	1						
Grand Total.	44	45	46	30	38	25	32	51	43	36	38	50		478	....	82	36	11	16	16	44	32	46	24	64	60	34	9	....	4						

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

GREY—Population, 77,582.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	...	....	...	1	...	....	1	....	....	....	2	Cholera Infantum.	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	..	....	....	....	...	....	..	....	2	1	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	..	....	...	....	....	....	....	....	1	1	2	Croup	1	....	1	...	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	...	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	....	....	...	....	....	1	1	....	1	....	3	Diarrhœal Diseases	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	....	.	.	....	....	....	....	4	...	2	....	....	6		2	2	....	....	1	....	....	....	....	....	....	....	....	....	....
Males	1	2	4	1	...	....	....	....	....	1	....	....	9	Diphtheria	....	4	3	1	1	....	....	....	....	....	1	....	....	....	....
Females	1	...	....	....	....	1	....	....	1	1	....	....	4		....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	....	....	1	....	1	....	1	1	2	1	7	Typhoid Fever	....	....	....	....	....	2	3	....	....	1	1	....	....	....	....
Females	....	....	....	....	....	...	1	1	2	1	....	....	5		....	....	....	....	2	2	....	1	....	....	....	....	....	....	....
Males	1	1	....	....	....	2	....	....	....	....	....	....	4	Scarlet Fever	....	2	1	1	....	..	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males	....	....	...	1	....	....	....	....	....	1	....	....	2	Other Fevers	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
Females	....	....	....	....	1	1	1	....	....	....	2	....	5		1	..	....	....	1	1	2	....	....	....	....	....	....	....	....
Males	..	..	....	1	....	....	....	....	....	....	....	....	1	Measles	....	...	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	....	....	....	....	..	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	..	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	.	....	....	....	1	....	....	....	....	..	....	....	1		..	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	.	...	....	1	2	...	....	....	....	....	....	1	4	Rheumatism and Gout	....	...	1	....	....	....	....	1	....	1	1	....	..	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	3	3	1	4	3	....	3	3	3	2	2	28	Anæmia, including Infantile Debility	19	....	1	2	....	....	....	1	1	4	....	....	....	....	....
Females	1	1	....	2	1	2	....	1	....	1	2	4	15		12	....	1	1	....	....	....	....	....	....	....	....	....	....	1

Males ..	....	....	1	1	....	1	....	....	1	1	....	....	5	Dropsy	....	....	....	....	....	1	....	1	....	2	1	....	....	....	....
Females	....	3	1	1	1	1	....	2	1	....	1	2	13		....	....	....	....	....	1	2	1	1	6	1	1	....	....	....
Males ..	....	....	1	....	....	..	....	1	4	2	....	....	8	Cancer	...	....	..	....	....	1	....	1	4	2	....	....	....	....	....
Females	2	....	1	2	....	6	....	....	....	1	....	1	13		....	....	....	....	....	....	1	2	1	4	4	1	....	....	....
Males ..	1	3	3	1	....	....	....	2	2	....	1	1	14	Phthisis	3	....	....	....	1	5	1	2	1	....	1	....	....	....	....
Females	2	2	5	6	4	2	2	4	4	1	2	3	37		2	....	1	....	3	12	8	5	4	2	....	....	....	....	....
Males ..	3	....	4	4	1	....	....	2	...	3	3	5	25	Nervous Diseases,	11	4	1	....	1	....	....	....	3	2	3	..	....	....	....
Females	3	....	3	3	1	2	3	4	4	1	1	4	29	includ Convulsions	9	4	....	....	2	4	1	....	2	3	3	1	....	....	....
Males ..	4	3	1	3	....	....	2	1	...	2	2	3	21	Heart Diseases ...	1	....	....	....	....	1	3	1	1	8	5	1	....	....	....
Females	2	....	2	3	2	1	4	....	1	2	....	2	19		1	....	....	1	2	1	2	1	5	5	....	....	....	....	1
Males ..	3	1	4	3	2	2	....	3	2	3	2	2	27	Pneumonia and	7	4	2	....	1	4	1	1	1	3	3	....	....	....	....
Females	8	4	3	4	4	2	4	1	1	3	3	2	39	Bronchitis	8	5	2	....	3	3	....	1	3	6	5	1	1	1	1
Males ..	2	....	5	1	....	2	1	2	4	2	3	3	25	Enteritis and	2	....	....	1	....	4	2	4	3	6	2	....	....	....	1
Females	...	1	1	1	....	1	1	2	3	....	....	....	10	Gastritis	4	...	1	....	....	1	1	1	....	....	1	....	..	....	1
Males ..	1	....	....	....	....	1	....	1	....	....	1	....	4	Liver Diseases ...	....	....	1	..	1	..	....	....	....	2	....	....	....	....	....
Females	....	....		....	....	....	....	1	...	....	....	....	1		....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males ..	....	....	1	....	1	1	1	....	...	....	1	....	5	Kidney Diseases..	....	....	....	....	....	1	....	....	1	2	1	....	....	....	....
Females	3	...	1	1	....	....	....	....	....	1	1	1	8		1	1	...	....	....	....	1	1	....	2	1	....	....	...	1
Females	....	4	....	3	2	....	....	....	1	....	....	1	11	Child Birth	....	....	....	....	....	6	4	1	....	....	....	....	....	....	....
Males ..	2	2	5	4	4	3	2	2	4	3	3	10	44	Old Age.....	....	....	....	....	....	....	....	....	....	....	15	26	3	....	....
Females	4	6	2	6	2	5	1	3	4	5	4	6	48		....	....	....	....	....	....	....	....	....	....	26	15	7	....	....
Males ..	....	....	2	4	3	3	2	2	....	1	....	4	21	Violent Deaths,	....	2	1	3	2	3	1	2	1	3	2	1	..	....	....
Females	....	...	....	1	1	..	....	1	....	....	....	....	3	Accidents, etc..	....	1	....	....	....	....	1	..	....	....	....	....	....	....	1
Males ..	..	....	....	....	....	....	..	....	....	....	....	....	....	Suicide.....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	1	....	....	2		....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Males ..	2	4	5	1	1	....	1	....	3	4	2	4	27	Other diseases and	12	3	..	....	2	1	1	....	1	5	2	....	....	....	....
Females	4	....	5	1	1	4	1	4	2	2	3	3	30	cause not specified.	13	1	1	2	1	....	2	4	1	3	....	....	....	....	2
Total Males ..	21	19	40	26	19	19	10	20	26	27	24	37	288	Total Deaths from all causes.....	60	20	12	8	9	24	12	14	18	42	37	23	3	....	1
Total Females	30	22	25	34	21	28	18	28	26	23	19	29	303		56	17	8	4	15	32	26	18	18	31	43	19	8	....	8
Grand Total.	51	41	65	60	40	47	28	48	52	50	43	66	591	....	116	37	20	12	24	56	38	32	36	73	80	47	11	....	9

TABLE D.—COUNTIES.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

HALDIMAND—Population, 27,491.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males								1					1	Cholera Infantum.	1														
Females									1				1		1														
Males														Croup														
Females		1	2										3			2	1												
Males							2	1					3	Diarrhœal Diseases	1	1	1												
Females								1	1	1			3		2											1			
Males		1	1		2	1		2		1			8	Diphtheria		5		1		1	1								
Females			1			1				1		1	4				2	2											
Males										2	1		3	Typhoid Fever		1	1	1											
Females			1		1	1				3			6			2		1	1	1	1								
Males								1					1	Scarlet Fever		1													
Females									1	1			2		1		1												
Males							2			1			3	Other Fevers	1		1		1										
Females	1		1							1			3			1				1		1						
Males							1			1			2	Measles		1	1												
Females										1			1					1											
Males			1		1								2	Whooping Cough.	2														
Females						1							1			1													
Males	1												1	Rheumatism and Gout						1									
Females		1											1										1						
Males				2	3	2	1	1	1		1	1	12	Anæmia, including Infantile Debility.	11									1					
Females	1	1	2	1			2						7		6						1								

Males						1			1				2	Dropsy						1		1										
Females				1			1			1	3		6										2	2	2						
Males	1	1		1	1								4	Cancer									3		1						
Females	2	1	2		1					1		1	8								1	1		2	3	1					
Males	1		2		2		1			1	1		8	Phthisis	3					3		1		1							
Females	2	1			2	3		1	1		1	1	12		1	1		1	1	3	4		1								
Males		1				1	2		2		2		8	Nervous Diseases,	4					1			1	1					1		
Females	2				1	2		1	2	1	1		10	includ. Convulsions	1	1		1			1	2	1	1	2						
Males	2	2			1			1	1			3	10	Heart Diseases						1			1	1	4	2			1		
Females	1				2		1					1	5					1		1				3							
Males	2	2	8	5	3		1			5	1	1	28	Pneumonia and	2	5			2	1			3	5	8	2					
Females			5	2	2	3			1	1	3	1	18	Bronchitis	1	3				3	3		2	2	3	1					
Males		1	2		1		1		1	1			7	Enteritis and		1		1		1			1	1	1						
Females									2				2	Gastritis					1						1						
Males						1							1	Liver Diseases						1											
Females	1							2				1	4								1	1		2							
Males					3						2		5	Kidney Diseases									1	2	1	1					
Females		1											1											1							
Females				1			1						2	Child Birth					1		1										
Males	2		3	1	2	5	1					2	16	Old Age											7	7	2				
Females	1		2	1			2	2	1	1			10												5	5					
Males			1	2				1		2		1	7	Violent Deaths,		1			1	1	2	1	1								
Females									1	1			2	Accidents, etc.							1		1								
Males						1	1						2	Suicide									1	1							
Females																															
Males	2		5		5	2	1	1	1				17	Other diseases and	6	3	1	1	2	1			1	2							
Females	1	2	1	2				1		2	1	1	11	cause not specified.	5	1			1		1		1	1						1	
Total Males	11	8	23	11	24	14	14	9	7	14	8	8	151	Total Deaths from all causes	31	19	5	4	6	13	3	4	13	15	22	12	2		2		
Total Females	12	8	17	8	9	11	7	8	11	16	9	7	123		18	12	4	7	5	9	15	5	9	14	16	8			1		
Grand Total.	23	16	40	19	33	25	21	17	18	30	17	15	274		49	31	9	11	11	22	18	9	22	29	38	20	2		3		

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

HALIBURTON—Population, 6,511.

SEX.	Months.													CAUSE OF DEATH.	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males														Cholera Infantum														
Females																												
Males														Croup														
Females																												
Males														Diarrhœal Diseases														
Females																												
Males														Diphtheria														
Females																												
Males														Typhoid Fever														
Females																												
Males														Scarlet Fever														
Females																												
Males														Other Fevers														
Females			1		1								2				1					1							
Males			1										1	Measles				1											
Females																												
Males	1				1					1			3	Whooping Cough	3														
Females	1	1											2		2														
Males														Rheumatism and Gout														
Females																												
Males		1			1		1	2	1				6	Anæmia, including Infantile Debility	3	1	1						1						
Females	1		1							1		1	4		4														

Males...								1					1	Dropsy	1														
Females							1						1							1									
Males...														Cancer															
Females																													
Males...			1				1						2	Phthisis						1		1							
Females																													
Males...			2										2	Nervous Diseases, includ. convulsions			1			1									
Females												1	1									1							
Males...														Heart Diseases															
Females																													
Males...														Pneumonia and Bronchitis															
Females	1	2											3		1	1							1						
Males...							1						1	Enteritis and Gastritis			1												
Females																													
Males...														Liver Diseases															
Females																													
Males...														Kidney Diseases															
Females				1									1		1														
Females														Child Birth															
Males...	1				1		1				1		4	Old Age											3	1			
Females					1				1		1		3												2	1			
Males...							1			2			3	Violent Deaths, Accidents, etc						1				2					
Females																													
Males...														Suicide															
Females																													
Males...			1	2									3	Other diseases and cause not specified.	2								1						
Females		1	1	1					2	1			6		2						1	1	1	1					
Total Males...	2	1	5	2	3	....	5	3	1	3	1	....	26	Total Deaths from all causes	9	1	3	1	....	3	....	1	2	2	3	1	...	....	....
Total Females	3	4	3	2	2	....	1	....	3	2	1	2	23		10	1	1	...	....	1	1	3	2	1	2	1	....	....	....
Grand Total.	5	5	8	4	5	....	6	3	4	5	2	2	49	....	19	2	4	1	....	4	1	4	4	3	5	2	....	....	....

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

HALTON—Population, 24,112.

SEX.	Months.													CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	3	....	....	....	....	3	Cholera Infantum.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	....	1	Croup.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	1	....	..	..	2	1	....	....	4	Diarrhœal Diseases.	....	1	....	....	....	....	....	....	....	1	2	....	....	....	....
Females	....	....	1	....	1	..	....	3	1	....	....	....	6		2	....	....	....	....	....	....	....	....	....	3	1	....	....	....
Males..	1	....	1	....	....	....	....	....	....	....	....	....	2	Diphtheria	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	1	....	....	....	1	....	....	....	2	5		1	1	2	....	....	....	....	....	....	....	....	....	....	....	1
Males...	....	....	....	....	1	1	1	....	1	....	1	....	5	Typhoid Fever ...	....	....	....	....	....	1	2	1	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	..	2	....	1	....	3		....	....	....	....	..	1	....	....	1	....	....	1	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	..	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	..	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	..	....	....	.	..	..	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males...	....	....	1	....	1	....	....	....	....	1	....	2	5	Anæmia, including Infantile Debility	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	2	1	....	....	....	1	1	....	....	2	2	9		4	....	....	....	....	....	3	....	1	1	....	....	....	....	....

Males...			1		1				1	1			4	Dropsy									2	1	1			
Females					1				1		2	1	5		1						2		2							
Males...	1	1										1	3	Cancer									2	1				
Females			1			1				1	2		5							1			1	2		1			
Males...		1		2	1				3	1	1		9	Phthisis					1	3	2	1	2						
Females		1	1					1	3	2		1	9						1	5	1				1				1
Males...	3		4	3		1	1	2	1		1	1	17	Nervous Diseases, includ. Convulsions	6	2	1	1		1		2	1		2	1			
Females	1	1	2	1			2		1	2		2	12		3	3			1	1				1	1	1			1
Males...	1		1	1			1			1			5	Heart Diseases ...					1					2	1	1			
Females		1	1	1	1		1		1	1	1	1	9			1				1			1	3	3				
Males...	2	1	3	1			1	1		1	3	1	14	Pneumonia and Bronchitis	5			1			1	1	2	2	1	1			
Females	3	1	1	3	1	1	1				2		13		3	3					2		1	1	1	2			
Males...						1		1	1		3	1	7	Enteritis and Gastritis	1			1		2	1			1		1			
Females					1	1							2											2					
Males...									2				2	Liver Diseases....											2				
Females				2	1			1	1				5									2	2	1					
Males...	2				1				1	2	1		7	Kidney Diseases..								1	2	2	2				
Females	2				1								3				1		1		1								
Females				1									1	Child Birth						1									
Males...	2		1		2		1		2	1	1	3	13	Old Age....											7	4	2		
Females		3		1		2			2	1			9												3	4	2		
Males...	1					2							3	Violent Deaths, Accidents, etc..			1	1					1						
Females					1								1									1							
Males...														Suicide.....															
Females																													
Males...		4	1	1			2	1	1	1	1	1	13	Other diseases and cause not specified	4			1	2	2	1		1		1				1
Females	1	1	2	1		3		1	1		1		11		5	1				1		1	2						1
Total Males..	13	8	13	8	8	5	7	8	15	10	12	10	117	Total Deaths from all causes.	23	5	2	6	4	9	8	6	8	13	21	9	2		1
Total Females	9	10	10	11	9	8	5	9	13	8	11	9	112		20	10	3		3	11	11	4	9	13	12	10	2		4
Grand Total.	22	18	23	19	17	13	12	17	28	18	23	19	229		43	15	5	6	7	20	19	10	17	26	33	19	4		5

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.

HASTINGS—Population, 60,712.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	11 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	...	....	....	....	3	7	1	....	....	....	11	Cholera Infantum.	8	3	....	....	...	....	....	...	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	3	6	...	1	....	....	10		8	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	2	1	1	1	3	....	....	....	....	8	Croup	3	3	2	....	....	..	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	2	2	4	....	....	....	1	9		4	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	2	4	1	1	....	....	9	Diarrhœal Diseases	6	2	1	....	....	....	...	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	3	4	5	....	1	....	13		9	2	....	...	....	....	....	1	....	1	....	....	....	....	....
Males...	2	....	2	...	3	....	....	....	1	1	....	3	12	Diphtheria	....	3	5	3	....	....	1	....	..	....	....	....	....	....	....
Females	1	....	4	....	....	...	3	1	....	3	....	3	15		1	3	6	5	....	...	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	....	....	....	2	2	2	1	8	Typhoid Fever	....	....	....	1	3	3	....	....	....	....	....	1	....	....	..
Females	....	....	....	....	....	....	....	3	....	....	..	3	6		....	....	2	....	....	2	1	....	1	..	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	..	....	....	....	Scarlet Fever	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Males...	2	2	....	....	....	....	....	....	....	....	....	....	4	Other Fevers	....	1	....	1	....	....	....	1	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	1	....	1	....	....	....	2		....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
Males...	....	..	..	..	..	...	2	....	....	....	....	....	2	Measles	...	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	2	1	....	....	....	3		....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	....	2	....	1	....	...	....	4	Whooping Cough.	4	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	...	1	....	....	....	....	..	....	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	..	....	....	....	...	....	2	....	....	....	1	....	3	Rheumatism and Gout.	....	..	....	....	....	....	2	....	....	...	1	....	....	....	....
Females	1	....	....	....	....	....	1	1	....	....	....	...	3		....	....	....	....	....	....	..	....	....	1	2	....	....	....	....
Males...	2	3	1	1	1	....	3	4	2	2	....	2	21	Anæmia, including Infantile Debility	17	1	1	....	....	2	....	...	....	....	....	....	....	....	....
Females	....	2	1	3	3	3	2	3	3	1	1	1	23		16	4	....	....	....	....	1	....	....	2	....	....	....	....	....

Males...	....	....	1	....	....	1	1	....	1	1	1	....	6	Dropsy	....	....	....	....	....	....	....	1	1	3	1	....	..	....	....
Females	....	....	....	...	2	1	1	....	....	....	1	....	5		...	....	....	....	...	2	....	....	1	....	2	....	....	....	....
Males...	3	....	1	2	....	..	2	....	1	1	1	2	13	Cancer	....	....	..	....	...	....	2	....	2	2	7	....	....	....	....
Females	3	....	1	....	1	....	1	1	3	1	1	2	14		...	...	....	....	....	....	3	5	3	2	1	....	....	....	....
Males...	4	3	5	5	2	3	1	....	2	1	5	2	33	Phthisis	1	1	....	1	3	14	3	1	2	5	2	..	..	....	....
Females	6	4	4	2	4	3	4	4	3	3	3	8	48		1	1	1	1	10	10	5	8	4	7	....	....	....	....	....
Males...	4	5	4	3	1	3	3	5	4	3	....	2	37	Nervous Diseases, including Convulsions	17	7	....	....	1	1	2	2	2	4	1	....	....	....	....
Females	3	3	2	2	2	3	1	5	3	4	1	3	32		13	3	3	....	....	2	2	....	....	3	6	....	..	....	....
Males...	1	4	2	....	1	....	1	4	3	4	2	2	24	Heart Diseases	1	....	...	....	1	1	2	1	2	9	3	4	....	....	....
Females	....	1	1	1	1	....	....	....	2	3	1	1	11		....	...	....	....	....	....	1	1	3	4	1	1	...	....	....
Males...	6	4	4	5	5	....	1	1	1	....	....	....	27	Pneumonia and Bronchitis	4	6	....	1	1	1	1	2	4	5	2	....	....	..	....
Females	1	2	4	2	....	....	....	1	3	1	....	2	16		7	1	..	....	2	1	2	2	1	....	....	....	..	....	....
Males...	....	....	....	2	1	1	....	1	1	2	....	1	9	Enteritis and Gastritis	2	....	1	....	....	1	..	2	....	2	1	....	....	....	....
Females	1	1	....	..	2	...	1	2	1	....	1	3	12		2	1	....	....	1	2	....	2	....	3	1	....	....	....	....
Males...	2	....	....	....	....	....	....	1	2	....	....	....	5	Liver Diseases	....	....	....	....	....	1	....	....	....	2	2	....	....	....	....
Female	....	1	1	....	3	....	....	1	1	....	1	....	8		....	....	....	....	....	1	....	1	3	2	1	....	....	....	....
Males...	....	1	....	....	....	....	1	....	1	....	...	2	5	Kidney Diseases	....	...	....	....	....	....	1	....	2	1	1	....	....	....	....
Females	1	....	....	1	....	....	....	1	....	....	....	....	3		....	....	....	1	....	1	....	1	....	....	....	....	....	....	....
Females	....	1	1	1	....	1	2	....	....	2	2	1	11	Child Birth	....	....	...	....	...	4	5	2	...	....	....	....	....	....	....
Males. .	6	2	5	4	2	....	2	4	3	6	5	2	41	Old Age	....	...	....	....	....	....	....	....	....	....	18	18	5	....	....
Females	3	4	3	2	3	3	3	4	1	5	2	7	40		....	....	....	....	....	....	....	....	....	....	17	21	2	..	....
Males...	....	....	1	....	3	3	3	3	3	....	3	1	20	Violent Deaths, Accidents, etc.	1	3	3	3	....	3	2	1	2	2	..	....	....	....	....
Females		....	..	....	....	....	....	....	...	..	....	...	...		....	....	...	...	....	....	....	..	....	....	....	....	....	....	....
Males...	....	....	....	2	...	....	....	....	2	....	....	....	4	Suicide	....	....	....	....	....	2	....	....	....	2	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	...	....	....	....	....		....	...	....	....	....	....	....	....	....	....	....	....	..	....	...
Males...	1	.	9	2	3	1	2	6	....	2	3	2	31	Other diseases and cause not specified.	16	3	2	1	....	....	....	....	3	2	....	1	....	....	3
Females	2	3	3	1	4	2	1	3	2	2	2	1	26		9	2	1	....	1	5	2	2	2	....	....	....	....	....	2
Total Males...	33	25	35	30	23	13	32	43	32	26	23	22	337	Total Deaths from all causes.	80	35	15	11	9	29	16	11	20	39	40	24	5	....	3
Total Females	23	23	25	15	25	19	29	46	29	26	17	36	313		71	24	18	8	14	30	22	25	18	25	32	22	2	....	2
Grand Total.	56	48	60	45	48	32	61	89	61	52	40	58	650	....	151	59	33	19	23	59	38	36	38	64	72	46	7	....	5

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

HURON, POPULATION, 84,179.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	...	....	....	....	....	....	1	1	2	....	....	....	4	Cholera Infantum.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	4	....	....	1	6		4	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	1	1	....	....	....	....	....	....	....	....	3	Croup	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	1	....	1	....	1	....	....	1	3	8		2	5	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	4	2	....	1	....	8	Diarrhœal Diseases	5	2	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	2	4	2	1	....	1	11		6	2	1	....	....	....	....	....	1	....	....	1	....	....	....
Males...	2	2	2	1	3	....	....	....	....	1	....	1	12	Diphtheria	....	7	4	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	3	....	....	....	1	1	....	....	....	....	1	7		....	6	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	3	1	1	2	3	10	Typhoid Fever	....	1	....	1	....	4	2	1	1	....	....	....	....	....	....
Females	....	....	....	1	....	1	1	3	....	1	....	....	7		....	1	....	....	1	2	1	1	....	1	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Scarlet Fever	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	2	1	....	....	....	....	4		....	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	2	....	....	....	....	....	....	....	....	....	....	2		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Measles	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	1	....	....	....	1	....	....	....	....	....	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	..	1	....	....	....	....	....	....	....	....	2	Whooping Cough	....	1	..	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	....	....	....	....	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	2	....	....	....	....	....	....	....	....	....	....	2	Rheumatism and Gout	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
Females	1	....	....	1	1	....	....	....	....	....	....	....	3		....	....	....	....	....	....	....	1	....	2	....	....	....	....	....
Males...	1	3	2	....	2	2	1	3	2	3	1	4	24	Anæmia, including Infantile Debility	19	1	....	....	1	....	....	....	1	2	....	....	....	....	....
Females	3	1	5	2	2	5	2	5	1	2	2	3	33		25	3	....	....	....	....	....	1	1	2	....	....	....	....	....

Males...	1	....	1	....	....	1	1	2	1	....	1	....	8	Dropsy	....	....	....	....	....	....	1	....	....	2	4	....	1	....	....
Females	....	1	1	1	1	....	....	....	2	1	1	....	8		....	....	1	....	1	2	....	1	2	1	....	....	....	....	....
Males...	1	....	....	2	....	....	2	3	1	....	..	2	11	Cancer	....	....	....	....	....	....	1	2	4	2	1	....	....	....	1
Females	1	....	2	1	....	....	1	....	....	....	2	....	7		....	....	....	....	....	....	2	2	1	1	1	....	....	....	....
Males...	2	1	2	1	3	2	5	....	3	2	2	4	27	Phthisis	....	1	....	....	4	5	10	3	2	1	1	....	....	....	....
Females	2	2	2	4	4	6	3	4	1	2	2	6	38		3	....	....	2	2	12	7	5	4	2	1	....	....	....	....
Males...	6	6	3	8	....	....	4	5	1	1	2	6	42	Nervous Diseases, includ. Convulsions	13	9	1	....	....	2	1	....	3	7	2	2	1	....	1
Females	2	1	3	....	1	3	2	1	1	....	2	3	19		4	5	....	1	2	....	1	....	2	....	2	2	....	....	....
Males...	3	....	5	1	....	1	....	1	2	3	2	4	22	Heart Diseases	....	....	....	....	2	1	1	....	4	8	6	....	....	....	....
Females	1	2	....	3	1	1	3	....	1	2	3	4	21		1	....	....	....	1	3	2	2	2	3	6	....	....	....	1
Males...	5	5	13	3	....	3	....	2	1	3	3	5	43	Pneumonia and Bronchitis	5	14	3	1	....	2	2	4	4	5	1	2	....	....	....
Females	5	5	2	5	1	3	3	1	3	3	....	2	33		10	6	....	1	....	2	3	1	4	4	1	1	....	....	....
Males...	2	1	1	....	1	....	2	1	2	....	3	1	14	Enteritis and Gastritis	1	1	1	....	2	3	1	2	....	2	1	....	....	....	....
Females	1	1	1	2	2	1	1	3	2	1	....	2	17		2	1	1	1	1	2	....	2	1	3	3	....	....	....	....
Males...	....	..	1	....	1	....	....	....	1	....	1	....	4	Liver Diseases	....	....	....	....	....	....	....	1	2	1	....	...	....	....	....
Females	....	1	....	....	....	....	....	1	....	1	1	....	4		....	....	....	....	....	1	....	1	....	2	....	....	....	....	....
Males...	....	....	1	2	1	4	....	1	....	1	....	3	13	Kidney Diseases	....	1	....	....	....	2	2	....	1	4	3	....	....	....	....
Females	1	....	....	....	2	....	....	....	1	....	1	....	5		....	....	....	....	....	1	1	....	1	1	....	....	....	...	1
Females	....	..	....	1	3	....	1	....	....	1	1	2	9	Child Birth	....	....	....	....	....	3	4	2	....	....	....	....	....	....	....
Males...	2	6	6	2	2	6	1	3	1	3	1	4	37	Old Age	....	....	....	....	....	....	....	....	....	....	18	14	5	....	....
Females	3	1	7	3	3	1	3	7	3	3	4	1	39		....	....	....	....	....	....	....	....	....	....	12	20	7	....	....
Males...	2	....	2	....	2	2	1	1	2	1	....	2	15	Violent Deaths, Accidents, etc.	....	2	....	1	1	3	3	....	1	2	1	1	....	....	....
Females	....	1	....	....	....	....	....	....	1	....	....	..	2		....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
Males...	....	....	1	....	....	....	....	....	...	....	....	....	1	Suicide	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	1	4	1	3	3	....	1	3	3	1	....	22	Other diseases and cause not specified.	9	2	....	..	....	....	1	1	5	2	1	....	....	....	1
Females	2	....	....	1	1	1	1	3	2	2	3	1	17		5	1	1	1	1	1	1	1	1	3	1	....	....	....	...
Total Males...	31	27	45	23	18	26	19	31	25	22	20	39	326	Total deaths from all causes	57	43	11	6	10	25	25	14	28	39	39	19	7	...	3
Total Females	24	22	24	27	22	25	30	35	24	20	23	30	306		65	39	7	7	9	29	24	19	21	26	27	24	7	....	2
Grand Total.	55	49	69	50	40	51	49	66	49	42	43	69	632	....	122	82	18	13	19	54	49	33	49	65	66	43	14	...	5

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

KENT.—POPULATION, 59,769.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	2	....	....	....	1	1	4	3	...	....	1	12	Cholera Infantum.	11	1	....	....	.. .	....	....	....	....	....	....	....	....	. .	....
Females	....	....	1	.	....	....	1	....	2	....	....	....	4		4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	1	....	1	....	...	1	....	....	....	1	5	Croup	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	1	1	..	....	....	1	....	.	....	2	6		2	4	....	....	....	...	...	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	9	5	1	2	....	17	Diarrhœal Diseases	11	3	1	....	....	....	....	....	....	....	....	2	....	....	....
Females	....	....	....	....	....	1	....	2	1	....	....	1	5		4	....	1	....	....	....	....	....	....	....	..	....	....	....	....
Males	....	1	....	....	....	....	....	2	....	....	2	....	5	Diphtheria	....	2	3	....	....	....	....	....	....	....	....	....	....	...	....
Females	....	3	...	1	....	1	....	....	....	....	....	....	5		....	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	1	....	1	2	1	1	....	2	9	Typhoid Fever	1	....	....	....	....	1	6	....	1	....	....	....	....	....	....
Females	1	....	....	....	2	....	....	1	....	....	1	1	6		....	....	....	1	....	1	..	4	....	....	....	....	....	....	....
Males	....	....	.	1	....	....	....	....	....	....	....	....	1	Scarlet Fever	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	. .	...	1	2	....	..	....	....	....	....	....	....	3		...	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	..	....	..	....	....	1	....	....	1	....	....	2		....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	1	....	....	....	....	....	....	....	2	Measles	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	1	...	....	....	....	1	3		1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	2	....	1	....	....	....	....	....	....	....	....	....	3	Whooping Cough	2	1	....	....	....	....	....	....	...	....	....	....	....	....	....
Females	....	...	1	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	..	....	....	....	....	....	....
Males	2	....	....	....	....	....	....	....	....	....	..	...	2	Rheumatism and	....	....	....	....	....	....	....	2	....	....	....	..	..	...	....
Females	....	....	....	....	2	....	....	....	....	....	....	....	2	Gout	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
Males	....	6	6	1	2	1	3	1	7	4	1	1	33	Anæmia, including	28	3	....	....	....	....	1	....	....	1	....	....	....	....	....
Females	3	1	1	1	1	1	1	2	2	2	3	2	20	Infantile Debility	12	2	....	....	1	1	....	1	....	2	....	....	....	....	1

Males...	....	2	2	1	1	1	....	....	....	1	1	2	11	Dropsy	....	1	....	....	....	....	....	1	1	3	5	....	....	....	..
Females	2	....	....	1	1	....	....	...	2	2	....	....	8		....	....	1	....	....	....	....	1	....	3	2	....	....	....	1
Males...	1	1	..	....	....	....	1	....	...	....	....	1	4	Cancer..........	....	....	....	....	...	....	1	2	1	....	....	....	....	....	....
Females	..	...	1	....	2	2	1	1	...	1	....	1	9		....	1	....	....	...	....	1	1	2	4	....	....	....	....	....
Males...	1	3	6	3	6	1	2	1	...	1	7	..	31	Phthisis	....	1	....	2	2	6	4	5	7	3	....	....	..	....	1
Females	2	4	....	3	3	7	2	6	....	3	1	4	35		2	1	1	2	7	11	3	3	2	1	1	....	....	....	1
Males...	1	1	....	3	2	2	....	2	2	2	2	3	20	Nervous Diseases, includ. Convulsions	8	2	1	...	....	2	....	1	1	1	1	2	....	....	1
Females	2	2	....	1	....	....	....	3	2	2	1	2	15		5	3	2	...	....	1	2	....	1	....	1	....	...	....	....
Males...	....	2	2	1	2	2	1	3	2	2	1	3	21	Heart Diseases...	2	....	....	....	....	2	1	3	1	6	5	1	....	....	....
Females	4	2	2	2	....	....	1	1	....	2	....	1	15		1	....	....	....	1	2	1	1	2	5	1	1	...	....	....
Males...	1	5	3	4	3	1	1	1	....	2	....	....	21	Pneumonia and Bronchitis.	4	3	1	....	....	2	....	2	3	3	1	2	....	....	....
Females	3	3	3	1	3	2	....	1	....	....	...	1	17		1	3	1	....	....	....	1	1	..	3	6	1	...	....	....
Males...	....	1	1	1	....	....	....	1	2	....	1	....	7	Enteritis and Gastritis	2	....	..	....	1	....	1	....	1	....	2	....	....	....	....
Females	1	....	....	2	1	2	....	1	....	1	....	....	8		2	....	1	....	..	2	1	1	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	..	....	1	1	Liver Diseases....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	1	1	...	....	....	....	....	....	2		....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
Males...	....	1	....	1	1	....	1	1	4	....	....	1	10	Kidney Diseases..	....	....	...	...	....	....	1	....	1	1	5	1	....	....	1
Females	....	....	....	....	....	1	1	1	3	....	....	....	6		....	....	....	....	...	....	2	2	1	1	....	....	..	....	....
Females	....	1	..	4	1	1	....	....	....	1	....	....	8	Child Birth..........	....	...	....	....	...	3	3	2	....	....	....	....	....	....	....
Males...	5	3	3	....	3	....	3	3	2	..	1	3	26	Old Age..........	....	....	...	....	....	....	....	....	....	..	12	10	3	11	....
Females	4	3	....	2	5	1	2	1	3	1	4	3	29		....	....	....	....	....	....	....	....	....	....	10	12	7	....	....
Males...	2	2	1	4	1	1	4	3	1	1	1	1	22	Violent Deaths, Accidents, etc..	....	1	4	3	....	4	3	2	3	1	1	....	...	....	....
Females	....	....	....	....	1	....	....	..	....	1	1	....	3		....	1	1	....	....	....	....	1	....	....	....	..	....	....	....
Males...	....	..	....	....	....	....	....	....	....	....	....	....	....	Suicide..........	....	....	....	....	....	....	....	....	....	....	....	....	....	...	....
Females	....	....	....	....	....	..	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	8	2	6	2	1	3	....	....	2	3	....	1	28	Other diseases and cause not specified.	8	4	1	....	....	3	2	1	3	5	....	....	....	....	1
Females	3	3	3	4	2	1	3	2	2	2	3	1	29		4	4	1	....	3	3	4	2	2	2	....	....	....	....	4
Total Males...	24	33	32	23	25	13	18	34	31	18	19	21	291	Total deaths from all causes.......	79	26	11	6	3	21	20	20	23	24	32	18	3	1	4
Total Females	26	22	14	26	25	21	14	23	17	19	14	20	241		38	27	14	3	13	26	19	20	10	21	22	14	7	....	7
Grand Total ..	50	55	46	49	50	34	32	57	48	37	33	41	532	....	117	53	25	9	16	47	39	40	33	45	54	32	10	1	11

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

LAMBTON—Population, 57,238.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	2	4	1	....	....	7	Cholera Infantum.	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	3	2	....	....	....	7		5	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	1	....	2	....	2	....	6	Croup	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	1	1	1	....	1	5		2	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	3	3	2	1	....	....	9	Diarrhœal Diseases	6	....	....	....	....	....	....	2	....	....	....	1	....	....	....
Females	....	1	....	....	....	....	1	1	6	3	....	....	12		9	1	....	....	....	....	....	1	....	....	1	....	....	....	....
Males	....	....	....	1	....	....	....	....	2	....	4	....	7	Diphtheria	....	3	4	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	1	....	1	....	1	....	....	....	....	4	....	9		....	4	2	2	....	....	1	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	1	3	5	3	4	....	17	Typhoid Fever	....	1	1	....	1	6	5	2	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	3	5	1	....	9		....	....	3	....	4	1	....	1	....	....	....	....	....	....	....
Males	2	....	1	2	1	....	....	....	....	....	1	....	7	Scarlet Fever	2	5	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	1	1	....	....	....	....	....	....	....	....	4		2	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Other Fevers.	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	1	1	....	2	....	....	....	....	....	....	....	....	4		....	1	....	....	1	1	1	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Measles	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	....	....	1	Whooping Cough.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	1	....	....	....	....	....	1	1	....	5		2	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	1	....	....	....	....	....	1	....	....	....	....	....	2		....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
Males	2	2	3	2	2	2	....	1	4	2	..	1	21	Anæmia, including Infantile Debility	15	2	....	....	2	....	....	....	1	1	....	....	....	....	....
Females	1	1	1	1	1	....	3	4	3	2	2	....	19		14	3	....	....	....	....	....	....	2	....	....	....	....	....	....

Males...	....	....	....	....	....	1	....	....	....	1	....	....	2	Dropsy	....	....	....	....	....	..	....	....	....	....	2	....	....	....	....								
Females	2	....	....	1	....	1	....	....	....	....	1	....	5		....	....	1	....	....	....	....	....	1	2	1	....	....	....	....								
Males...	1	....	....	....	1	....	2	....	....	....	....	1	5	Cancer	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....								
Females	2	....	....	....	....	2	....	....	1	1	2	1	9		....	....	....	....	....	1	....	2	3	3	....	....	....	....	....								
Males...	4	3	1	2	2	6	2	3	2	3	1	....	29	Phthisis	1	....	....	....	6	11	2	1	3	4	1	....	....	....								
Females	3	2	7	6	4	5	1	1	5	14	2	2	52		2	....	....	1	7	22	9	6	3	1	1	....	....	....								
Males...	5	1	2	1	5	1	....	2	3	1	1	2	24	Nervous Diseases, includ. Convulsions	9	5	3	....	1	4	....	....	....	2	....	....	....	....								
Females	3	4	5	1	1	2	2	....	....	2	3	2	25		9	3	....	1	....	5	....	3	1	3	....	....	....	....								
Males...	2	1	1	2	1	....	1	7	1	5	2	2	25	Heart Diseases	....	....	....	....	1	....	1	1	3	12	6	1	....	....								
Females	1	....	2	2	....	1	....	1	1	2	1	1	12		....	....	....	....	....	1	3	2	2	1	3	....	....	....								
Males...	7	4	7	5	3	2	....	....	2	4	2	....	36	Pneumonia and Bronchitis	5	5	2	1	1	3	1	5	4	2	6	1	....	....								
Females	1	1	5	2	3	1	2	....	..	2	....	3	20		6	1	1	1	....	1	1	1	1	5	2	....	....	....								
Males...	1	2	1	1	....	1	1	....	1	2	1	....	11	Enteritis and Gastritis	2	....	....	1	....	4	....	1	....	1	1	1	....	....	....								
Females	..	....	1	2	3	....	1	1	3	....	1	....	12		2	3	1	..	....	....	1	2	1	2	....	....	....	....	....								
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Liver Diseases	....	....	....	....	....	....	..	....	1	....	....	....	....	....	....								
Females	....	....	..	....	....	....	....	....	1	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....								
Males...	....	1	4	....	1	3	1	1	2	....	1	3	17	Kidney Diseases	2	1	....	1	....	....	....	3	2	3	3	2	....	....	....								
Females	...	1	...	....	....	1	....	1	....	....	....	....	3		....	....	1	....	....	....	1	....	1	....	....	....	....	....	....								
Females	1	....	....	2	..	2	....	....	1	....	....	1	7	Child Birth	....	....	....	....	....	3	2	2	....	....	....	....	....	....	....								
Males...	1	1	1	....	5	2	1	3	4	2	2	....	22	Old Age	....	....	....	....	....	....	....	....	....	..	13	7	2	....	....								
Females	1	5	4	1	3	4	3	1	3	1	3	1	30		....	....	....	....	....	....	....	....	....	....	13	12	4	1	....								
Males..	1	2	...	1	1	....	2	1	4	1	2	2	17	Violent Deaths, Accidents, etc..	....	1	.	....	7	4	1	2	1	....	....	....	....	....	1							
Females	....	....	....	....	....	....	2	....	....	....	....	1	3		....	....	....	....	....	....	....	....	....	1	....	2	....	....	....								
Males...	....	....	....	....	1	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....								
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....								
Males...	1	....	2	3	1	....	1	3	5	1	4	1	22	Other diseases and cause not specified.	4	1	1	....	2	3	2	2	4	2	....	1	...	....	....								
Females	2	2	1	1	2	2	....	1	....	1	1	....	13		2	....	2	1	....	1	....	1	2	2	....	....	....	....	2								
Total Males...	28	17	25	23	24	18	16	30	43	27	27	12	290	Total Deaths from all causes	53	31	12	3	21	37	12	20	21	30	33	14	2	....	1								
Total Females	22	22	27	26	17	22	18	15	30	35	22	13	269		55	23	14	6	15	36	19	21	17	21	21	14	4	1	2								
Grand Total.	50	39	52	49	41	40	34	45	73	62	49	25	559	....	108	54	26	9	36	73	31	41	38	51	54	28	6	1	3								

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

LANARK—POPULATION, 37,372.

SEX.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH	AGES. Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	2	....	....	2	1	....	....	....	....	5	Cholera Infantum.	5	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Females	....	....	....	2	1	....	1	....	....	....	....	....	4		3	1	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males	1	1	....	....	1	....	....	....	....	....	....	....	3	Croup	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	..	....	..	....	1	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	1	3	....	1	....	....	....	....	5	Diarrhœal Diseases	3	1	..	....	....	....	....	....	....	....	1	....	....	....	....
Females	1	1	....	....	....	....	1	....	1	1	1	....	6		5	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	..	....	....	2	....	2	....	....	....	....	5	Diphtheria	....	3	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	2	....	1	....	1	....	....	....	....	5		....	1	1	2	1	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	1	1	1	....	....	1	....	4	Typhoid Fever	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	2	3		....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	1	2	....	3	Scarlet Fever	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	1	....	....	2	....	....	4	Other Fevers	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	1	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	1	....	....	....	2	Measles	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	1	....	....	....	....	....	....	1	Whooping Cough.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	2	....	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	..	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males	1	3	2	....	1	2	2	3	2	1	1	1	19	Anæmia, including Infantile Debility	13	2	1	....	....	....	....	....	2	1	....	....	....	....	....
Females	1	2	....	4	1	3	2	2	3	2	2	1	23		18	3	....	....	....	....	....	....	1	1	....	....	....	....	....

Males ..	....	....	....	....	....	....	2	....	....	1	....	....	3	Dropsy	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....
Females	4	....	....	....	....	....	....	....	....	....	....	....	4		....	....	....	....	....	....	....	1	1	....	1	1	....	....	....
Males .	....	....	1	....	....	....	1	....	....	....	1	....	3	Cancer	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	1	1	....	3		....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
Males ..	2	....	....	2	3	....	1	4	1	2	....	1	16	Phthisis	....	....	....	....	1	6	3	2	4	....	....	....	....	....	....
Females	1	....	3	1	2	4	1	2	1	1	1	2	19		....	....	....	....	2	8	5	2	1	1	....	....	....	....	....
Males ..	....	1	1	1	1	2	2	....	1	....	....	1	10	Nervous Diseases, includ. Convulsions	2	3	1	2	....	....	....	....	....	1	1	....	....	....	....
Females	3	....	2	1	....	....	1	....	1	....	2	....	10		2	2	....	1	....	2	1	....	....	2	....	....	....	....	....
Males ..	....	....	1	2	1	....	....	2	....	....	....	1	7	Heart Diseases....	....	....	....	....	....	....	....	....	....	2	4	1	....	....	....
Females	....	1	2	1	3	....	....	....	....	3	1	....	11		....	1	....	....	1	....	....	....	2	2	3	2	....	....	....
Males ..	3	5	3	3	3	3	2	1	1	....	1	6	31	Pneumonia and Bronchitis.....	7	4	1	....	1	4	....	3	2	5	2	2	....	....	....
Females	1	....	2	5	2	1	2	....	....	1	1	1	16		6	2	....	....	1	....	....	2	2	2	1	....	....	....	....
Males ..	....	....	2	....	....	....	1	....	1	....	....	2	6	Enteritis and Gastritis	1	....	....	....	....	2	....	1	....	1	1	....	....	....	....
Females	....	1	2	....	....	....	1	....	....	....	....	....	4		1	1	....	....	....	1	....	....	....	1	....	....	....	....	....
Males ..	....	....	....	....	....	1	1	....	....	....	2	....	4	Liver Diseases	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	1	....	....	1	....	....	1	1	....	1	5	Kidney Diseases..	....	....	....	....	....	....	....	1	....	2	2	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	1	....	....	1	....	....	....	....	....	....	....	2	Child Birth	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
Males ..	3	3	1	4	1	....	2	....	3	5	2	2	26	Old Age	....	....	....	....	....	....	....	....	....	....	9	14	3	....	....
Females	3	3	2	2	....	1	2	1	1	....	3	....	18		....	....	....	....	....	....	....	....	....	....	7	9	1	1	....
Males ..	1	....	1	....	3	....	2	1	....	....	....	....	8	Violent Deaths, Accidents, etc..	....	....	1	1	....	2	1	....	1	....	2	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males ..	....	1	....	....	....	....	....	....	....	....	....	....	1	Suicide...........	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males ..	....	2	6	1	1	2	2	1	1	2	1	2	21	Other diseases and cause not specified.	7	1	2	1	....	4	1	3	....	1	....	....	....	....	1
Females	....	2	2	....	1	1	2	....	3	....	....	2	13		....	1	....	....	1	2	1	4	2	2	....	....	....	....	....
Total Males ..	12	17	19	15	16	18	22	18	12	15	11	17	192	Total Deaths from all causes	40	19	10	7	4	19	6	12	13	18	23	17	3	....	1
Total Females	16	12	17	18	12	13	15	6	12	10	14	8	153		40	14	3	3	9	15	8	11	10	13	13	12	1	1	..
Grand Total.	28	29	36	33	28	31	36	24	24	25	25	25	345	....	80	33	13	10	13	34	14	23	23	31	36	29	4	1	1

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

LEEDS AND GRENVILLE—POPULATION, 66,181.

SEX.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH	AGES. Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	1	3	....	....	....	....	4	Cholera Infantum.	2	2	....	....	...	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	4	1	....	....	....	6		5	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	2	....	....	1	1	....	1	2	....	7	Croup.....	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	2	....	....	....	1	....	....	1	4		2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	1	....	....	2	3	....	....	....	6	Diarrhœal Diseases	1	2	....	....	....	....	....	1	....	....	1	....	1	....	....
Females	....	....	....	....	....	....	2	1	6	1	....	....	10		5	1	....	....	....	....	....	....	....	1	1	2	....	....	....
Males...	4	4	1	1	....	....	....	1	....	1	1	....	13	Diphtheria	....	4	6	1	1	....	....	1	....	....	....	....	....	....	....
Females	3	....	4	....	1	....	....	....	....	....	2	1	11		....	2	6	1	2	....	....	....	....	....	....	....	....	....	....
Males...	....	..	1	....	....	....	2	....	....	2	....	....	5	Typhoid Fever ...	....	....	....	....	....	1	2	2	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	1	1	....	1	4		....	....	1	....	....	2	....	1	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	1	....	1	Scarlet Fever.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	..	....	....	1	1	....	....	....	....	....	2		....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Measles	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	..		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	..	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	....	....	1	....	....	....	..	....	2	Rheumatism and Gout	....	...	....	....	....	....	....	....	1	1	....	....	...	....	....
Females	....	....	....	....	....	....	....	....	1	1	....	....	2		....	....	....	..	....	....	....	....	1	1	..	..	....	....	....
Males...	2	4	3	3	1	....	...	5	7	1	2	3	31	Anæmia, including Infantile Debility	27	2	....	..	....	....	....	....	1	1	....	....	....	...	..
Females	1	4	1	3	4	2	....	3	3	1	....	....	22		19	2	....	....	....	....	....	1	....	....	....	....	....	....	....

Males...	....	....	....	....	....	1	....	1	....	....	....	1	3	Dropsy	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	1	....	1	2	....	....	....	6		....	....	1	....	....	....	1	1	1	1	1	....	....	....	..			
Males...	2	....	....	1	1	1	....	....	1	....	....	....	6	Cancer	....	....	....	....	....	....	....	....	2	3	1	....	....	....	....			
Females	1	....	....	....	....	1	....	2	....	....	1	....	5		....	....	....	....	....	....	2	....	1	1	1	....	....	....	....			
Males...	2	2	2	7	3	3	1	1	1	4	1	3	30	Phthisis	....	1	2	1	5	10	2	4	3	1	1	....	....	....	....			
Females	5	4	5	2	4	8	3	7	3	5	7	5	58		1	3	....	2	10	13	12	7	5	3	2	....	....	....	....			
Males...	2	3	1	1	....	3	1	3	....	2	3	5	24	Nervous Diseases, includ. Convulsions	3	5	3	....	....	1	....	1	2	4	3	2	....	....	....			
Females	....	3	6	5	2	3	....	....	2	2	2	....	25		4	4	3	1	....	4	1	1	1	3	3	....	....	....	....			
Males...	1	1	3	2	....	3	1	1	4	1	4	....	21	Heart Diseases	1	....	....	....	....	....	....	2	5	1	10	1	....	....	1			
Females	2	3	5	4	1	1	4	1	....	....	....	2	23		....	1	....	....	....	1	2	1	2	9	5	1	1	....	....			
Males...	....	4	4	7	8	3	....	....	....	3	5	1	35	Pneumonia and Bronchitis	9	3	....	....	1	2	1	4	2	4	7	2	....	....	....			
Females	1	6	5	2	5	4	1	4	1	1	3	1	34		8	5	....	1	2	4	2	3	2	2	4	....	....	....	1			
Males...	....	3	....	1	1	....	2	1	2	1	2	....	13	Enteritis and Gastritis	2	....	....	1	2	3	2	1	....	....	....	1	1	....	....			
Females	1	....	1	..	2	1	1	....	....	1	1	1	9		2	1	....	1	1	1	1	1	...	....	1	....	....	....	....			
Males...	....	..	....	...	....	....	....	1	1	....	....	....	2	Liver Diseases	....	....	....	....	....	....	....	....	....	....	1	1	....	....				
Females	....	....	....	....	....	....	....	....	....	1	....	1	2		....	....	...	....	....	....	....	1	....	....	1	....	....	....	....			
Males...	1	....	1	1	2	3	2	....	1	....	1	1	13	Kidney Diseases	....	....	....	....	....	2	1	1	2	2	4	1	....	....	....			
Females	....	....	....	....	....	....	....	....	1	1	....	....	2		....	....	....	....	....	....	....	....	1	1	....	....	....	....	....			
Females	....	....	....	1	1	1	2	....	....	....	1	....	6	Child Birth	....	....	....	....	....	2	4	..	....	....	....	....	....	....	....			
Males...	6	5	2	4	5	2	2	4	5	4	4	5	48	Old Age	....	....	....	....	....	....	....	..	....	....	....	18	25	5	....			
Females	2	3	3	4	3	1	2	5	3	1	2	7	36		....	....	....	....	....	....	....	....	....	....	....	14	17	5	....			
Males...	2	1	1	3	....	2	5	1	6	1	....	1	23	Violent Deaths, Accidents, etc.	....	2	2	....	4	7	2	3	2	....	1	....	....	....	....			
Females	....	....	1	....	....	....	1	....	....	....	1	1	4		1	1	....	....	....	....	....	1	....	....	1	....	....	....	..			
Males...	....	..	....	....	....	....	....	....	....	....	....	..	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....			
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....			
Males...	....	3	4	....	1	1	1	1	1	2	....	....	14	Other diseases and cause not specified.	2	....	....	1	2	2	2	2	1	1	....	....	....	....	1			
Females	2	2	....	1	2	1	1	....	2	4	2	1	18		....	1	2	1	1	2	2	3	4	2	....	....	....	....	....			
Total Males...	22	30	24	33	23	22	20	26	32	23	26	21	302	Total Deaths from all causes	50	26	14	4	15	28	12	22	21	21	47	33	7	...	2			
Total Females	19	26	31	22	28	25	19	28	27	20	22	22	289		47	25	14	7	16	29	27	21	18	24	34	20	6	....	1			
Grand Total.	41	56	55	55	51	47	39	54	59	43	48	43	591	....	97	51	28	11	31	57	39	42	39	45	81	53	13	....	3			

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

LENNOX AND ADDINGTON.—Population, 29,133.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	2	1	1	....	....	....	4	Cholera Infantum.	3	1	....	....	....	....	....	..	....	....	....	....	....	....	....
Females	....	....	....	..	..	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	..	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	....	....	....	....	....	....	....	....	1	....	3		....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	1	....	....	..	5	2	1	1	1	11	Diarrhœal Diseases	5	5	....	....	....	....	....	....	....	....	....	1	....	....	....
Females	....	....	....	....	..	....	....	2	1	....	....	....	3		1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	....	....	....	....	....	....	....	....	1	....	2	Diphtheria	..	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	1	....	....	....	....	2		..	1	1	....	....	....	....	....	....	....	....	....	....	.	....
Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Typhoid Fever	....	....	....	....	....	....	....	....	....	1	..	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	1	....	....	2		....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	..	....	....	....	....	....	....	....
Males...	..	....	....	....	....	....	....	....	....	1	....	....	1	Other Fevers	....	..	....	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	1	2	Whooping Cough.	2	....	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	..	....	....	....	....	1	....	....	....	....	1	....	2	Rheumatism and Gout.	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Ma'es...	2	....	2	....	1	....	....	....	....	....	....	....	5	Anæmia, including Infantile Debility	3	....	....	....	....	1	..	1	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	1	1	2	....	..	1	6		6	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Males...	....	1	....	2	....	....	....	....	1	....	...	....	4	Dropsy	....	....	....	....	1	....	...	....	....	1	2	....	....	..	....
Females	1	....	....	....	....	....	....	1	....	....	....	....	2		....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
Males...	1	....	....	....	....	....	1	....	....	1	....	....	3	Cancer	....	...	....	....	....	1	....	...	1	1	....	....	....	....	....
Females	1	....	....	....	....	....	....	2	....	....	1	....	4		..	...	....	....	..	....	....	1	2	1	....	....	....	....	....
Males ..	1	2	1	1	....	....	....	2	1	....	1	4	13	Phthisis	....	....	....	....	...	2	6	1	2	....	1	....	....	....	1
Females	....	2	....	3	1	....	2	1	5	1	1	....	16		.	....	. .	....	1	6	4	....	3	2	....	....	....	....	....
Males...	....	2	1	....	2	2	1	1	2	....	....	1	12	Nervous Diseases, includ. Convulsions	3	1	....	....	....	1	....	....	....	....	3	4	....	....	....
Females	2	....	....	1	1	....	2	2	1	....	...	1	10		1	2	....	....	....	1	....	1	....	3	1	....	1	....	....
Males...	1	1	...	1	....	....	....	2	....	1	2	2	10	Heart Diseases ...	....	....	1	1	....	....	....	1	1	3	3	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		...	....	1	..	....	....	....	....	....	....	....	....	....	....	....
Males...	....	3	....	3	....	....	1	...	1	....	1	1	10	Pneumonia and Bronchitis	....	....	....	....	1	1	....	....	2	2	2	2	..	....	....
Females	1	....	1	1	....	....	....	....	....	3	....	1	7		1	1	....	1	....	....	2	....	1	....	1	....	....	....	....
Males...	1	....	...	..	....	....	....	2	....	1	....	....	4	Enteritis and Gastritis	....	1	....	....	2	....	....	...	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	....	....	...	....	....	1	....	....	....	....	..	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Liver Diseases ...	....	....	....	....	....	...	....	....	1	....	....	....	....	....	....
Females	....	..	....	....	....	....	2	....	....	....	....	....	2		....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
Males ..	..	1	3	....	1	....	....	....	2	....	....	....	7	Kidney Diseases..	....	....	....	....	....	....	....	2	....	3	2	...	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	..	....	....		...	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	.. .
Males...	....	2	1	5	2	1	....	2	1	2	....	6	22	Old Age.....	....	....	....	....	....	....	....	....	....	....	10	7	5	....	....
Females	4	1	1	4	....	2	....	....	1	....	1	....	14		....	...	....	....	....	....	....	....	....	....	5	9	....	....	....
Males...	....	....	....	....	....	1	....	1	....	....	1	1	4	Violent Deaths, Accidents, etc ..	....	....	....	1	....	....	....	1	1	1	....	....	....	..	....
Females	....	....	....	....	1	....	1	....	....	....	....	....	2		....	....	....	1	1	....	....	....	..	....	....	.	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	3	1	....	1	....	1	1	....	2	....	....	3	12	Other diseases and cause not specified.	1	....	1	....	2	....	1	1	....	2	....	....	1	....	3
Females	3	....	2	....	....	2	....	2	1	....	....	....	10		1	1	....	....	....	2	....	1	3	....	....	....	....	....	2
Total Males...	10	13	8	14	6	6	7	16	13	8	8	21	130	Total Deaths from all causes.....	17	10	2	2	7	6	7	8	10	14	23	14	6	....	4
Total Females	12	7	5	10	3	4	9	12	12	5	4	3	86		10	10	2	2	4	11	7	4	9	8	7	9	1	....	2
Grand Total.	22	20	13	24	9	10	16	28	25	13	12	24	216	....	27	20	4	4	11	17	14	12	19	22	30	23	7	....	6

TABLE D.—COUNTIES.—DEATHS BY AGES, MONHTS AND DISEASES, 1888.—*Continued.*

LINCOLN.—POPULATION, 34,719.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown
Males	...	....	....	....	....	1	....	2	....	....	....	....	3	Cholera Infantum.	2	1	...	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	3	....	....	....	....	5		5	....	....	....	....	....	....	....	....	....	....	....	....	...	....
Males	....	1	1	....	1	...	...	....	....	....	....	1	4	Croup	....	1	1	2	...	....	....	...	....	....	....	....	....	....	....
Females	2	....	....	1	....	....	....	....	....	....	....	....	3		1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	2	1	....	2	....	....	....	....	6	Diarrhœal Diseases	5	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	3	2	....	....	1	7		3	3	....	....	1	...	....	....	....	....	....	....	....	....	....
Males	1	1	1	..	1	....	....	.	....	1	....	....	5	Diphtheria	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	2	1	1	1	....	....	....	....	3	1	....	10		....	4	1	1	2	2	....	....	....	....	..	....	....	....	....
Males	....	....	....	1	....	....	....	1	2	..	1	1	6	Typhoid Fever	....	....	1	1	1	3	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		...	....	....	1	..	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	..	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	....	..	....	1	....	..	....	1		....	1	....	..	....	....	....	....	....	....	....	....	....	...	....
Males	....	....	....	....	....	....	....	....	1	1	....	....	2	Other Fevers	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	....	....	....	1	....	....	....	1		...	....	....	....	....	....	....	....	....	....	....	1	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	..	1	1	Measles	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	....	....	....	....	....	....	....	....	....	1	....	1		....	1	....	.	..	....	....	..	....	....	....	....	....	....	....
Males	...	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	...	1	....	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	...	1	....	....	....	....	....	....	1		....	....	....	....	...	1	..	....	....	....	....	....	....	...	....
Males	3	2	3	2	1	1	1	4	2	....	2	1	22	Anæmia, including Infantile Debility	17	2	....	....	....	1	....	....	1	1	....	....	....	....	....
Females	2	2	1	2	....	1	1	3	2	....	....	....	14		11	1	....	1	....	....	1	....	....	....	....	....	....	....	....

Males ..	....	.. .	1	....	....	....	....	2	....	....	1	....	4	Dropsy	....	1	....	....	....	....	....	1	1	....	....	1	..	....	....
Females	1	....	....	....	....	....	....	....	....	1	....	....	2		....	....	....	....	..	....	....	....	....	1	....	1	....	....	....	
Males ..	....	....	....	....	....	....	1	....	....	2	....	1	4	Cancer	....	....	....	....	....	....	....	....	2	....	....	1	....	....	1
Females	....	2	....	1	....	1	....	1	....	1	....	1	7		....	....	....	....	....	1	1	1	3	....	1	....	....	....	....	
Males ..	4	1	1	4	1	2	2	4	1	3	1	2	26	Phthisis	1	....	....	1	....	8	8	2	2	3	1	....	....	....	....
Females	1	2	2	2	4	3	....	2	8	2	2	3	31		....	1	....	....	6	9	6	3	3	3	....	....	....	....	....
Males ..	3	2	....	3	1	7	5	2	2	2	2	1	30	Nervous Diseases, includ. Convulsions	10	3	2	....	2	...	1	2	4	2	4	....	....	....	....
Females	2	....	3	4	....	2	1	....	1	3	1	....	17		5	....	1	....	....	....	....	1	....	5	5	....	....	....	....
Males ..	1	4	2	2	1	....	2	3	1	...	3	3	22	Heart Diseases...	1	....	....	....	....	....	....	2	3	6	8	2	....	..	....
Females	2	4	1	5	1	....	2	....	3	2	1	1	22		1	1	1	1	1	1	.	2	3	3	3	5	....	....	....
Males ..	3	1	3	4	5	1	....	1	....	3	....	3	24	Pneumonia and Bronchitis ..	5	3	....	1	1	4	1	...	3	2	3	1	....	....	....
Females	4	2	8	3	....	2	2	1	3	2	7	2	36		6	6	1	1	1	2	1	1	3	4	9	....	1	....	....
Males ..	....	....	....	....	....	....	1	2	....	2	....	1	6	Enteritis and Gastritis	....	2	....	....	2	....	1	....	....	....	1	....	....	....	....
Females	..	....	2	....	....	2	2	1	3	....	....	1	11		2	1	....	1	3	....	....	....	....	2	2	....	....	....	....
Males ..	....	1	1	....	....	....	....	....	....	....	....	....	2	Liver Diseases....	..	....	....	....	....	....	....	2	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	....	....	....	1	4		....	....	....	..	....	....	2	....	....	2	....	....	....	....	....
Males ..	1	1	2	....	....	....	1	....	2	1	....	....	8	Kidney Diseases..	....	1	....	....	....	....	2	2	....	1	....	2	....	....	....
Females	....	1	....	1	1	....	....	....	....	1	....	....	4		1	....	....	1	....	1	1	....	....	....	..	....	....	....	....
Females	....	...	1	....	1	....	....	1	....	....	1	....	4	Child Birth	....	....	....	....	....	3	1	....	....	....	....	....	....	....	....
Males...	3	3	2	...	2	1	4	....	3	....	1	1	20	Old Age.....	....	....	....	....	....	....	....	....	....		6	12	2	....	....
Females	2	3	2	3	2	2	....	1	....	3	....	2	20		....	....	....	....	....	....	....	....	....	...	9	9	2	...	....
Males...	...	2	....	1	....	2	2	4	1	1	....	....	13	Violent Deaths, Accidents, etc..	1	....	3	1	1	2	2	1	1	1	....	....	....	....	....
Females	2	....	....	3	....	....	....	....	1	1	....	....	7		....	2	....	1	....	....	1	1	....	....	2	....	..	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Suicide.....	....	....	....	....	....	..	.	....	1	..	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	...	3	5	3	1	1	3	2	....	1	....	1	20	Other diseases and cause not specified.	9	....	....	....	..	....	3	2	2	1	....	....	....	....	3
Females	2	3	2	2	2	....	....	3	1	1	...	1	17		9	....	1	....	....	...	1	3	1	2	....	..	....	....	....
Total Males...	19	23	23	20	16	18	22	29	15	17	11	17	230	Total Deaths from all causes.....	52	15	12	7	7	18	18	16	20	17	23	19	2	....	4
Total Females	21	21	23	28	13	14	13	21	26	20	14	13	227		45	22	6	8	14	20	15	12	13	22	31	16	3	...	...
Grand Total.	40	44	46	48	29	32	35	50	41	37	25	30	457	....	97	37	18	15	21	38	33	28	33	39	54	35	5	....	4

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

MIDDLESEX.—POPULATION, 102,389.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	4	3	1	2	....	....	10	Cholera Infantum.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	4	5	3	....	....	....	13		11	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	3	....	....	1	2	1	1	....	....	....	....	1	9	Croup	2	5	1	....	....	....	....	....	....	....	....	....	....	....	1
Females	..	1	3	3	....	....	....	....	2	....	....	....	9		2	4	3	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	2	....	1	1	1	3	5	14	1	....	1	29	Diarrhœal Diseases	22	2	2	....	....	....	....	....	2	1	....	....	....	....	....
Females	1	....	1	1	1	1	1	9	6	1	....	....	22		13	1	3	....	..	....	....	2	....	1	2	....	....	....	....
Males	2	2	2	2	1	....	3	2	2	....	....	4	20	Diphtheria	2	4	7	4	2	....	....	....	....	....	1	....	....	....	....
Females	4	2	....	..	3	1	1	2	....	....	2	1	16		1	5	5	3	1	....	....	1	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	1	....	2	1	4	9	Typhoid Fever	....	....	1	....	....	5	....	2	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	2	4	....	1	10		....	....	1	....	....	5	2	....	2	....	....	....	....	....	....
Males	2	....	....	1	1	....	....	....	1	....	....	....	5	Scarlet Fever	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	..	3	....	....	....	....	1	....	....	....	4		....	1	3	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	2	....	1	....	....	..	....	....	....	3	Other Fevers	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	1	....	....	....	3		....	1	1	1	.	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	1	....	....	....	....	....	....	1	Measles	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	..	....	....	....	....	....	1	....	....	1	3		1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	..	....	....	....	....	1	....	....	1	Whooping Cough	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	1	2	....	2	1	7	Rheumatism and Gout	....	1	2	....	1	....	....	....	2	1	....	....	....	....	....
Females	....	....	1	2	....	....	1	....	....	....	....	....	4		1	....	1	....	1	....	....	1	....	....	....	....	....	....	....
Males	5	3	2	5	2	1	6	5	3	2	3	2	39	Anæmia, including Infantile Debility.	32	6	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	2	8	1	8	3	....	2	6	6	6	3	2	47		28	2	....	....	1	3	2	1	4	6	....	....	....	....	....

Males...	....	1	1	1	1	....	....	....	1	1	4	2	12	Dropsy	....	....	....	....	....	....	..	....	1	3	6	2	....	....	....		
Females	1	....	1	2	1	1	1	....	....	1	....	....	8		....	..	....	....	....	....	1	2	1	....	1	2	....	....	1		
Males...	1	1	1	1	....	....	4	....	1	1	....	2	12	Cancer	....	...	....	....	....	....	....	1	4	3	1	1	1	....	1		
Females	1	1	2	....	1	1	4	1	3	1	....	2	17		....	..	....	....	....	....	1	3	3	7	3	....	....	....	....		
Males...	4	5	6	7	7	3	3	5	3	2	3	5	53	Phthisis	1	.. .	1	....	....	26	14	3	4	2	1	....	....	....	1		
Females	2	7	4	6	6	6	8	9	12	8	5	5	78		3	2	....	3	3	37	13	10	2	2	3	....	....	....	....		
Males...	8	3	9	2	4	3	2	3	3	5	4	4	50	Nervous Diseases, includ. convulsions	22	6	1	2	....	1	1	....	4	7	4	1	1	....	....		
Females	5	8	7	5	4	5	4	3	5	9	4	2	61		16	8	3	2	6	3	4	2	4	1	10	2	....	....	....		
Males...	4	4	13	4	3	7	1	3	3	5	2	7	56	Heart Diseases	3	3	....	....	2	3	....	3	11	14	13	3	....	1	....		
Females	2	3	1	3	6	2	7	3	4	3	2	2	38		4	....	1	1	1	3	1	1	2	16	8	....	....	....	....		
Males...	6	6	10	7	7	3	5	3	1	3	5	4	60	Pneumonia and Bronchitis	15	8	2	2	....	1	5	3	1	6	11	2	1	....	3		
Females	4	4	12	8	3	1	1	3	4	3	5	2	50		8	10	2	....	2	3	4	8	3	1	6	1	....	....	2		
Males...	....	3	1	3	....	4	5	1	2	1	1	....	21	Enteritis and Gastritis	1	...	....	2	3	4	2	...	4	4	1	....	....	....	....		
Females	2	....	2	1	1	1	3	1	3	1	2	2	19		3	....	2	3	....	2	6	...	1	....	2	....	....	....	....		
Males...	1	2	....	....	1	....	....	....	....	2	....	1	7	Liver Diseases	....	....	....	....	....	1	....	....	2	2	2	....	....	....	....		
Females	....	....	1	1	....	....	....	....	1	....	....	1	4		....	....	....	....	....	....	1	....	1	2	....	....	....	....	....		
Males...	2	1	1	....	3	3	1	....	2	1	1	3	18	Kidney Diseases	1	1	...	....	....	....	2	2	3	6	2	1	....	....	....		
Females	2	....	....	7	1	2	....	1	....	1	....	....	14		....	2	1	....	1	5	1	....	1	1	1	....	....	....	1		
Females	....	4	1	....	...	1	....	1	....	....	....	....	7	Child Birth	....	....	....	....	....	6	1	....	....	....	....	....	....	....	....		
Males.,.	6	9	2	9	8	1	4	4	3	10	4	4	64	Old Age	....	....	....	....	....	....	....	....	....	....	31	26	7	....	....		
Females	4	6	8	6	3	3	2	1	4	8	2	2	49		....	....	....	....	....	....	....	....	....	....	22	23	4	....	....		
Males...	.. .	1	3	....	1	3	1	....	....	1	3	2	15	Violent Deaths, Accidents, etc	....	1	....	2	....	2	1	2	5	...	1	1	....	....	....		
Females	....	....	..	....	....	1	....	....	1	....	....	....	2		....	....	....	....	....	....	1	1	....	....	....	....	....	....	....		
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....		
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	..	....	....		
Males...	5	3	4	2	2	8	2	4	3	4	2	2	41	Other diseases and cause not specified.	20	1	2	....	....	5	2	2	1	5	1	....	....	....	2		
Females	3	3	7	.. .	7	2	4	1	3	2	4	7	43		15	....	1	....	2	8	3	1	6	5	....	....	....	....	2		
Total Males...	49	47	55	48	44	40	46	40	45	44	35	49	542	Total Deaths from all causes.	131	44	22	12	9	48	27	18	44	56	75	37	10	1	8		
Total Females	33	48	52	56	40	30	45	48	63	48	29	30	522		106	40	27	13	18	76	41	33	30	42	58	28	4	....	6		
Grand Total...	82	95	107	104	84	70	91	88	108	92	64	79	1064	.....	237	84	49	25	27	124	68	51	74	98	133	65	14	1	14		

5 (R. G.)

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

MUSKOKA AND PARRY SOUND—Population, 39,926.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	...	....	1	....	....	1	....	..	1	....	3	Cholera Infantum.	3	....	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	2	1	..	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	....	....	....	....	3	1	....	1	7	Croup	4	2	1	....	....	..	....	....	....	....	....	....	....	....	....
Females	1	....	....	...	....	....	....	....	2	1	....	....	4		....	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	2	..	....	....	2	6	1	....	....	12	Diarrhœal Diseases	10	1	....	....	....	....	...	....	....	....	....	....	....	....	1
Females	....	....	....		....	1	....	2	1	1	....	1	6		4	1	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	4	3	2	1	1	....	....	1	....	..	1	4	17	Diphtheria	4	4	7	2	....	....	....	....	..	....	....	....	....	....	....
Females	2	....	....	....	....	...	1	6	3	4	1	5	22		3	7	8	2	2	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	..	1	2	Typhoid Fever	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	....	....	....	....	1	....	....	...	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	1	2	Scarlet Fever	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	1	....	2		....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	2	....	2	2	....	....	6	Other Fevers	....	....	....	....	2	....	1	1	....	2	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	....	2	....	....	4		....	2	....	....	....	....	....	1	1	....	....	....	....	....	....
Males...	....	..	..	....	...	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	2	....	1	....	3	Whooping Cough.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	1	3	....	1	....	6		3	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	..	1	....	1	1	....	3	Rheumatism and Gout.	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	1	....	2		....	....	....	....	....	1	..	1	....	....	....	....	....	....	....
Males...	2	4	....	1	....	1	1	....	2	3	5	....	19	Anæmia, including Infantile Debility	12	4	....	....	....	....	1	..	1	1	....	....	....	....	....
Females	2	1	3	1	1	....	3	....	1	....	2	1	15		11	....	....	....	....	2	....	....	....	1	....	....	....	....	1

Males...	2				1						1		4	Dropsy				1						2	1				
Females			1								1		2										1	1					
Males...		1		1	1	1							4	Cancer						2				1	1				
Females			2	2			1				2	2	9								1	2	2	3	1				
Males...	1			1				2	1	2			7	Phthisis						5			1	1					
Females	3	1						3	2	1	1		11		1	1			1	4		1	3						
Males...	2	1	3	1			3	5	1	2	1		19	Nervous Diseases, includ. Convulsions	13	4	1			1									
Females	2	2	3	2			1	1	1	1	1		14		9	1		1	1				1		1				
Males...		1				1						2	4	Heart Diseases								1	1	2					
Females	2	1	1		1	2	3			2	1		13		1					1	4		3	3	1				
Males...	1	5	3		4	1		1	3	2	3	2	25	Pneumonia and Bronchitis	7	7		1	4	1			1	2	1				1
Females			1		2	2			1	1	3	3	13		4	4	1		1				1		1				1
Males...		2	1	1	1	2	2	4			1	1	15	Enteritis and Gastritis	2	3	2		1	3	3		1						
Females	1					2	1		2				6				2			1	1		1	1					
Males...			1										1	Liver Diseases									1						
Females				1			1	1	1				4		1	1			1			1							
Males...	1			1							2		4	Kidney Diseases				1						2	1				
Females																													
Females									1	2			3	Child Birth						2	1								
Males...	2	1	1	1	3	2	1	1	1	1	1	2	17	Old Age											10	7			
Females	2				4		2		2	1	1		12												5	6	1		
Males...					4	1	1	3			1		10	Violent Deaths, Accidents, etc.		3		1	1	1	3			1					
Females				2	3				1				6		1			2			1	1	1						
Males...							1						1	Suicide							1								
Females																													
Males...	3	1	1		3	1	3	6	7	3		2	30	Other diseases and cause not specified	15	3	1	1	1	2		2	1	2					2
Females	1			1	3	1	3	2	3	4	2	2	22		11	2	1	2		1	3								2
Total Males..	18	21	14	10	19	10	14	27	29	18	19	16	215	Total Deaths from all causes.	74	32	13	7	9	15	10	6	8	16	14	7			4
Total Females	16	5	12	9	15	9	16	20	25	21	18	14	180		52	25	14	8	6	13	11	7	14	9	10	6	1		4
Grand Total.	34	26	26	19	34	19	30	47	54	39	37	30	395		126	57	27	15	15	28	21	13	22	25	24	13	1		8

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

NORFOLK—POPULATION, 36,879.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	1	....	1	....	....	....	....	....	2	1	....	....	5	Cholera Infantum.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	..	....	....	....	....	....	..	1	1	....	....	1	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	...	....	....	....	....	....	....	....	....	....	1	1	Croup	1	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	..	....	1	....	....	....	....	1	2	....	....	....	4	Diarrhœal Diseases.....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	..	..	1	....	1	....	....	1	1	....	....	5		2	1	....	....	....	....	1	....	....	1	....	..	....	....	....
Males ..	....	1	....	2	1	....	....	1	1	1	2	1	10	Diphtheria	3	....	4	....	2	1	....	....	....	....	....	....	....	....	....
Females	1	3	....	....	2	1	....	....	4	1	2	3	17		1	3	5	5	1	2	....	....	....	....	....	....	....	....	....
Males ..	....	....	1	1	....	2	....	1	2	2	1	....	10	Typhoid Fever ...	1	....	....	....	3	2	....	....	....	3	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	1	1	....	3		....	....	....	1	....	....	1	....	....	1	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	...	....	1	....	....	....	2	....	....	....	3	Other Fevers.....	....	1	....	....	..	1	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	....	....	....	....	2		1	....	....	....	1	....	....	....	....	....	....	....	....	....	...
Males ..	..	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	...	....	1		1	..	....	....	....	....	..	....	....	....	....	....	....	....	....
Males ..	..	....	....	....	3	....	....	....	....	....	....	....	3	Rheumatism and Gout	....	...	....	....	....	2	....	1	....	....	....	....	....	....	....
Females	....	....	....	2	....	1	1	....	....	1	....	....	5		....	....	....	....	....	1	....	2	2	....	....	....	....	....	....
Males ..	....	....	....	2	1	....	2	....	....	1	....	....	6	Anæmia, including Infantile Debility	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	1	1	....	....	....	....	....	....	....	1	4		3	....	....	....	....	1	....	....	....	....	....	....	....	....	....

Males ..	....	....	1	2	....	....	....	....	....	....	1	2	6	Dropsy	....	....	....	....	....	....	....	....	....	1	4	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	1	1	2	....	1	....	6		....	....	....	....	....	2	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	1	2	....	....	....	....	....	....	3	Cancer	....	....	....	....	....	....	....	3	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	1	....	1	....	2	....	....	1	1	7		....	....	....	....	....	1	....	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	2	2	1	3	....	....	2	1	2	1	....	....	14	Phthisis	1	....	....	1	....	3	....	2	1	3	3	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	1	3	4	....	3	3	1	....	....	2	1	20		....	1	....	1	1	10	3	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	4	3	....	1	1	....	2	....	....	1	1	3	16	Nervous Diseases, includ. Convulsions	2	4	....	1	....	1	1	....	3	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	2	1	2	1	2	1	5	....	1	3	18		3	3	1	....	1	1	1	2	2	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	1	....	2	1	....	1	....	....	1	2	....	3	11	Heart Diseases ...	2	....	....	..	....	....	....	....	1	2	5	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	1	....	....	3	....	....	1	..	....	6		....	....	....	1	....	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	4	2	3	1	3	6	....	..	....	1	1	1	22	Pneumonia and Bronchitis	4	4	1	1	....	1	....	2	3	3	2	....	....	....	1	....	....	....	....	....	....	....	....
Females	3	....	1	2	3	2	....	....	....	....	2	2	15		1	1	1	1	....	1	3	4	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	1	....	1	1	....	1	....	....	....	4	Enteritis and Gastritis.....	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	....	..	1	1	1	5		....	....	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	1	....	....	....	....	....	....	....	....	....	1	Liver Diseases	....	....	....	....	..	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	..	....	....	....	....	....	....	....	....	....		....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	2	1	....	....	....	....	....	1	....	2	1	7	Kidney Diseases ..	1	1	....	....	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	1	...	...	1	3		....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	....	1	1	....	....	....	1	5	Child Birth	....	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	3	2	3	4	1	....	3	1	2	....	1	2	22	Old Age	....	....	....	....	....	....	....	....	....	....	10	10	2	....	....	....	....	....	....	....	....	....	....
Females	3	2	2	2	3	2	2	....	2	1	3	2	24		....	....	....	....	....	....	....	....	....	....	8	13	2	1	....	....	....	....	....	....	....	....	....
Males	1	....	2	1	....	....	....	....	1	1	1	....	7	Violent Deaths, Accidents, etc..	....	2	1	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	...	....	1	....	1		....	....	..	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	.. .	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	1	....	1	1	....	...	1	1	....	....	5	Other diseases and cause not specified.	1	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	....	....	....	....	....	..	2	2	....	2	....	8		4	....	1	....	..	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Total Males ..	16	12	18	19	13	13	10	5	18	12	10	14	160	Total Deaths from all causes.....	29	15	6	3	6	13	3	11	10	20	29	12	2	....	1								
Total Females	12	10	11	16	12	14	15	10	19	7	18	17	161		20	9	8	10	4	28	14	13	9	16	14	13	2	1	..								
Grand Total.	28	22	29	35	25	27	25	15	37	19	28	31	321	....	49	24	14	13	10	41	17	24	19	36	43	25	4	1	1								

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

NORTHUMBERLAND AND DURHAM—POPULATION, 85,129.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	3	....	....	....	....	3	Cholera Infantum.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	5	2	....	....	....	7		7	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	....	1	Croup	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	....	....	....	....	....	1	2	5	1	....	....	11	Diarrhœal Diseases.	5	4	....	....	....	....	....	....	....	....	....	2	....	....	....
Females	1	....	1	....	....	....	1	4	2	2	....	....	11		4	4	....	....	....	....	....	2	....	....	....	1	....	....	....
Males...	....	....	1	....	1	....	....	....	1	4	2	....	9	Diphtheria	1	3	3	2	....	....	....	....	....	....	....	....	....	....	....
Females	2	3	....	....	....	....	....	1	....	3	1	....	10		....	2	2	2	....	4	....	....	....	....	....	....	....	....	....	....
Males...	1	....	....	....	1	2	....	....	....	2	....	....	6	Typhoid Fever	....	1	....	....	....	2	....	....	1	2	....	....	....	....	....
Females	4	....	....	....	....	3	1	2	....	....	....	....	10		....	1	1	2	....	....	1	2	3	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	....	1	Other Fevers	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	1	3		....	2	....	....	....	....	....	....	....	1	....	....	....	....	....
Males...	1	....	....	....	....	1	....	....	....	....	....	....	2	Measles	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	1	....	....	....	....	1	....	1	3	Whooping Cough.	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	1	....	....	....	....	....	....	1	1	....	....	3		2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	1	....	....	1	....	..	....	....	....	3	Rheumatism and Gout.	....	...	....	....	....	1	1	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	1	...	....	....	1	2		....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
Males...	2	1	3	3	1	2	2	1	3	3	1	5	27	Anæmia, including Infantile Debility	18	6	...	....	....	....	....	....	2	1	....	....	....	....	....
Females	1	3	5	3	4	1	2	2	2	2	1	....	26		15	4	....	..	1	2	1	2	....	1	....	....	....	....	....

Males...	1	....	3	1	....	....	....	....	....	1	....	1	7	Dropsy	....	....	....	....	....	....	2	....	2	2	1	....	....	....	....
Females	1	2	1	3	2	3	....	1	2	....	2	1	18		....	....	....	....	....	....	3	2	3	5	4	1	....	....	....
Males...	....	....	1	....	3	1	....	....	....	1	....	....	6	Cancer	....	....	....	....	....	....	....	....	2	1	3	....	....	....	..
Females	....	1	....	2	....	....	2	....	....	....	....	1	6		....	....	....	....	....	....	3	1	1	....	....	1	....	....	....
Males...	4	2	1	5	1	4	3	2	3	3	1	4	33	Phthisis	1	2	....	2	2	12	5	3	2	1	1	2	....	....	....
Females	3	1	4	8	4	5	5	3	....	2	5	7	47		1	....	....	3	5	12	10	4	6	5	....	1	....	....	....
Males...	1	1	4	5	4	6	3	2	7	5	3	3	44	Nervous Diseases, includ. Convulsions	12	6	2	....	2	3	3	1	3	3	9	....	....	....	....
Females	1	5	2	1	3	2	5	7	4	1	2	3	36		2	8	2	....	1	4	2	1	7	4	4	1	....	....	....
Males...	6	2	1	3	1	...	4	2	1	3	2	2	27	Heart Diseases...	2	....	....	....	....	1	....	2	3	10	7	2	....	....	....
Females	1	1	1	1	2	1	3	1	....	1	2	3	17		..	....	....	....	....	....	1	3	2	6	5	....	....	....	....
Males...	7	15	14	8	7	2	4	2	3	1	3	5	71	Pneumonia and Bronchitis.....	18	8	2	....	3	2	4	8	6	5	13	2	....	....	....
Females	1	10	3	4	6	3	1	....	....	5	2	9	44		11	3	1	2	....	3	5	5	....	5	8	1	....	....	....
Males...	3	1	4	2	....	2	1	1	1	1	1	1	18	Enteritis and Gastritis	1	....	....	2	2	3	1	....	2	5	....	2	....	....	....
Females	2	4	....	1	1	....	....	1	....	1	1	....	11		.	1	....	....	....	5	....	....	....	3	1	1	....	....	...
Males...	....	1	....	....	2	....	....	1	1	4	....	....	9	Liver Diseases ..	....	....	....	....	....	1	....	....	3	5	....	....	....	....	....
Females	....	1	1	....	....	....	....	....	....	....	....	....	2		....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
Males...	1	2	..	1	1	2	....	1	1	1	1	1	12	Kidney Diseases..	....	1	....	....	1	1	2	1	1	2	2	1	....	....	....
Females	....	1	1	....	....	....	....	1	....	1	....	....	4		....	....	....	....	....	2	....	....	....	2	....	....	....	....	....
Females	....	2	....	1	....	....	....	....	1	...	1	1	6	Child Birth..... ..	....	....	....	....	....	3	3	....	....	....	....	....	....	....	....
Males...	14	5	11	4	4	4	3	3	....	5	6	10	69	Old Age	....	....	....	....	....	..	....	....	....	....	24	41	4	....	....
Females	8	10	5	5	3	6	6	4	3	4	5	2	61		....	....	....	....	....	....	....	....	....	....	29	27	5	....	....
Males...	3	....	1	....	1	3	2	....	1	....	2	2	15	Violent Deaths, Accidents, etc ..	....	....	2	....	6	4	2	1	....	....	....	....	....	....	..
Females	....	....	....	....	....	...	1	1	1	....	....	....	3		....	1	....	....	1	1	....	....	....	....	....	....	....	...	....
Males...	....	....	....	....	. ..	....	1	....	....	....	2	....	3	Suicide.	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males...	....	6	2	2	2	....	4	2	2	2	....	1	23	Other diseases and cause not specified.	7	2	2	2	1	2	....	2	2	3	....	....	....	....	....
Females	2	3	5	3	2	1	1	....	....	1	....	1	19		2	1	2	2	....	2	2	3	2	1	2	....	....	....	....
Total Males...	46	37	47	35	30	29	30	22	29	38	24	36	403	Total Deaths from all causes.	70	36	12	8	17	32	20	19	30	40	63	52	4	...	....
Total Females	27	48	30	33	27	25	28	35	19	24	22	30	348		45	28	9	11	8	38	31	26	25	35	54	33	5	....	....
Grand Total.	73	85	77	68	57	54	58	57	48	62	46	66	751	... .	115	64	21	19	25	70	51	45	55	75	117	85	9	....	.. .

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

ONTARIO—POPULATION, 53,693.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	1	1	1	....	1	...	4	Cholera Infantum.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	3	1	....	....	....	5		5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	1	....	....	....	....	....	1	2	1	6	Croup	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	2	....	....	....	....	....	1	...	....	1	1	6		1	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	2	2	4	....	....	....	8	Diarrhœal Diseases	6	1	...	....	....	....	....	....	....	....	1	..	....	....	....
Females	....	....	...	....	....	....	....	1	2	2	....	....	5		3	1	....	....	....	....	....	1	...	....	...	....	....	....	....
Males	3	2	3	4	1	....	1	1	....	....	....	....	19	Diphtheria	....	8	8	3	....	....	....	....	....	....	....	....	....	....	....
Females	2	....	3	1	....	....	3	1	....	1	....	1	12		....	7	2	2	1	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	2	1	1	4	Typhoid Fever	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	2	3	1	....	....	6		....	....	1	1	3	....	....	....	....	1	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Scarlet Fever	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	1	....	....	2		....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	2	....	....	....	....	2	....	....	1	....	1	....	6	Other Fevers	....	1	1	2	....	....	2	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	3	1	1	1	....	....	....	7		1	2	....	....	2	1	....	....	1	....	....	....	....	....	....
Males	....	....	..	1	...	1	....	1	....	....	....	....	3	Measles	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	..	1	....	1	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	1	....	....	1	Whooping Cough	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	1	....	2		....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	1	....	....	....	....	....	...	1	1	....	3	Rheumatism and Gout	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	1	1	....	....	....	....	2		....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
Males	1	....	...	....	1	3	4	3	2	3	4	....	21	Anæmia, including Infantile Debility	14	2	1	1	1	2	....	....	..	..	....	....	....	....	....
Females	2	....	2	1	2	1	2	2	4	3	1	3	23		9	4	3	....	2	1	1	1	....	2	....	....	....	....	....

Males...	1	2	1	2					1	1			8	Dropsy	1		1						1		3	2			
Females	1			1		1			1	1			5								2			1		2			
Males...			2		1	1	1				3		8	Cancer									2	2	3	1			
Females	1		1		1		1			1			5								1		2	2					
Males...	4	3	2	4	2	2	1	3	3	2	6	2	34	Phthisis	5	2			2	10	4	3	2	4	1				1
Females	5	1	1	1	2	1	2	5	3	2	5	5	33		2	1	1		3	11	6	4		3					2
Males...	2		2	1	3		6	3	2	1	3	1	24	Nervous Diseases, includ. Convulsions	7	2			1	1		3		7	2				1
Females	1	3	4	2	2	1	3	2		1	2	4	25		13	4	1		1		1			2	1	2			
Males...		3	3	1		1					1	1	10	Heart Diseases				1		1			1	4	2	1			
Females	2		2				2	1	1		1	2	11					1				1	3	3	2	1			
Males...	1	7	8	12	7	1		1		3	3	3	46	Pneumonia and Bronchitis	13	6	1	2	2	4		2	1	6	4	3			2
Females	1	6	4	3	3	1	1			3	3	3	28		8	3	1	2		1	3	1	1	2	2	1			3
Males...			1		1		2	2	1			1	8	Enteritis and Gastritis	5					1		1	1						
Females	2	5		1		1	2	1	2		5	3	22		2	2	1	1	3	2	2	1		3	2	1			2
Males...		1							1	1	2		5	Liver Diseases		1						2		1	1				
Females										1			1					1											
Males...		1	1	1	1		1		1	1	1		8	Kidney Diseases								1	2	4	1				
Females							1		1				2								1	1							
Females				1	1	2				1		1	6	Child Birth						4	2								
Males ..	2	1	3	2	2		1	1	5	2	4	3	26	Old Age											10	14	2		
Females	5	3	1	1		3	2			2	3	1	21												11	8	2		
Males...	1			2	1	1		2	1	1	1		10	Violent Deaths, Accidents, etc.		3				1	3		1	2					
Females					1								1				1												
Males ..					1				1				2	Suicide							2								
Females																													
Males...	1		3	1	1	1	2	6	3	2	1	2	23	Other diseases and cause not specified.	6	2	2		1	2	2	1	2	5					
Females	2	1	1		1	2	1	2		3	2	2	17		7	2		1	1	2	1	1	1	1					
Total Males...	19	20	30	33	22	13	22	26	27	22	35	19	288	Total Deaths from all causes	64	33	17	11	8	22	14	15	13	36	28	21	2	....	4
Total Females	26	22	19	12	13	16	23	23	19	25	24	27	249		52	34	13	9	16	22	20	12	9	20	18	15	2	....	7
Grand Total.	45	42	49	45	35	29	45	49	46	47	59	46	537	....	116	67	30	20	24	44	34	27	22	56	46	36	4	....	11

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

OXFORD—Population, 55,176.

SEX.	Months.													CAUSE OF DEATH.	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	1	....	2	1	....	....	....	4	Cholera Infantum.	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	2	3	....	....	....	6		5	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	1	....	....	....	....	1	....	....	....	4	Croup	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	3	....	....	1	....	....	....	....	....	....	....	....	4		1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	1	....	....	....	5	4	....	....	....	11	Diarrhœal Diseases	6	3	1	....	....	....	....	....	....	....	....	1	....	....	....
Females	..	..	....	....	....	....	1	2	3	1	1	....	8		4	2	....	....	....	....	....	2	....	....	....	....	....	....	....
Males...	4	1	2	2	...	5	4	....	3	2	....	4	27	Diphtheria	1	15	7	3	1	....	..	....	....	....	....	....	....	....	....
Females	4	....	2	2	....	2	1	2	2	....	1	3	19		1	7	5	4	....	2	....	....	....	....	....	....	....	....	....
Males...	1	....	1	....	1	1	1	2	6	1	2	....	16	Typhoid Fever	....	1	1	....	2	5	3	3	1	....	....	....	....	....	....
Females	1	....	1	1	1	....	....	1	4	2	6	..	17		....	1	....	....	3	2	4	3	1	2	1	....	....	....	....
Males...	1	....	....	....	....	....	....	....	....	....	....	....	1	Scarlet Fever	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	2	....	....	1	1	....	....	4		....	1	2	....	..	....	....	....	....	....	....	1	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	1	....	1	Other Fevers	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	1	....	....	1	1	2	....	....	5		1	....	....	....	....	1	....	1	1	1	....	....	....	....	....
Males...	2	....	....	4	3	....	....	....	....	..	....	....	9	Measles	6	1	1	....	..	1	....	....	....	....	....	....	....	....	....
Females	1	....	....	4	....	....	....	....	....	....	....	....	5		....	4	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Whooping Cough	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	1	....	1	....	....	....	..	....	2	Rheumatism and Gout	....	....	....	....	1	....	....	....	..	....	1	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	4	5	3	3	..	1	2	3	2	4	1	....	28	Anæmia, including Infantile Debility	25	1	....	....	....	....	....	....	1	1	....	....	....	....	....
Females	2	....	4	....	....	2	4	4	3	2	3	1	25		18	2	2	....	....	....	1	1	1	....	....	....	....	....	....

Males	1	....	....	1	1	1	....	1	....	1	....	2	8	Dropsy	....	....	....	....	....	....	....	1	1	....	6	....	....	....	....
Females	....	....	....	....	....	1	....	....	2	....	1	....	4		....	....	....	....	....	....	1	1	1	....	....	1	....	....	....
Males	1	1	....	....	1	1	1	....	....	2	1	....	8	Cancer	....	....		....	....	1	....	2	2	1	1	1	....	....	....
Females	2	2	....	....	1	1	....	....	....	2	1	2	11		....	....	....	....	....	....	1	1	1	2	5	....	....	....	1
Males	1	4	2	7	3	2	....	....	2	....	2	4	27	Phthisis	2	....	1	1	4	6	8	3	....	2	....	....	....	....	....
Females	4	1	5	3	2	3	1	4	1	2	2	5	33		1	1	....	1	5	15	5	2	1	....	2	....	....	....	....
Males	2	2	1	1	1	2	....	1	1	2	4	4	21	Nervous Diseases, includ. Convulsions	5	1	2	....	1	1	....	....	1	3	2	3	1	....	1
Females	3	2	2	2	....	....	2	2	2	2	....	1	18		7	1	....	....	2	....	2	....	....	3	3	....	....	....	....
Males	2	2	1	3	3	....	....	2	2	1	1	1	18	Heart Diseases	....	1	....	....	....	2	....	2	3	5	2	3	....	....	....
Females	4	3	2	2	1	2	....	1	1	3	4	1	24		1	....	1	2	....	2	....	....	5	5	5	2	1	....	....
Males	5	4	7	7	7	8	1	2	3	3	....	2	49	Pneumonia and Bronchitis	13	2	3	2	1	1	3	5	5	5	6	2	1	....	....
Females	2	7	4	6	6	4	1	2	....	....	....	2	34		6	5	2	1	4	1	4	2	2	2	3	2	....	....	....
Males	3	2	2	....	3	1	4	1	3	1	....	1	21	Enteritis and Gastritis	2	1	....	....	1	2	5	4	1	2	2	....	....	....	1
Females	1	....	1	1	2	....	1	1	....	1	1	2	11		1	....	1	....	....	1	2	2	1	1	2	....	....	....	....
Males	....	....	2	2	....	....	2	....	1	....	....	....	7	Liver Diseases	....	....	....	....	....	1	1	4	....	....	1	....	....	....	....
Females	1	1	1	....	....	....	....	....	....	....	....	....	3		....	....	....	....	1	....	....	1	1	....	....	....	....	....	....
Males	2	1	2	....	....	1	....	....	2	1	1	....	10	Kidney Diseases	....	2	....	....	....	....	....	....	1	2	4	1	....	....	....
Females	3	1	....	....	....	....	1	1	1	1	....	....	8		....	1	1	1	1	1	1	1	....	....	1	....	....	....	....
Females	....	....	1	....	....	2	....	....	....	2	....	....	5	Child Birth	....	....	....	....	....	2	2	1	....	....	....	....	....	....	....
Males	8	3	7	5	....	4	4	1	3	1	2	1	39	Old Age	....	....	....	....	....	....	....	....	....	....	17	14	6	2	....
Females	2	2	8	3	2	....	2	2	1	1	1	5	29		....	....	....	....	....	....	....	....	....	....	9	14	5	1	....
Males	1	....	1	1	....	....	1	2	1	....	....	1	8	Violent Deaths, Accidents, etc.	....	....	1	2	1	....	1	1	1	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males	3	2	....	2	1	2	....	....	1	1	2	1	15	Other diseases and cause not specified.	6	....	....	....	1	1	....	....	1	3	....	....	....	....	3
Females	....	3	1	1	1	4	1	....	2	2	1	....	16		4	2	....	....	....	....	2	6	2	....	....	....	....	....	....
Total Males	41	29	32	40	25	30	21	23	36	20	17	21	335	Total Deaths from all causes	71	32	18	8	13	21	21	25	18	26	42	25	8	2	5
Total Females	33	22	33	26	17	25	15	25	27	24	22	22	291		50	29	17	9	16	27	25	25	17	16	32	20	6	1	1
Grand Total.	74	51	65	66	42	55	36	48	63	44	39	43	626	....	121	61	35	17	29	48	46	50	35	42	74	45	14	3	6

TABLE D.—COUNTIES.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PERTH—Population, 59,055.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	1	....	....	....	2	...	2	....	....	....	5	Cholera Infantum.	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	1	....	1	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	2	2	....	....	....	....	....	1	....	6	Croup	....	3	2	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	....	....	....	....	....	....	....	....	2		..	1	1	....	..	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	2	....	....	3	Diarrhœal Diseases	1	....	....	....	....	....	....	....	....	1	1	....	..	....	....
Females	....	....	2	....	....	1	....	2	3	2	....	....	10		4	2	1	....	....	....	1	....	....	1	....	1	....	....	....
Males	2	1	3	....	....	....	3	....	....	1	....	....	10	Diphtheria	....	7	2	....	....	....	....	1	....	....	....	....	....	....	....
Females	2	2	....	....	1	....	3	....	....	1	....	1	10		....	6	2	2	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	1	....	....	1	2	1	2	2	10	Typhoid Fever	....	....	....	....	3	4	3	....	....	....	....	....	..	....	....
Females	....	....	....	....	....	....	....	....	....	2	1	....	3		....	....	....	....	....	1	....	1	1	....	....	....	....	....	....
Males	....	...	....	....	....	....	....	1	....	....	....	....	1	Scarlet Fever	...	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	..	....	....	....	....	....	1	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	..	1	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	1	....	....	....	....	....	...
Males	....	....	1	1	....	....	....	....	....	....	....	....	2	Measles	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	1	...	1	....	....	....	....	....	....	....	....	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	1	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	2	....	....	....	....	....	....	....	....	2	Rheumatism and Gout	...	1	....	....	....	....	....	..	....	1	....	....	..	....	....
Females	....	...	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	..	....	....
Males	1	1	3	1	....	2	....	7	4	3	....	....	22	Anæmia, including Infantile Debility.	16	2	1	....	....	....	....	1	....	2	....	....	....	....	....
Females	....	....	1	3	1	3	2	3	....	....	....	2	15		8	....	....	..	....	....	....	2	3	2	....	...	....	....	....

Males ..	....	....	1	2	....	....	....	2	....	....	....	....	5	Dropsy	....	....	....	....	....	2	....	....	....	1	....	1	1	....	....
Females	....	....	1	...	2	1	1	....	1	1	....	1	8		....	....	....	1	....	1	....	....	3	2	1	....	...	....	....
Males ..	3	....	1	2	2	....	1	1	1	2	....	2	15	Cancer	....	....	....	....	....	....	2	...	5	5	3	....	....	....	....
Females	....	...	....	1	4	....	...	1	1	1	1	1	10		....	....	....	....	....	....	2	4	3	1	....	....	....	....	....
Males ..	1	1	2	1	3	2	3	2	....	6	2	3	26	Phthisis	....	1	....	....	5	12	1	3	1	3	....	....	....	....	....
Females	1	1	2	1	5	5	3	1	3	2	....	....	24		2	....	....	2	3	11	2	2	....	2	....	....	....	....	....
Males ..	1	....	....	2	2	1	2	2	3	2	....	2	17	Nervous Diseases, includ. Convulsions	7	2	....	2	...	2	....	....	....	2	1	1	....	....	....
Females	2	1	3	4	5	2	2	3	2	1	1	3	29		7	4	1	2	6	1	....	1	....	3	4	....	....	....	....
Males ..	1	1	2	3	2	2	...	2	1	1	2	2	19	Heart Diseases ...	....	....	....	1	....	2	1	1	4	3	5	2	....	....	..
Females	4	2	6	1	4	....	....	....	1	3	7	....	28		....	....	2	....	2	3	2	2	4	8	4	1	....	....	..
Males ..	1	1	3	6	2	3	3	....	2	....	1	2	24	Pneumonia and Bronchitis	6	3	....	....	....	1	1	1	1	5	4	1	....	....	1
Females	1	2	4	3	3	2	....	2	1	1	4	....	23		2	1	...	2	2	2	4	1	....	4	3	2	....	....	....
Males ..	1	....	1	2	1	1	1	1	1	2	...	1	12	Enteritis and Gastritis	2	2	....	....	....	1	2	....	2	....	2	1	....	....	....
Females	1	....	....	....	....	1	1	2	....	....	2	....	7		1	....	....	....	....	2	1	1	....	...	2	....	...	....	...
Males ..	....	....	1	....	....	1	....	....	....	1	....	....	3	Liver Diseases ...	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....
Females	....	....	1	1	....	....	....	....	....	....	....	..	2		...	.	....	....	....	2	....	....	....	....	....	....	....	....	....
Males ..	1	1	....	....	....	....	....	1	....	2	....	1	6	Kidney Diseases..	....	....	1	....	....	....	....	2	....	....	3	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	1	2		....	....	..	....	....	....	1	....	....	....	....	1	....	....	...
Females	....	1	....	....	....	....	2	1	....	....	....	1	5	Child Birth	....	....	....	...	....	1	4	....	....	....	....	....	....	....	....
Males ..	3	....	2	2	3	6	1	5	5	5	2	2	36	Old Age..........	....	....	....	....	....	....	....	....	....	....	17	15	4	....	....
Females	3	3	....	2	3	4	....	1	1	3	3	3	26		....	....	....	....	....	....	..	....	....	....	12	14	....	....	....
Males ..	....	1	....	....	2	1	1	....	1	....	1	1	8	Violent Deaths, Accidents, etc..	....	2	....	1	1	....	1	....	2	....	1	....	....	....	....
Females	2	1	....	....	1	1	....	....	....	....	1	....	6		1	....	....	....	....	....	....	....	....	2	2	....	....	....	1
Males ..	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide..........	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	2	....	....	..	....	....	....	2		....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
Males ..	3	3	2	1	2	2	....	3	2	....	1	1	20	Other diseases and cause not specified.	11	2	1	1	1	....	1	....	2	1	....	....	...	....	....
Females	1	1	1	1	2	3	2	3	....	2	1	....	17		8	....	1	....	1	2	....	2	....	3	....	....	....	....	....
Total Males ..	18	11	24	27	22	21	17	28	25	28	12	19	252	Total Deaths from all causes.......	46	30	7	6	11	25	12	9	17	25	37	21	5	....	1
Total Females	19	14	23	18	32	25	17	21	13	21	21	14	238		39	16	8	9	14	26	18	17	15	28	28	19	....	....	1
Grand Total.	37	25	47	45	54	46	34	49	38	49	33	33	490	....	85	46	15	15	25	51	30	26	32	53	65	40	5	....	2

TABLE D.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PEEL.—POPULATION, 28,793.

SEX.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH	AGES. Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	...	2	2	....	....	....	4	Cholera Infantum.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	2	2		....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	....	....	....	....	....	....	....	1	Diarrhœal Diseases	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	1	....	1	....	3		1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	....	....	....	....	....	4	1	....	....	1	1	2	9	Diphtheria	1	1	2	2	3	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	1	....	....	....	....	1	2	....	6		1	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	1	....	1	....	....	3	Typhoid Fever	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	1	....	1	2	....	....	5		....	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	1	....	....	....	....	....	....	....	2		....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	1	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	2	....	....	....	....	....	....	....	....	2		....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	1	1	....	....	....	....	3		2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	1	....	....	....	....	....	....	....	....	....	2	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
Females	....	....	2	....	....	....	....	....	....	....	....	1	3		....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....
Males...	2	1	....	1	....	1	1	1	1	....	1	1	10	Anæmia, including Infantile Debility	5	2	....	....	....	....	....	....	....	....	3	....	....	....	....	....
Females	....	....	1	....	....	1	....	....	2	1	2	....	7		6	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....

Males..	....	....	....	....	....	....	....	1	....	....	....	....	1	Dropsy	....	....	....	....	....	....	....	....	1	....	....	....	....	....				
Females	....	....	....	....	....	....	1	....	2	....	....	....	3		....	....	....	....	....	....	1	....	1	1	....	....	....	....				
Males..	....	....	....	....	....	1	1	....	....	....	....	....	2	Cancer	....	....	....	....	....	....	....	....	....	1	....	....	....	1				
Females	....	1	1	3	...	1	....	....	1	2	....	1	10		....	....	....	....	....	....	....	5	2	2	...	1	....	....				
Males..	1	....	4	3	3	....	....	2	2	1	1	2	19	Phthisis	1	1	...	....	1	4	8	1	....	2	1	....	....	....				
Females	3	....	....	....	....	1	5	1	1	....	1	....	12		....	....	....	1	1	5	3	....	2	....	....	....	....	....				
Males..	3	2	....	3	1	....	....	2	1	3	1	2	18	Nervous Diseases,	4	5	....	1	1	....	1	1	1	1	2	....	..	....	1			
Females	1	3	1	3	....	3	1	3	2	2	1	1	21	includ. Convulsions	5	1	1	....	...	4	1	....	1	2	4	2	....	....				
Males..	....	1	....	1	1	....	2	....	....	1	1	....	7	Heart Diseases ..	....	....	....	1	....	....	2	....	....	1	....	1	....	....	2			
Females	1	2	....	....	1	1	....	1	1	1	....	....	8		1	....	....	....	....	....	1	..	1	2	3	....	....	....				
Males..	6	2	2	4	....	1	1	1	....	1	1	2	21	Pneumonia and	3	4	1	1	1	2	....	1	1	4	2	1	....	..	....			
Females	2	2	3	2	1	....	1	1	....	1	....	2	15	Bronchitis	7	2	....	1	1	2	....	1	...	1	....	....	....	....				
Males..	....	....	....	2	....	....	....	3	....	....	1	....	6	Enteritis and	1	....	1	...	1	....	....	1	....	....	..	1	....	....	1			
Females	....	....	1	....	....	1	....	....	1	....	1	....	4	Gastritis	....	....	....	2	....	1	....	1	....	....	....	....	....	....				
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Liver Diseases	....	....	....	....	....	....	....	....	....	....	....	....	....	....				
Females	....	....	....	....	2	....	....	1	....	....	....	....	3		....	..	....	....	....	....	....	....	1	1	1	....	....	....				
Males..	....	1	1	....	1	....	....	1	2	3	1	2	12	Kidney Diseases..	....	....	....	....	....	2	....	..	3	5	1	....	....	....	1			
Females	....	....	....	1	....	....	....	....	1	1	....	..	3		....	....	....	....	....	....	....	1	....	1	....	..	....	....	1			
Females	1	3	....	....	....	....	....	....	....	....	....	....	4	Child Birth	....	....	....	....	....	1	3	....	....	....	....	....	....	....				
Males..	1	4	....	1	1	...	1	3	1	4	3	....	19	Old Age	....	....	....	....	....	....	....	....	....	....	4	13	2	....	....			
Females	3	3	....	1	....	2	3	1	1	3	2	3	22		....	....	....	....	....	....	....	....	....	....	12	8	2	....	....			
Males..	....	..	....	....	2	....	1	1	....	....	2	1	7	Violent Deaths,	....	....	1	1	3	....	....	1	....	1	....	....	....	....	....			
Females	....	....	....	....	....	...	....	....	....	....	....	....	....	Accidents, etc..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....			
Males..	....	....	....	1	....	....	....	....	....	....	....	....	1	Suicide	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....			
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....			
Males..	...	....	1	3	4	2	4	....	1	....	1	....	16	Other diseases and	4	1	....	....	1	....	4	....	3	1	....	....	....	....	2			
Females	3	3	2	....	.1	2	....	1	1	....	....	1	14	cause not specified.	4	1	....	...	....	....	2	3	3	1	....	....	....	....	....			
Total Males..	14	12	9	20	13	9	12	18	10	15	14	12	158	Total Deaths from all causes	23	14	5	6	11	9	15	7	9	21	12	16	2	....	8			
Total Females	14	18	13	14	8	13	13	10	15	15	10	11	154		28	13	7	7	2	15	11	11	11	13	22	11	2	....	1			
Grand Total.	28	30	22	34	21	22	25	28	25	30	24	23	312	....	51	27	12	13	13	24	26	18	20	34	34	27	4	....	9			

TABLE D.—COUNTIES.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PETERBOROUGH—Population, 33,270.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	...	1	....	....	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	..	....	....	....	....
Males	....	..	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	..	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	1	....	....	....	2	3	....	1	....	1	8	Diarrhœal Diseases	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	5	1	1	....	....	8		2	4	....	....	....	....	....	....	....	1	1	....	....	....	....
Males	1	....	3	....	....	1	....	2	....	1	....	1	9	Diphtheria	....	1	7	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	1	2	....	1	....	1	....	1	....	2	10		2	2	2	1	1	2	....	....	....	....	....	....	....	....	...
Males	....	....	....	....	....	....	....	....	....	....	1	....	1	Typhoid Fever	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	4	1	....	6		....	....	....	....	1	1	1	1	2	.	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	1	....	....	....	2	Other Fevers	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	1	1	....	....	....	....	....	....	....	....	3	Measles	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	1	....	....	....	....	..	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males	1	1	3	4	....	4	4	3	2	1	1	1	25	Anæmia, including Infantile Debility	21	4	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	2	1	2	1	1	....	4	1	....	2	2	17		16	1	..	....	....	....	....	....	....	....	....	....	....	....	....

Males						1		1					3	Dropsy										3								
Females						2							2										1			1					
Males							1		2	1			4	Cancer								1	1	1	1					
Females				1			1		1				3								1		1		1					
Males	2	1	4	3	3			2		3	2		20	Phthisis				1	1	5	3	5	2	1	2					
Females			7		2	1		1	1	3	1	4	20		1	1		1	2	3	6	2	1	2	1					
Males	1	1	2	3	2		3	3	2	2	2	2	23	Nervous Diseases, includ. Convulsions	11	3	1	1	1	1	1	1	1	1	1					
Females	1	1	1				1	2	1	1	1	3	12		5	2		1		2				1	1					
Males		2	3	2	1	1	1	1		1		1	13	Heart Diseases						1	1	1	2	2	5	1				
Females	1		2	2	1	2			2	3		1	14				1		1		1	4	3	2	2					
Males	5	4	5	6	1	1	3	2			2	1	30	Pneumonia and Bronchitis	11	3	2		1		4	2	2	4	1					
Females		1	2	3		1	1				2	1	11		2	3			1	1	1	1	1		1					
Males				1	1	1	1		1			1	6	Enteritis and Gastritis	2	1				1	1				1					
Females								1			1		2			1							1							
Males			1				1	1					3	Liver Diseases										1	1	1				
Females				2		1						1	4								1	1			2					
Males				1		1			2		2		6	Kidney Diseases							1		2	2	1					
Females						1	1	1					3								1		1		1					
Females			1	1	1	1	1	1		1			7	Child Birth						2	4	1								
Males	3	1	2	1	2	1	2				1	3	16	Old Age											3	11	2			
Females	1	3	1	1	1	1	2	3	2	2	1		18												9	8	1			
Males				1	2		2				1		6	Violent Deaths, Accidents, etc.		1	1			2	1	1								
Females	1				1			1		1	1		5			2	2						1							
Males														Suicide																
Females							1						1									1								
Males	2	1	1		2	3	1	2	2	1	1	1	17	Other Diseases and cause not specified.	9	1					1	1	4	1						
Females						1		2		1	5		9		2			1	1	1	1		3							
Total Males.	16	12	26	24	14	14	22	21	12	11	13	12	197	Total Deaths from all causes	62	17	12	3	4	11	13	13	14	15	16	14	3			
Total Females	7	8	17	14	7	15	8	24	9	18	15	14	156		31	17	5	4	7	13	17	13	13	8	19	8	1			
Grand Total.	23	20	43	38	21	29	30	45	21	29	28	26	353		93	34	17	7	11	24	30	26	27	23	35	22	4			

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PRESCOTT AND RUSSELL.—POPULATION, 41,826.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	..	...	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	..	....	....	...	1		1	....	....	....	....	....	....	....	....	....	....	....	....	...	....
Males...	2	1	2	1	2	....	....	2	2	....	2	....	14	Croup.....	5	9	....	....	...	....	....	...	....	....	....	....	....	....	....
Females	1	1	...	....	1	1	2	2	....	1	....	1	10		4	6	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	3	..	1	1	1	....	....	....	7	Diarrhœal Diseases.....	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	1	....	3	3	....	3	....	1	....	....	13		8	4	....	....	....	..	1	....	....	....	....	....	....	....	....
Males...	....	1	2	4	2	8	4	1	1	....	..	2	25	Diphtheria	2	10	10	3	....	....	....	....	..	....	....	....	....	....	....
Females	3	1	....	....	15	3	2	2	3	....	....	2	31		6	19	6	....	....	....	....	....	....	....	..	....	....	....	....
Males...	1	....	....	....	....	....	....	....	1	1	....	1	4	Typhoid Fever ...	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....
Females	....	3	....	..	....	....	....	....	3	1	1	....	8		...	....	....	1	1	4	1	....	1	....	....	....	....	....	....
Males...	....	....	....	1	....	....	....	....	....	....	....	....	1	Scarlet Fever.....	....	1	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	...	....
Males...	..	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers.....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	1	....	....	2		...	....	....	....	....	1	....	1	....	....	..	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	...	....	....	....	....	....	....	....	....	....	2		1	....	1	.	..	....	....	..	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	1	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Ma'es...	....	....	..	....	....	1	....	....	1	1	1	...	4	Rheumatism and Gout	....	....	1	....	....	....	....	....	1	....	2	....	....	....	....
Females	....	....	....	....	....	1	....	....	1	....	..	....	2		....	1	....	....	....	1	..	....	....	....	....	....	....	...	....
Males...	8	5	4	3	9	1	9	12	10	5	4	3	73	Anæmia, including Infantile Debility	60	3	2	2	1	1	....	2	....	2	....	....	....	....	....
Females	9	2	9	5	4	4	5	11	1	6	3	1	60		42	9	2	....	1	1	....	....	3	2	....	....	....	....	....

Males...					2			1					3	Dropsy											3				
Females											1	1	2			1							1						
Males...		1	3		1		1	2				1	9	Cancer				1			6		1		1				
Females					1		2	2			1		6						1			1	2	1		1			
Males...		3	2	2	2	2	1	3	2	2	1	3	23	Phthisis	1	1	2	1	2	8	2		3	3					
Females	2	10	1	3		2	4	4	4		2	3	35			2		4	5	11	5	4	4						
Males...		2	1		3	3			7	2	1	2	21	Nervous Diseases, includ. Convulsions	9	4			1	2	1	1	2	1					
Females	1		1	2	1	2					1		8		2					3	1	1		1					
Males...		1				1	4	1		2	1	2	12	Heart Diseases...		1						3	1	5	2				
Females		1	2			4		1				1	9								1	3	1	3	1				
Males...	1			1								2	4	Pneumonia and Bronchitis			1			1		2							
Females		1		1	1		1	1				4	9		1	1	2	1	3			1							
Males...					3				1				4	Enteritis and Gastritis						3				1					
Females				2		1			1				4							2			1		1				
Males...				1					1				2	Liver Diseases....					1						1				
Females			1										1				1												
Males...							1					1	2	Kidney Diseases..						1	1								
Females			1			1		1	1		1		5								1	1	2	1					
Females	2	1		1	1			1			1	3	10	Child Birth							7	3							
Males...	3	3	3	3	3	2	2	3	1		3	1	27	Old Age...... ...											8	13	5	1	
Females	2	3	2	2	1	5	3	2	2	2	2	4	30												14	10	5	1	
Males...		1			1	2		2		1			7	Violent Deaths, Accidents, etc..				3		1	1		1		1				
Females					1		1				2		4			1						2			1				
Males...					1		1						2	Suicide..........									2						
Females																													
Males...	5	1	3	1	2	3	1			2		2	20	Other diseases and cause not specified.	14	3	2												1
Females	2	5	6	3	1	2	1	1	1	4		4	30		10	1	3	1	1	2		3		3					6
Total Males...	20	19	21	17	34	23	25	28	28	16	13	20	264	Total deaths from all causes.......	94	36	18	10	6	18	12	9	11	12	18	13	5	1	1
Total Females	23	31	24	20	30	29	21	32	18	17	15	24	284		77	45	15	7	12	25	17	20	15	11	17	11	5	1	6
Grand Total.	43	50	45	37	64	52	46	60	46	33	28	44	548	....	171	81	33	17	18	43	29	29	26	23	35	24	10	2	7

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

PRINCE EDWARD.—Population, 23,149.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	2	....	....	....	....	....	....	....	....	2	Croup	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	1	....	....	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Diarrhœal Diseases	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	1	....	....	2		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males...	1	....	....	....	3	....	....	....	....	2	2	....	8	Diphtheria	2	....	2	4	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	2	....	....	....	1	4	....	....	9		....	4	2	1	2	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	2	1	....	....	....	....	....	1	....	4	Typhoid Fever	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	1	....	1	3		....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	2	....	....	....	....	....	....	....	....	....	....	2	Measles	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	1	....	....	....	....	....	....	....	....	....	2		....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
Males...	...	.	....	....	....	....	....	. .	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	...	....	....	....	....	....	....
Females	....	....	...	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	..	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	..	....	..	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	...	1	1	....	....	....	....	4	1	1	1	9	Anæmia, including Infantile Debility	6	2	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	3	1	3	1	1	3	....	....	2	....	....	....	14		11	1	....	....	....	1	....	....	....	....	1	....	....	....	....

Males...						1	1						2	Dropsy										1	1				
Females							1	1	1		1		4							1	1				2				
Males...	1										1		2	Cancer											2				
Females		1	1						1			1	4								1	1		1	1				
Males...	1	1	4		2		1	2	1	2	3		17	Phthisis		1			2	5	3	2	1	2	1				
Females	2	3		2	1	1	2	1	3	1	2	4	22				1	1	6	7	1	3	1	2					
Males...	1	3	2	1	1			2	2	1	1	2	16	Nervous Diseases, includ. Convulsions	3					4	1		1	2	4	1			
Females	2	1	3		1		1			1	1		10					1	1	1	1	1		2	3				
Males...	2			2		2		2	2	1			11	Heart Diseases ...						1	1		1	5	3				
Females						1		1					2							1						1			
Males...	2	3		2	3	2				1	1	1	15	Pneumonia and Bronchitis...	2		1	1		1	2	1	1	2	3	1			
Females	2	2	1	2	1	1				2	1		12			2		1			1	1		4	1	2			
Males...			1			1			1	1	1		5	Enteritis and Gastritis	1						2				2				
Females						1	1	1		1			4					1			1			2					
Males...										1	1		2	Liver Diseases ...							1	1							
Females								1	1		1		3								1	1		1					
Males ..							1		1		1		3	Kidney Diseases..						1		2							
Females								1		1			2								1		1						
Females		1		1									2	Child Birth.......						1	1								
Males...	2	1	2	2		2	2			1		2	14	Old Age											8	4	2		
Females	4	1	3	4	1	2		1	1	3	2	2	24												12	9	3		
Males...								1		1		3	5	Violent Deaths, Accidents, etc ..				1	2	2									
Females	1												1														1		
Males...														Suicide...															
Females																													
Males...		3	2	1	1			2	3				12	Other diseases and cause not specified.	4	1				1		1	4	1					
Females	1		3	2		1		1	1	2			11		1	2	2	2			3				1				
Total Males...	10	13	12	13	11	10	5	9	14	12	13	9	131	Total Deaths from all causes.......	21	6	3	7	4	17	11	7	9	13	25	6	2		
Total Females	17	12	15	12	8	10	6	9	12	17	8	8	134		16	12	5	8	10	12	12	7	2	14	20	12	4		
Grand Total.	27	25	27	25	19	20	11	18	26	29	21	17	265	....	37	18	8	15	14	29	23	14	11	27	45	18	6		

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

RENFREW—Population, 44,271.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	1	....	....	2	2	....	1	....	....	6	Cholera Infantum.	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	....	2	1	....	2	....	....	7		6	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	1	....	....	....	....	....	1	....	3	Croup	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	2	....	1	1	1	1	1	....	....	8	Diarrhœal Diseases	4	2	1	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	1	2	3	2	....	....	....	2	10		8	....	1	....	....	....	....	....	....	1	....	....	....	....	....
Males	....	2	....	....	1	....	....	1	....	....	....	....	4	Diphtheria	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	....	....	....	....	....	....	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	....	....	....	....	...	2	....	1	....	....	3	Typhoid Fever	..	....	1	1	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	..	....	....	....	....	....	....	2	1	....	3		....	....	....	2	....	1	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	....	....	1	Scarlet Fever	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	2	....	2	....	....	....	....	....	4	Other Fevers.	1	1	....	2	....	....	....	....	..	..	....	....	....	....	....
Females	..	....	....	...	....	1	....	....	1	....	....	....	2		....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	1	Whooping Cough.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	....	....	1	1	....	....	....	....	....	1	....	3		....	....	....	3	....	....	....	....	....	....	....	....	....	....	....
Males	3	2	1	5	2	2	2	1	....	2	3	....	23	Anæmia, including Infantile Debility	16	6	1	....	....	....	....	....	....	....	....	....	....	....	...
Females	1	4	3	2	2	3	1	...	2	1	....	...	19		12	2	2	....	....	....	2	....	1	....	....	....	....	....	....

Males...	....	....	....	....	....	1	....	....	....	....	....	1	2	Dropsy	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
Females	....	....	....	....	....	1	1	....	....	1	....	....	3		....	....	....	....	....	....	....	....	2	....	1	....	....	....	....
Males...	..	....	....	....	....	....	....	....	....	....	....	1	1	Cancer	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	....	....	....	2	1	....	....	5		....	1	....	....	....	....	....	1	2	1	....	....	....	....	....
Males...	....	....	2	2	2	2	1	2	1	2	1	2	17	Phthisis	2	....	....	..	2	6	3	2	1	1	....	....	....	....	....
Females	2	1	3	4	2	1	2	1	1	2	2	2	23		....	....	....	....	4	9	4	4	1	1	....	....	....	....	....
Males...	2	3	2	2	1	3	3	2	2	2	1	2	25	Nervous Diseases,	10	5	1	1	1	1	....	1	1	2	1	1	....	....	....
Females	4	1	....	3	2	1	2	2	2	1	1	1	20	includ. Convulsions	5	4	....	1	2	3	....	1	....	3	....	1	....	....	....
Males...	1	....	1	2	1	1	....	3	....	2	1	1	13	Heart Diseases ...	....	....	....	...	1	....	....	2	3	2	4	1	....	....	....
Females	....	....	2	1	4	....	....	1	....	...	1	....	9		....	....	....	....	....	....	....	2	1	5	1	....	....	....	....
Males...	2	1	4	3	4	1	2	....	....	4	1	3	25	Pneumonia and	9	5	....	1	2	1	2	2	....	....	2	1	....	....	....
Females	....	1	2	2	1	1	....	1	1	1	1	1	12	Bronchitis......	5	1	....	....	....	2	1	....	2	1	....	....	....	....	....
Males...	....	....	2	....	....	1	....	....	1	....	1	....	5	Enteritis and	....	....	1	1	1	1	....	....	1	....	....	....	....	....	....
Females	....	....	....	2	....	....	1	....	....	....	....	....	3	Gastritis	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....
Males...	1	....	....	....	....	....	1	....	....	....	....	....	2	Liver Diseases....	....	....	....	..	....	....	1	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	...	....	....	....		....	....	....	....	....	....	...	....	....	....	....	....	....	....	....
Males...	....	....	1	....	1	1	....	....	2	....	....	1	6	Kidney Diseases..	....	....	....	....	....	....	....	2	....	2	2	....	....	....	....
Females	1	....	....	....	....	....	....	1	2	....	....	....	4		....	....	....	1	1	....	1	1	....	....	...	....	....	....	....
Females	....	1	2	1	....	....	....	....	2	....	....	....	6	Child Birth	....	....	....	....	....	1	5	....	....	....	....	....	....	....	....
Males...	3	2	1	3	....	1	1	....	....	2	4	3	20	Old Age.... . ..	....	....	....	....	....	....	....	....	....	....	10	4	6	....	....
Females	4	3	....	....	1	1	1	....	1	3	1	2	17		....	....	....	...	....	....	....	....	....	....	7	8	2	....	....
Males...	1	....	1	....	....	3	3	....	1	....	1	1	11	Violent Deaths,	....	1	1	2	....	3	....	1	1	...	2	....	....	....	....
Females	....	....	....	...	....	....	....	1	1	1	....	....	3	Accidents, etc..	....	1	....	1	....	....	....	....	....	..	1	....	....	....	....
Males...	....	...	....	....	....	....	...	....	....	....	....	....	....	Suicide	....	....	....	....	...	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	...	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	1	1	1	2	1	2	2	2	....	14	Other diseases and	5	1	1	1	...	....	...	1	1	4	....	....	....	....	....
Females	....	1	2	1	....	3	1	2	2	2	3	....	17	cause not specified.	5	2	1	1	...	3	1	1	1	2	....	....	....	....	...
Total Males...	15	11	18	21	16	18	20	15	10	19	16	15	194	Total Deaths from	52	31	8	9	7	13	6	11	9	12	23	7	6	....	....
Total Females	14	13	15	17	17	14	14	12	17	17	12	8	170	all causes..... .	43	15	4	10	8	19	15	10	10	15	10	9	2	....	....
Grand Total.	29	24	33	38	33	32	34	27	27	36	28	23	364	....	95	46	12	19	15	32	21	21	19	27	33	16	8	....	....

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

SIMCOE.—POPULATION, 82,394.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	1	3	....	1	....	....	5	Cholera Infantum.	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	2	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	....	....	....	1	Croup	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	..	1	....	....	....	....	....	....	....	2	5		....	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	1	1	1	....	....	....	4	Diarrhœal Diseases	2	2	....	....	....	..	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	...	2	....	2	1	....	....	1	7		1	2	....	....	....	....	....	....	....	....	4	....	....	....	....
Males	....	....	5	2	3	1	3	....	1	1	3	6	25	Diphtheria	1	9	8	6	....	1	....	....	....	....	....	....	....	....	....
Females	2	7	3	1	1	....	1	....	....	....	2	4	21		1	6	10	1	1	1	....	1	....	....	....	....	....	....	....
Males	....	....	....	....	1	2	...	1	2	2	....	....	8	Typhoid Fever	...	1	...	1	1	3	....	....	....	2	....	....	....	....	....
Females	1	1	...	....	1	....	....	....	1	1	....	....	5		....	....	..	....	....	3	....	1	1	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Other Fevers	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	..	....	1		....	....	....	....	1	.	....	....	....	....	....	....	....	....	....
Males	...	....	....	....	....	....	....	....	....	....	....	....	....	Measles	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	1	1	....	1	....	1	....	2	1	....	1	9	Whooping Cough	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	1	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	...	1	....	....	....	....	....	....	....	....	....	....
Females	....	..	....	....	....	....	....	....	1	1	....	....	2		....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
Males	8	2	2	2	4	1	3	1	3	1	4	6	37	Anæmia, including Infantile Debility.	28	6	....	....	....	....	....	....	1	2	....	....	....	....	....
Females	4	6	1	3	4	1	1	2	2	....	2	....	26		18	3	....	..	....	....	1	2	....	2	....	....	....	....	....

Males...	....	....	....	1	....	1	....	....	....	....	....	2	Dropsy	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	1	1	1	1	....	....	2	....	....	....	7		1	..	..	....	....	....	....	2	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	...	1	....	....	....	....	....	....	....	....	1	2	Cancer	....	....	..	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	...	2	....	1	1	....	1	....	....	....	1	6		...	..	....	....	....	....	1	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	2	5	1	2	1	3	....	2	3	2	2	23	Phthisis	....	1	....	....	1	9	6	2	....	4	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	1	6	5	2	2	9	2	2	2	3	2	3	39		1	....	2	1	9	15	5	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	2
Males..	7	4	6	5	6	3	4	6	5	1	1	....	48	Nervous Diseases, includ. Convulsions	19	8	1	2	....	2	5	2	5	1	2	1	.	...	....	....	....	....	....	....	....	....	....
Females	1	2	1	2	1	....	1	1	3	1	4	2	19		5	4	2	1	....	1	1	1	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	1	3	3	4	....	2	3	1	....	2	1	21	Heart Diseases	....	1	1	1	2	1	..	....	3	7	4	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	3	....	1	1	1	1	....	1	3	1	4	17		....	....	....	2	2	3	1	....	3	5	1	....	....	....	....	....	....	....	....	....	....	....	....
Males..	5	6	5	8	8	3	....	....	1	6	2	....	44	Pneumonia and Bronchitis	10	4	1	2	1	3	3	3	5	5	6	1	....	....	....	....	....	....	....	....	....	....	....
Females	7	2	8	5	4	4	....	3	1	2	1	3	40		4	5	1	1	3	4	5	1	6	3	7	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	5	1	1	....	....	1	....	1	1	2	2	15	Enteritis and Gastritis	1	1	....	1	1	3	2	2	....	2	2	....	....	..	....	....	....	....	....	....	....	....	....
Females	2	2	1	....	1	....	2	1	....	....	2	1	12		....	1	...	....	....	....	..	2	2	4	2	....	....	....	....	....	....	....	....	....	....	....	1
Males...	...	1	1	....	1	2	....	....	2	....	....	1	8	Liver Diseases	....	1	....	....	....	1	....	1	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Female	....	1	....	..	....	....	....	1	....	....	....	....	2		....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	3	3	1	2	....	1	....	1	....	2	1	1	15	Kidney Diseases	....	....	....	1	....	1	...	2	4	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	1	....	....	2	....	....	1	5		..	....	1	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	1	1	2	1	....	...	....	1	....	....	7	Child Birth	....	....	....	....	....	....	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	8	5	3	5	2	1	....	4	4	1	2	1	36	Old Age	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	16	16	3	1	....
Females	7	3	1	5	3	3	5	2	2	4	5	5	45		....	..	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	21	18	6	..	....
Males...	1	....	8	2	1	....	4	3	1	1	....	1	22	Violent Deaths, Accidents, etc.	1	4	1	1	....	4	2	5	....	1	...	2	..	....	1	....	....	....	....	....	....	....	....
Females	....	2	1	...	...	....	1		1	...	1	....	6		1	2	1	...	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	...	....	...	1	....	....	....	....	...	1	..	....	2	Suicide	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	...	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	1	....	1	1	2	1	1	3	4	4	2	21	Other diseases and cause not specified.	4	2	1	2	3	4	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
Females	4	4	1	3	4	2	2	2	2	2	1	1	28		5	4	3	1	3	3	3	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Total Males...	36	33	43	34	34	18	24	25	29	26	23	25	350	Total Deaths from all causes.	77	44	14	17	10	32	21	19	21	31	36	22	3	1	2	....	....	....	....	....	....	....	....
Total Females	33	41	26	27	26	27	17	19	21	18	21	29	305		40	34	22	7	19	33	24	16	22	20	40	19	6	....	3	....	....	....	....	....	....	....	....
Grand Total.	69	74	69	61	60	45	41	44	50	44	44	54	655	....	117	78	36	24	29	65	45	35	43	51	76	41	9	1	5	....	....	....	....	....	....	....	....

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

STORMONT, DUNDAS AND GLENGARRY.—POPULATION, 72,618.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	1	....	....	....	1	....	....	3	1	....	....	....	6	Cholera Infantum.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	5	....	....	....	....	6		5	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	5	6	Croup	....	2	4	....	1	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	....	....	....	....	....	1	1	4		....	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	1	....	....	....	1	....	5	6	....	....	....	14	Diarrhœal Diseases	6	4	....	....	....	....	....	....	1	1	1	1	....	....	....
Females	....	....	1	1	....	1	3	2	5	....	3	....	16		9	3	....	....	1	1	....	....	....	....	1	1	....	....	....
Males...	....	3	1	1	1	1	3	4	4	4	....	1	23	Diphtheria	....	11	7	3	1	1	....	....	....	....	....	....	....	....	....
Females	1	6	2	1	5	....	4	....	3	2	....	2	26		3	2	12	5	2	2	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	1	....	....	1	3	Typhoid Fever	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	....	....	....	....	....	....	....	....	1	Measles	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	....	....	....	....	1	....	....	....	....	....	....	3	Rheumatism and Gout	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....
Females	....	....	....	1	....	....	1	....	....	....	....	1	3		....	....	....	....	....	....	....	....	....	1	1	....	....	....	1
Males...	1	2	1	3	1	3	1	5	2	1	....	3	23	Anæmia, including Infantile Debility.	19	2	....	....	....	....	....	....	....	....	1	....	....	....	1
Females	3	1	2	5	1	3	2	4	3	1	....	....	25		12	5	....	....	....	....	....	2	2	3	....	....	....	....	1

xc.

Males..	....	1	....	1	....	....	....	....	2	....	....	....	4	Dropsy	....	....	....	....	....	....	....	....	...	1	3	....	..	....	....
Females	1	....	....	....	2	....	....	....	1	2	....	....	6		....	....	....	....	..	1	....	1	....	....	3	....	....	....	1
Males..	2	...	3	3	....	....	....	3	2	...	1	2	16	Cancer	....	....	....	....	2	....	....	3	3	3	5	....	....	....	....
Females	1	1	....	1	2	....	1	....	1	1	1	....	9		...	....	....	....	....	..	1	....	1	3	2	....	....	....	2
Males..	4	4	8	6	1	3	4	2	3	4	6	3	48	Phthisis	1	2	....	3	....	11	13	8	4	5	1	....	....	....	....
Females	3	2	2	2	2	5	3	6	5	4	9	7	50		4	1	....	2	5	17	6	5	5	3	1	....	....	...	1
Males..	2	1	4	4	2	....	1	1	4	....	3	1	23	Nervous Diseases, includ. Convulsions	4	7	1	....	....	4	....	....	1	4	1	1	....	....	....
Females	....	5	1	1	....	2	2	1	2	....	1	2	17		6	2	....	....	....	1	....	1	1	3	1	1	1	....	....
Males..	3	1	3	5	....	3	1	2	1	2	....	1	22	Heart Diseases...	....	1	1	....	....	....	2	1	2	4	7	2	....	..	2
Females	2	2	....	2	....	2	3	2	2	....	1	2	18		....	....	....	....	....	....	1	2	2	2	8	3	....	....	....
Males..	2	5	6	5	4	2	....	1	....	1	4	....	30	Pneumonia and Bronchitis ..	5	6	1	1	1	3	1	1	4	1	2	3	....	....	1
Females	1	3	3	5	2	5	....	....	....	2	2	....	23		1	4	....	2	....	4	....	5	1	2	2	2	....	....	....
Males..	....	1	1	2	1	..	2	1	2	....	....	....	10	Enteritis and Gastritis	....	1	1	1	1	....	2	3	....	1	....	....	....	....	....
Females	1	....	3	1	2	2	....	1	....	1	....	1	12		....	....	2	1	1	4	1	....	2	1	....	....	....	....	....
Males..	....	..	....	....	....	....	....	....	....	....	....	1	1	Liver Diseases....	...	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	1	1	....	1	....	....	....	3		....	....	....	..	....	....	....	....	1	2	....	...	....	....	....
Males..	....	....	....	....	1	....	1	....	1	1	1	5	10	Kidney Diseases..	....	....	2	....	1	2	....	1	1	1	....	2	....	....	....
Females	....	....	2	...	....	2	....	....	....	....	....	....	4		....	1	....	....	....	1	....	1	....	....	..	1	....	....	...
Females	1	..	2	....	....	1	1	1	....	....	1	....	7	Child Birth	....	....	....	....	....	5	1	1	....	....	....	...	....	....	....
Males...	5	3	2	5	4	1	8	3	2	....	2	3	38	Old Age..........	....	....	....	....	....	....	....	....	....		14	19	3	2	....
Females	2	....	1	5	6	2	2	4	6	4	2	2	36		....	....	....	....	....	....	....	....	....	...	14	14	8	...	....
Males...	..	....	1	2	5	....	1	....	1	1	....	1	12	Violent Deaths, Accidents, etc..	....	....	....	..	1	3	2	1	4	1	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	1	1	....	....	5		....	1	1	1	....	....	1	....	....	....	....	1	..	....	....
Males...	....	1	....	....	....	....	....	....	1	....	....	....	2	Suicide..........	....	....	....	....	....	1	...	....	....	1	....	....	....	....	....
Females	....	....	...	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	...	5	3	5	3	2	2	5	2	2	1	....	30	Other diseases and cause not specified.	7	4	1	1	1	1	....	2	3	8	....	....	...	....	2
Females	2	....	1	4	1	3	3	....	3	2	1	1	21		2	3	1	....	1	2	4	1	2	4	....	....	....	....	1
Total Males..	23	28	34	42	24	17	26	35	35	16	18	27	325	Total Deaths from all causes.......	49	40	19	9	8	28	21	20	24	32	35	29	3	2	6
Total Females	19	20	20	29	25	29	30	27	33	20	22	19	293		42	26	17	11	10	38	17	19	17	24	33	23	9	...	7
Grand Total.	42	48	54	71	49	46	56	62	68	36	40	46	618	....	91	66	36	20	18	66	38	39	41	56	68	52	12	2	13

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

VICTORIA.—Population, 37,021.

SEX.	Months.													CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	1	....	....	....	....	1	1	....	....	....	3	Cholera Infantum.	2	..	....	1	....	....	....	..	....	....	....	....	....	....	....
Females	....	....	....	..	..	....	....	3	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	...	....	1	..	....	....	..	1	....	....	....	2	Croup	....	1	1	...	...	....	....	....	....	....	....	....	....	....	....
Females	..	...	....	....	....	....	....	1	..	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	..	....	....	1	.	....	2	1	2	....	6	Diarrhœal Diseases..	1	2	....	1	....	....	....	....	....	1	....	1	....	....	.
Females	....	1	....	..	..	....	....	3	2	....	....	....	6		1	3	....	....	....	....	....	....	1	....	1	....	....	....	....
Males	1	...	1	1	....	1	....	....	....	1	....	...	5	Diphtheria	....	1	2	1	1	....	...	....	....	....	....	....	....	....	....
Females	....	...	1	....	....	1	....	....	....	2	1	....	5		.	2	1	....	2	...	...	....	....	....	....	....	....	....	....
Males	....	...	3	....	....	....	....	....	....	....	....	....	3	Typhoid Fever ...	....	....	....	2	....	....	...	....	....	1	..	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		...	1	....	....	....	....	....	....	....	..	....	....	....	....	....
Males	....	....	1	....	1	....	....	....	....	....	....	....	2	Scarlet Fever.....	...	2	....	...	....	...	..	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	....	....	....	..	....	....	....	....	....	....	....	Other Fevers	....	.	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	....	....	....	....	1	....	....	....	....	....	....	1		....	....	1	....	..	....	....	....	..	....	....	....	....	....	....
Males	....	..	....	....	....	....	....	....	..	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	..	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	2	....	....	2	....	....	4	Whooping Cough.	1	3	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	.	....	....	....	....	....	....	....	....	....
Males	2	1	....	....	....	..	....	....	....	....	....	....	3	Rheumatism and Gout.	....	....	....	....	....	1	....	....	....	....	1	1	....	..	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		...	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	2	2	1	1	1	....	....	....	1	....	....	....	8	Anæmia, including Infantile Debility	7	....	....	....	....	1	..	....	....	....	....	....	....	....	....
Females	....	2	2	2	....	1	1	....	1	...	2	..	11		9	....	....	....	....	1	...	....	1	...	....	....	....	....	....

Males...					1		1					1	3	Dropsy									1	2							
Females				2			1						3							1			1	1							
Males...					1								1	Cancer												1					
Females		1					1	1	1		1	2	7							1	2	1	2		1						
Males...		1			1			2	2	3		4	13	Phthisis		1				4		2	3	1	2						
Females	2	1	2	4	4		2	1	1	2			19			1			3	4	6	3		2							
Males...	2			3	2	2	1	2	1	1	2		16	Nervous Diseases, includ. Convulsions	3	3	2		2	1	1			1	2	1					
Females		1		6	1	1	1	2	1	1		1	15		2	5	1			3			3	1							
Males...	1				1	1			3	1			7	Heart Diseases						2	1			3	1						
Females	1	1	1	2				2	1			1	9					1	1		1	1		4	1						
Males...	1	3	4	1			1			2	3	4	19	Pneumonia and Bronchitis	4	3				3		1	2	1	4	1					
Females	1	3	6			1				2	4	1	18		1	3			1	1	3			1	7	1					
Males...		2	1		1		1			1	1	1	8	Enteritis and Gastritis	1	1		1		2		1	1		1						
Females	1		1		1		2		1		1	4	11		1			1		1			4	3		1					
Males...			1				2		1				4	Liver Diseases	2									2							
Females				1			1					1	3		1								1	1							
Males...	2			1									3	Kidney Diseases						2	1										
Females								1					1													1					
Females	1		1	1			1					1	5	Child Birth						2	2	1								
Males...	1	3	1	2	1	1	1	3	3			3	19	Old Age											9	9	1				
Females	1	2	2	2		2		4	4		1		18												1	13	3	1			
Males...						1	1		1	1		1	5	Violent Deaths, Accidents, etc.			3			1			1								
Females					1								1				1														
Males...														Suicide																	
Females																															
Males...	1		1			1	2	1	2		2		10	Other diseases and cause not specified	9	1															
Females					1		1	1			1		4		3									1							
Total Males...	13	12	15	10	10	8	12	9	18	13	10	14	144	Total deaths from all causes	30	18	8	6	3	17	3	4	8	12	20	14	1				
Total Females	7	13	16	20	8	7	11	19	12	7	11	11	142		21	16	4	2	7	13	13	7	12	16	10	17	3	1			
Grand Total ..	20	25	31	30	18	15	23	28	30	20	21	25	286		51	34	12	8	10	30	16	11	20	28	30	31	4	1			

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WATERLOO.—POPULATION, 47,008.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	1	....	....	....	....	1	7	4	2	....	....	15	Cholera Infantum.	12	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	....	....	1	4	3	1	....	....	11		9	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	3	....	1	....	3	....	....	....	1	2	11	Croup	3	4	3	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	2	....	1	1	....	1	....	....	....	2	1	9		....	6	2	1	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	....	....	....	....	6	9	5	1	....	1	22	Diarrhœal Diseases	11	7	..	....	....	....	1	1	....	....	2	....	....	....	..
Females	....	....	....	....	....	....	2	5	7	1	....	....	15		9	3	....	1	....	....	....	....	....	2	....	....	....	....	....
Males	1	1	2	....	1	1	....	....	....	1	....	....	7	Diphtheria	1	2	3	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	1	1	....	....	....	....	....	1	....	....	3	6		....	4	2	....	....	..	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	2	1	....	1	5	Typhoid Fever	....	....	....	..	2	1	1	....	1	..	....	....	....	....	....
Females	1	1	....	....	....	....	....	2	2	5	....	....	11		....	....	....	2	2	4	1	2	....	....	....	....	....	....	....
Males	....	....	....	1	....	..	....	..	....	....	....	2	3	Scarlet Fever	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	..	....	....	....	....	1	Other Fevers	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	1	....	....	....	....	....	2		....	....	1	....	....	..	....	1	....	....	....	....	....	....	....
Males	....	....	....	....	3	1	2	....	....	....	....	....	6	Measles	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	1	1	....	....	1	....	....	....	4		1	2	1	....	....	....	....	....	....	....	....	....	....	..	....
Males	....	....	....	....	....	....	....	....	1	....	....	....	1	Whooping Cough	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	1	....	....	....	....	....	..	....	1	....	3	Rheumatism and Gout	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....
Females	1	1	....	1	....	1	....	1	....	....	2	....	7		....	....	1	....	1	1	....	....	2	1	1	....	....	....	....
Males	1	3	5	1	1	1	3	3	5	3	2	3	31	Anæmia, including Infantile Debility	28	....	1	....	....	....	....	....	1	1	....	....	....	....	..
Females	2	....	3	2	3	2	4	4	4	4	1	3	32		28	2	....	....	....	2	..	....	....	....	....	....	....	....	....

Males	....	1	2	1	1	1	....	....	....	....	....	....	6	Dropsy	....	....	....	1	....	....	....	....	2	1	1	1	....	....	....
Females	2	....	1	....	....	1	....	....	1	1	....	2	8		....	1	1	....	....	1	2	....	1	....	1	1	....	....	....
Males	....	....	1	....	1	....	....	1	....	1	2	....	6	Cancer	....	....	....	....	....	....	....	....	4	....	2	....	....	....	....
Females	2	....	2	1	2	....	3	....	2	....	....	1	13		....	....	....	....	....	....	2	2	5	2	2	....	....	....	....
Males	3	5	3	1	1	2	3	2	3	2	2	1	28	Phthisis	4	....	....	....	2	7	4	5	3	1	2	....	....	....	....
Females	4	4	2	1	3	3	1	2	3	2	2	3	30		2	3	1	....	3	12	5	3	1	....	....	....	....	....	....
Males	7	1	3	2	5	2	2	3	2	4	2	1	34	Nervous Diseases, includ. Convulsions	15	10	....	....	....	....	1	4	....	2	2	....	....	....	....
Females	3	2	2	2	8	2	2	1	3	3	3	4	35		11	10	4	....	2	2	....	....	2	2	2	....	....	....	....
Males	....	2	3	2	1	2	5	4	2	4	2	....	27	Heart Diseases	1	1	....	2	....	....	1	1	2	7	9	2	1	....	....
Females	2	2	3	5	1	....	1	3	1	....	1	2	21		2	1	....	....	1	1	....	....	4	5	6	1	....	....	....
Males	1	....	5	3	8	2	4	1	2	5	1	5	37	Pneumonia and Bronchitis	10	5	2	1	....	2	....	3	4	7	2	1	....	....	....
Females	2	1	7	3	4	3	5	....	....	4	4	1	34		5	10	1	1	1	1	1	1	....	6	4	2	1	....	....
Males	....	3	2	1	2	1	1	....	3	1	....	5	19	Enteritis and Gastritis	3	4	1	1	1	1	1	1	1	4	....	....	1	....	....
Females	....	1	1	....	....	1	5	1	....	2	....	2	13		1	....	....	1	....	2	2	1	3	2	....	....	1	....	....
Males	....	....	1	....	1	....	....	....	....	....	....	....	2	Liver Diseases	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	2	....	....	3		....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
Males	1	1	1	....	....	....	1	1	....	1	1	....	7	Kidney Diseases	....	....	....	....	1	1	2	1	....	1	1	....	....	....	—
Females	1	....	1	....	1	1	1	1	....	....	1	....	7		....	....	....	2	....	1	....	....	1	3	....	....	....	....	....
Females	....	1	1	....	1	....	1	....	....	....	....	2	6	Child Birth	....	....	....	....	....	1	4	....	1	....	....	....	....	....	....
Males	5	2	3	4	5	3	8	2	3	5	4	5	49	Old Age	....	....	....	....	....	....	....	....	....	....	31	11	7	....	....
Females	3	3	3	4	5	....	1	1	3	3	2	2	30		....	....	....	....	....	....	....	....	....	....	12	9	9	....	....
Males	1	3	1	....	1	....	....	....	2	4	2	....	14	Violent Deaths, Accidents, etc.	....	2	....	1	4	....	2	1	2	1	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	2	1	4		....	....	1	1	1	1	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	1	....	....	....	....	....	....	....	2	Suicide	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	5	....	....	1	1	2	3	1	1	....	1	2	17	Other diseases and cause not specified.	7	....	1	1	1	1	....	3	1	2	....	....	....	....	....
Females	2	1	2	1	1	2	1	....	1	....	....	2	13		5	1	1	....	....	....	1	2	2	1	....	....	....	....	....
Total Males	27	25	37	17	34	18	42	34	35	35	21	28	353	Total Deaths from all causes	97	43	14	9	12	15	14	23	22	27	53	15	9	....	....
Total Females	27	21	29	24	31	17	31	25	32	29	20	29	315		74	45	16	9	11	29	18	12	23	25	29	13	11	....	....
Grand Total.	54	46	66	41	65	35	73	59	67	64	41	57	668	....	171	88	30	18	23	44	32	35	45	52	82	28	20	....	....

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WELLAND.—POPULATION, 34,948.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males							1	5	2				8	Cholera Infantum.	7	1													
Females							1	5	1				7		6	1													
Males										1	1		2	Croup		2													
Females		1											1				1												
Males	1												1	Diarrhœal Diseases										2		1			
Females							1	1					2																
Males			1	1	1	1			1	1	1	2	9	Diphtheria	2	4	1	2											
Females		1	2						2		1	2	8			3	4	1											
Males		2			1			2	1				6	Typhoid Fever	1					3	1	1							
Females									1		1	1	3					1			1		1						
Males														Scarlet Fever															
Females																													
Males														Other Fevers															
Females						1							1				1												
Males			1			2							3	Measles	2		1												
Females																													
Males					1					1			2	Whooping Cough.	1			1											
Females			3	1					2		1		7		3	4													
Males														Rheumatism and Gout										1	1				
Females	1								1				2																
Males	3		1		1	1	1	2	3	1		1	11	Anæmia, including Infantile Debility	9	1				1			1	1	1				
Females		2		1	1	1	2	2			1	1	11		5	3	1			2									

Males...	1			1				2		1			5	Dropsy				1					1		2	1			
Females				1									1										1						
Males...								1		2	1		4	Cancer								1		2	1				
Females			4	1			3						8								1	2		5					
Males...	3	1	2	2	1	2		2	1	3	2	1	20	Phthisis	2		1		3	4	5	1	2	1	1				
Females	6	3	2	5	2	1	1	1	1	3	2		27		1		1		3	12	8		1		1				
Males...		1	5		1	4	2		1	2	2	4	22	Nervous Diseases, includ. Convulsions	11	3		1		1			2	1	3				
Females	1	1	2	1	2	2	3	2		5		2	21		3	7	1			1			2	4	3				
Males...	1		2	1	1		1					1	7	Heart Diseases	1						1		1	4					
Females	1	2	2	2		1		3		3	1		15							2		1	4	4	3	1			
Males...	2	5	4	2	4	3	1	2		1	1	4	29	Pneumonia and Bronchitis	2	7					3		4	7	6				
Females	2	2	3	2	3	1	1	1			1		16		3					1	1	7	1	2	1				
Males...					1	4	1	1	2	2			11	Enteritis and Gastritis	1	1						1	2	2	2	2			
Females					2	1					1		4				1			1	1				1				
Males...											1		1	Liver Diseases								1							
Females	1		1		1	1		1	1				6					1			1	1	1	1	1				
Males...		2						1			1	2	6	Kidney Diseases									1	1	1	3			
Females			1	1				2					4				1		1			1			1				
Females			1										1	Child Birth						1									
Males...	5	4	1	3	3		1		1		1	1	20	Old Age											11	9			
Females		3		5	1	1	2		1		1		14												3	10	1		
Males..	1		1	1		3	1	2	1	2	1	3	16	Violent Deaths, Accidents, etc.	1	1			3	2	3	3	1	2					
Females		1	1		1							1	4			1	1								1	1			
Males...														Suicide															
Females							1		1				2										1	1					
Males...	3	3	2	3		1		1		1		2	16	Other diseases and cause not specified.	6	1	1	1					3	4					
Females	1		2	4	3		1		2				13		3						3	4	1	2					
Total Males...	20	18	20	14	15	21	9	21	13	18	12	21	202	Total Deaths from all causes	46	21	4	6	6	11	13	8	18	25	28	16			
Total Females	13	16	24	24	16	10	16	18	13	11	10	7	178		24	19	12	3	4	20	16	16	13	22	16	12	1		
Grand Total.	33	34	44	38	31	31	25	39	26	29	22	28	380		70	40	16	9	10	31	29	24	31	47	44	28	1		

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WELLINGTON—Population, 72,808.

SEX.	Months.													CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	1	....	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	2	2	....	....	1	....	....	....	....	....	....	2	7	Croup	....	5	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	1	1	....	....	....	....	....	....	....	....	3		....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	3	2	2	1	....	8	Diarrhœal Diseases.....	5	2	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	..	....	....	....	....	....	....	6	1	....	....	....	7		5	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	3	2	1	1	1	1	2	....	2	....	4	2	19	Diphtheria	2	7	4	3	1	2	....	....	....	....	....	....	....	....	....
Females	3	3	....	3	2	1	1	....	1	....	2	....	16		1	7	4	4	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	1	....	....	....	1	2	Typhoid Fever ...	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
Females	....	1	....	....	1	....	....	2	2	1	1	....	8		....	....	....	1	2	2	2	1	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	1	2		....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	....	....	1	1	Other Fevers.....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	1	....	....	1	Measles.....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	2	....	....	....	....	....	....	....	2		....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	1	....	2	....	1	....	....	....	4	Whooping Cough.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	1	1	....	....	3		2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	1	1	1	....	1	....	....	....	....	....	....	4	Rheumatism and Gout	....	....	....	....	....	1	....	....	1	1	....	....	....	....	1
Females	....	1	....	1	....	....	....	....	1	....	....	....	3		....	....	....	1	....	1	....	1	....	....	....	....	....	....	....
Males ..	4	4	3	5	1	1	1	5	5	6	....	....	35	Anæmia, including Infantile Debility	26	3	1	1	1	....	....	1	1	1	....	....	....	....	....
Females	4	3	2	1	2	2	2	....	2	5	2	2	27		15	1	1	1	1	1	1	2	2	2	....	....	....	....	....

Males ..	....	3	....	....	1	....	....	1	....	3	....	....	8	Dropsy	....	....	....	....	....	....	1	....	2	2	1	1	..	....	1
Females	....	....	2	3	1	....	1	2	....	....	....	....	9		1	....	..	....	....	....	....	1	1	2	3	1	....	....	....
Males , .	....	....	1	1	1	1	....	2	....	1	1	1	9	Cancer	....	....	....	....	....	2	....	....	2	4	....	1	....	....	....
Females	....	2	....	1	...	1	....	...	....	2	1	1	8		....	....	....	....	....	....	....	1	2	3	1	1	....	....	....
Males ..	3	7	2	7	2	5	4	1	1	4	....	6	42	Phthisis	4	1	2	1	5	11	4	5	3	4	....	2	....	....	....
Females	1	1	2	4	4	6	2	5	6	1	....	2	34		2	2	....	2	4	13	5	4	1	....	....	1	....	....	....
Males ..	4	2	1	3	1	2	2	8	2	1	1	1	28	Nervous Diseases, includ. Convulsions	10	1	....	....	2	1	1	2	2	5	2	2	....	....	....
Females	5	2	3	2	1	....	2	1	5	2	3	....	26		7	5	....	1	1	1	2	1	4	1	3	....	....	....	....
Males ..	1	4	4	5	2	...	7	....	7	2	2	1	35	Heart Diseases ...	....	2	....	2	3	2	3	2	3	9	3	5	....	....	1
Females	1	2	2	2	3	3	....	3	3	2	2	4	27		..	....	....	2	1	2	3	3	8	5	2	1	....	....	....
Males ..	2	3	5	7	7	3	2	....	1	3	5	2	40	Pneumonia and Bronchitis	7	8	....	1	1	1	1	2	3	8	5	3	....	....	....
Females	6	3	5	1	3	3	2	3	1	3	1	2	33		5	4	2	....	4	2	2	3	....	5	5	1	....	....	....
Males ..	....	1	1	....	6	....	2	1	2	1	....	....	14	Enteritis and Gastritis	2	2	1	2	2	2	....	....	1	2	....	....	....	....	....
Females	2	....	....	1	1	1	....	....	1	4	....	1	11		1	...	1	2	....	2	1	....	1	1	2	....	....	....	....
Males ..	....	....	....	....	....	1	....	....	2	1	1	1	6	Liver Diseases ...	....	....	....	....	....	....	....	1	1	1	1	1	1	....	....
Females	....	....	....	1	....	....	....	1	....	1	....	....	3		....	....	....	....	....	1	....	..	....	1	1	....	....	....	....
Males ..	2	....	....	2	....	1	2	....	1	1	1	1	11	Kidney Diseases ..	....	....	....	....	....	....	....	....	3	1	2	4	1	....	....
Females	....	....	2	....	....	2	....	....	1	1	....	....	6		3	1	....	...	....	....	....	1	....	....	....	1	....	....	....
Females	....	1	....	....	1	....	2	1	1	1	1	....	8	Child Birth	....	....	....	....	1	4	3	....	....	....	....	....	....	....	....
Males ..	4	2	6	7	2	3	2	6	2	5	6	3	48	Old Age	....	....	....	....	....	....	....	....	....	....	24	19	5	....	....
Females	1	1	2	....	3	2	6	....	7	8	3	5	38		....	....	....	....	....	....	..	....	....	....	13	17	7	1	....
Males ..	....	....	....	....	....	1	....	....	3	2	2	....	8	Violent Deaths, Accidents, etc..	....	1	....	1	....	1	1	1	1	1	....	1	....	....	....
Females	....	....	1	....	....	....	....	1	....	....	....	1	3		....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
Males ..	....	1	....	....	....	....	....	....	....	....	....	....	1	Suicide	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	1	.	....	....	..	....	....	....	....
Males ..	4	2	....	3	4	4	....	3	2	....	....	2	24	Other diseases and cause not specified.	11	1	...	....	1	2	1	1	3	1	....	1	....	....	2
Females	1	4	1	2	2	2	1	4	6	1	2	2	28		12	1	1	1	....	....	....	2	1	4	2	....	....	....	4
Total Males ..	29	34	25	42	30	24	26	31	34	33	24	24	356	Total Deaths from all causes	71	35	10	11	16	26	12	17	26	41	39	40	7	...	5
Total Females	24	27	23	24	26	23	19	29	41	34	18	21	309		55	28	10	17	15	30	20	20	21	25	33	23	7	1	4
Grand Total.	53	61	48	66	56	47	45	60	75	67	42	45	665	....	126	63	20	28	31	56	32	37	47	66	72	63	14	1	9

TABLE D.—COUNTIES.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WENTWORTH—POPULATION, 73,649.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males..	....	....	....	....	....	1	6	5	3	....	....	....	15	Cholera Infantum.	14	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	5	4	....	....	1	....	10		10	....	....	....	....	..	..	....	....	....	..	....	....	....	....
Males..	1	2	3	1	2	...	2	....	....	....	....	3	14	Croup	5	9	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	4	2	....	....	2	2	....	1	2	....	....	14		4	7	2	1	....	....	....	....	....	....	....	....	....	....	....
Males..	...	....	...	....	....	....	8	7	5	....	....	....	20	Diarrhœal Diseases	10	3	....	2	....	....	....	....	....	1	3	1	....	....	....
Females	1	....	....	....	...	1	4	6	1	2	1	....	16		7	3	....	....	....	1	....	1	1	1	2	....	....	....	....
Males..	4	....	2	4	2	1	....	1	....	1	....	2	17	Diphtheria	1	6	4	4	2	....	....	....	....	....	....	....	....	....	....
Females	2	3	5	6	2	....	3	2	2	....	1	1	27		2	12	9	3	1	....	....	....	....	....	....	....	....	....	...
Males..	....	....	1	....	2	1	....	...	....	1	2	....	7	Typhoid Fever	....	....	....	....	2	3	....	1	1	....	....	....	....	....	....
Females	....	1	1	....	....	....	....	....	....	4	2	1	9		1	....	1	1	1	1	2	1	1	..	....	....	....	....	....
Males..	1	....	1	1	....	....	....	...	....	1	....	....	4	Scarlet Fever	....	4	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	.	....	....	....	....	..	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	2	....	1	....	2	....	5	Other Fevers	1	1	....	1	1	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	..	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	..	....	....	..	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	..	....	....	....
Males..	....	....	..	2	4	....	....	....	2	1	....	....	9	Whooping Cough.	7	2	....	....	..	....	....	....	....	..	....	....	....	....	....
Females	....	....	1	....	1	..	....	1	1	.	....	....	4		4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	5	....	...	....	1	....	....	....	6	Rheumatism and Gout	....	....	....	..	....	....	2	2	....	2	....	....	....	....	....
Females	....	....	....	....	2	1	..	....	1	1	1	1	7		...	....	....	1	....	1	....	2	2	1	....	....	....	....	....
Males..	4	1	4	6	9	5	8	7	9	4	3	4	64	Anæmia, including Infantile Debility	53	4	..	1	....	....	....	2	1	3	....	....	..	....	....
Females	4	4	7	9	2	6	6	6	6	2	2	....	54		38	4	1	....	2	2	....	1	2	4	....	....	....	....	....

Males...	....	1	....	2	....	....	....	....	1	....	....	1	5	Dropsy.	....	....	....	....	....	....	....	2	....	....	1	2	....	....	....
Females	....	1	....	1	....	....	1	....	....	....	....	3	6		1	....	....	....	....	....	1	2	2	....	....	....	....	....	....
Males...	2	....	....	....	....	....	1	3	1	1	....	2	10	Cancer	....	....	....	....	1	1	3	....	1	3	1	....	....	....	....
Females	2	....	2	3	2	2	2	4	2	4	....	6	29		....	....	....	....	....	3	3	7	6	4	6	....	....	....	....
Males...	2	5	12	4	6	4	7	4	5	4	5	4	62	Phthisis..........	6	2	1	2	3	16	10	7	9	6	....	....	....	....	....
Females	4	6	7	4	6	8	4	6	5	4	5	9	68		3	1	1	5	8	24	7	8	6	4	....	1	....	....	....
Males...	4	12	5	6	5	6	9	6	8	4	5	10	80	Nervous Diseases, includ. convulsions	32	6	4	1	....	5	3	4	8	8	6	2	....	....	1
Females	1	3	6	4	5	6	6	4	5	7	4	6	57		17	6	5	1	1	5	2	3	4	4	5	3	1	....	....
Males...	3	2	1	4	8	4	4	8	5	6	2	4	51	Heart Diseases ...	2	....	1	....	2	....	1	8	13	12	7	4	....	....	1
Females	5	....	4	4	4	4	5	4	5	3	8	8	54		3	1	2	3	1	1	2	6	7	12	13	3	....	....	....
Males...	5	10	6	15	16	3	6	1	2	3	3	5	75	Pneumonia and Bronchitis......	22	11	1	....	3	1	3	4	13	9	5	3	....	....	....
Females	5	2	11	3	8	5	3	2	2	3	4	4	52		13	5	....	....	1	3	6	3	6	4	10	1	....	....	....
Males...	....	1	2	....	1	2	2	2	6	1	3	2	22	Enteritis and Gastritis	....	2	3	4	3	4	....	3	....	1	1	....	....	....	1
Females	2	....	....	2	4	1	2	1	1	1	2	1	17		1	1	2	....	....	5	2	1	....	4	1	....	....	....	....
Males...	....	....	2	1	....	....	1	2	....	....	2	....	8	Liver Diseases....	....	....	....	....	1	....	1	1	3	1		1	....	....	....
Females	....	1	....	....	....	2	....	....	2	....	....	1	6		....	....	....	....	....	1	....	3	....	1	1	....	....	....	....
Males...	3	3	1	3	2	1	4	....	3	....	1	1	22	Kidney Diseases..	3	....	....	....	1	....	2	2	3	5	5	1	....	....	....
Females	....	1	1	1	2	....	1	....	1	....	....	....	7		....	....	....	....	1	1	1	2	....	1	1	....	....	....	....
Females	....	2	1	....	....	1	....	....	....	....	....	....	4	Child Birth........	....	....	....	....	....	3	1	....	....	....	....	....	....	....	....
Males...	4	2	4	1	1	1	4	4	6	1	1	5	34	Old Age	....	....	....	....	....	....	....	....	....	....	16	18	....	....	....
Females	2	5	3	7	3	9	4	2	2	7	6	5	55		....	....	....	....	....	....	....	....	....	....	21	18	15	1	....
Males ..	2	2	1	....	3	7	1	2	2	2	1	4	27	Violent Deaths, Accidents, etc	....	1	....	3	3	1	4	2	5	4	2	....	....	....	2
Females	....	2	....	....	1	....	....	1	1	1	....	....	6		....	....	....	....	....	2	1	....	2	....	....	1	....	....	....
Males...	1	....	....	....	....	....	....	....	....	....	....	....	1	Suicide......	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males...	8	4	5	6	4	6	3	4	3	4	2	4	53	Other diseases and cause not specified.	47	....	....	....	....	2	....	2	1	....	....	....	....	....	1
Females	4	3	6	3	....	5	2	2	6	5	8	3	47		36	....	1	1	2	....	....	1	3	2	....	....	....	....	1
Total Males...	44	45	50	56	70	42	68	56	63	34	32	51	611	Total Deaths from all causes.	203	52	14	18	22	33	30	40	58	56	47	32	....	....	6
Total Females	33	38	57	48	43	53	50	46	44	46	45	49	552		141	41	24	16	18	53	28	42	42	42	60	27	16	1	1
Grand Total...	77	83	107	104	113	95	118	102	107	80	77	100	1163	....	344	93	38	34	40	86	58	82	100	98	107	59	16	1	7

TABLE D.—COUNTIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

YORK—POPULATION, 183,408.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	1	....	....	2	1	1	27	24	21	6	1	1	85	Cholera Infantum.	73	11	1	....	....	....	....	....	....	....	....	....	....	...	....
Females	....	....	....	....	2	....	21	26	15	....	....	1	65		56	9	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	3	1	1	5	1	1	....	....	2	2	....	1	17	Croup	4	10	3	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	1	2	2	1	1	1	1	....	1	2	6	20		5	13	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	2	1	3	1	3	11	33	20	5	1	2	83	Diarrhœal Diseases	54	18	2	1	....	....	1	4	1	1	1	....	....	....	....
Females	5	3	1	1	2	3	15	22	14	3	....	2	71		49	12	1	2	....	....	1	1	1	2	2	....	....	....	....
Males...	6	9	8	6	1	5	4	10	5	3	3	12	72	Diphtheria	5	38	17	5	4	1	....	1	....	1	....	....	....	....	....
Females	21	8	7	7	2	7	8	16	4	7	....	5	92		12	36	29	8	4	2	1	...	....	....	....	....	....	....	....
Males...	2	3	2	2	....	1	1	4	9	7	5	5	41	Typhoid Fever	2	3	....	....	4	15	6	5	2	2	....	....	....	...	2
Females	2	1	1	2	3	6	2	4	9	8	6	3	47		....	7	3	4	4	12	4	5	5	2	1	....	....	....	....
Males...	....	....	....	2	1	1	1	....	....	....	....	1	6	Scarlet Fever	1	4	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	2	1	....	2	....	....	....	7		1	2	3	1	..	....	....	....	...	....	....	..	....	....	....
Males...	1	...	....	....	....	1	2	....	1	....	2	....	7	Other Fevers	1	....	....	....	1	3	....	2	....	....	....	....	....	....	....
Females	1	1	....	....	1	....	2	1	....	3	....	....	9		1	3	2	1	....	....	1	...	1	....	....	....	....	....	....
Males...	....	....	....	2	1	1	....	....	....	....	....	....	4	Measles	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	1	....	....	2	....	1	....	....	5		3	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	3	2	....	2	....	1	2	....	2	1	14	Whooping Cough	10	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	2	2	....	2	1	1	....	....	10		7	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	1	....	1	....	....	....	....	3	Rheumatism and Gout	...	....	....	1	....	....	1	....	....	1	....	....	....	....	....
Females	....	1	2	1	1	1	....	..	....	1	....	1	8		....	....	....	....	....	....	1	2	2	1	2	....	....	....	....
Males...	16	14	16	10	12	15	17	28	22	15	11	5	181	Anæmia, including Infantile Debility	148	9	....	....	....	3	....	5	5	5	2	2	1	....	1
Females	9	8	15	7	18	14	19	21	21	11	12	11	166		118	14	3	2	3	6	5	3	4	7	1	....	....	....	....

Males..	2	....	3	3	2	2	1	....	1	1	1	....	16	Dropsy.....	2	....	....	1	...	2	2	1	....	3	1	3	....	....	1
Females	4	4	3	6	3	3	....	1	2	....	....	1	27		1	....	....	1	....	4	5	1	9	3	1	1	....	....	1
Males..	5	2	3	5	2	3	3	5	2	3	6	1	40	Cancer	....	....	....	....	....	....	5	4	10	9	8	4	...	....	....
Females	5	3	5	5	8	6	3	1	2	4	1	3	46		....	....	1	....	....	1	4	4	10	10	12	1	1	...	2
Males..	21	20	17	21	16	13	13	14	12	16	8	16	187	Phthisis.....	14	4	4	6	14	58	24	35	11	13	2	1	...	....	1
Females	14	9	12	14	16	8	12	12	11	16	14	11	149		10	6	2	1	13	45	30	22	11	6	1	1	....	....	1
Males..	23	16	22	21	18	28	26	21	12	20	14	21	242	Nervous Diseases, includ. Convulsions	104	41	10	4	1	8	6	10	16	16	19	5	1	....	1
Females	7	17	26	18	14	20	22	17	16	22	10	17	206		93	33	9	3	4	13	5	8	11	13	11	3	....	....	....
Males..	11	20	13	9	11	9	15	11	10	10	12	3	134	Heart Diseases ..	7	3	3	....	6	7	7	17	23	32	22	5	....	....	2
Females	2	13	12	9	14	16	9	13	11	11	10	7	127		5	3	3	3	5	2	16	15	14	31	21	5	1	....	3
Males..	19	18	27	29	37	22	14	6	7	15	19	16	229	Pneumonia and Bronchitis ..	61	39	9	2	6	10	28	18	16	19	13	4	....	....	4
Females	10	14	29	19	30	18	5	5	9	12	13	13	177		55	28	2	4	5	11	11	15	11	19	14	2	....	....	....
Males..	5	1	3	5	9	2	5	15	9	5	4	5	68	Enteritis and Gastritis	18	2	5	1	2	11	4	11	8	4	2	...	....	....	....
Females	2	10	8	2	7	8	7	7	2	4	3	10	70		10	5	1	....	5	11	13	4	6	10	3	1	....	....	1
Males..	....	2	4	3	2	....	3	3	3	3	1	1	25	Liver Diseases....	....	1	....	....	2	2	3	4	8	4	1	....	....	....	....
Females	....	....	1	2	1	1	3	3	....	1	2	1	15		....	....	.. .	....	....	2	2	1	5	2	2	....	....	....	1
Males..	3	4	2	3	3	....	4	3	9	4	....	2	37	Kidney Diseases..	2	....	1	....	1	4	4	4	8	4	6	3	....	....	....
Females	3	3	3	1	4	3	1	3	5	5	3	4	38		....	1	1	....	....	5	4	7	7	5	8	....	....	....	....
Females	3	1	7	5	3	2	2	....	1	2	2	1	29	Child Birth.....	....	....	....	....	2	15	12	....	....	....	....	....	....	....	....
Males..	6	9	4	6	15	11	3	6	3	9	9	4	85	Old Age	....	....	....	....	....	....	....	....	....	..	46	28	10	1	....
Females	11	6	6	9	12	10	6	7	6	9	5	5	92		....	....	....	....	....	....	....	...	....	....	50	34	8	....	....
Males..	4	9	3	6	3	10	3	9	5	4	3	4	63	Violent Deaths, Accidents, etc..	3	8	2	5	4	13	6	5	6	3	4	2	....	....	2
Females	....	3	2	....	1	1	....	4	....	2	....	1	14		....	3	1	1	2	1	1	1	1	1	1	1	....	....	....
Males..	....	1	....	....	....	....	....	....	1	3	....	....	5	Suicide.	....	....	....	....	1	...	2	....	1	....	...	....	....	....	1
Females	....	....	....	1	....	1	1	....	....	2	....	....	5		....	....	...	....	1	....	2	1	1	....	....	....	....	....	....
Males..	23	17	18	19	24	31	15	23	17	18	15	27	247	Other diseases and cause not specified.	200	8	2	3	5	5	6	4	5	7	2	....	....	....	....
Females	19	12	12	19	16	15	13	16	14	3	6	12	157		114	6	2	3	2	5	11	6	6	1	1	....	....	....	....
Total Males..	152	149	150	165	160	163	168	217	173	149	117	128	1891	Total Deaths from all causes.	710	205	60	29	51	143	105	130	120	124	129	57	12	1	15
Total Females	120	118	156	132	163	148	153	184	145	129	89	115	1652		540	184	66	35	50	135	129	93	105	113	131	49	10	....	9
Grand Total.	272	267	306	297	323	311	321	401	318	278	206	243	3543	.....	1250	389	126	64	101	278	234	226	225	237	260	106	22	1	24

RECAPITULATION.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.

PROVINCE—Population, 2,148,971.

SEX.	Months.													CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males..	5	1	4	7	4	9	69	104	66	18	3	3	293	Cholera Infantum.	248	43	1	1	....	....	....	....	....	....	....	....	....	....	....
Females	1	2	2	2	6	3	71	101	51	10	1	4	254		222	29	3	....	....	....	....	....	....	....	....	....	....	....	....
Males..	23	23	17	26	19	5	12	8	14	11	16	25	199	Croup	49	112	31	6	....	....	....	....	....	....	....	....	....	....	1
Females	21	24	18	18	10	9	10	12	7	9	11	23	172		40	99	31	2	....	....	....	....	....	....	....	....	....	....	....
Males..	11	13	13	16	15	17	85	148	118	31	11	11	489	Diarrhœal Diseases	298	103	19	4	....	1	4	11	6	14	16	11	1	....	1
Females	14	12	14	9	11	21	80	135	93	31	10	15	445		259	84	11	3	3	4	5	12	9	21	23	11	....	....	....
Males..	51	48	59	42	39	44	30	37	34	47	37	65	533	Diphtheria	43	212	164	68	25	10	4	3	1	1	1	1	..	....	....
Females	71	60	45	46	44	30	39	47	36	51	28	58	555		53	211	169	67	26	22	3	2	....	....	1	....	....	....	1
Males..	8	13	14	13	13	11	14	34	45	50	39	33	287	Typhoid Fever	5	12	15	10	31	90	49	30	15	18	6	1	....	...	5
Females	12	10	6	5	10	12	10	27	45	56	32	17	242		1	15	22	22	35	62	26	26	21	7	3	1	....	....	1
Males..	7	2	4	14	9	5	1	3	4	4	5	4	62	Scarlet Fever	10	36	11	3	..	1	....	....	1	....	....	....	....	....	....
Females	1	5	9	13	8	7	5	2	7	6	4	3	70		7	35	20	5	2	....	....	....	....	....	....	1	....	....	....
Males..	11	6	1	9	5	5	15	1	11	12	7	1	84	Other Fevers	7	15	9	9	12	10	5	9	2	4	2	....	....	....	....
Females	6	10	4	6	7	14	10	8	13	19	6	2	105		10	20	13	8	10	13	7	9	8	4	2	1	....	....	....
Males..	8	3	8	13	9	9	6	2	1	2	5	2	68	Measles	25	22	13	1	2	5	....	....	....	....	....	....	....	....	....
Females	5	3	6	11	7	3	4	6	3	4	2	6	60		16	25	9	5	....	2	2	....	....	1	..	..	....	....	....
Males..	6	2	9	9	13	4	10	6	11	9	5	8	92	Whooping Cough.	60	25	4	3	....	....	....	....	....	....	....	....	....	....	....
Females	6	7	12	6	5	5	9	11	15	9	5	5	95		57	32	4	1	....	....	....	....	....	....	1	....	....	....	....
Males..	9	7	8	8	12	7	7	4	5	4	10	3	84	Rheumatism and Gout	1	3	4	3	4	10	9	12	9	14	11	2	1	....	1
Females	9	9	7	13	5	9	6	7	7	5	8	5	90		1	2	3	6	5	14	6	10	14	15	12	1	....	....	1
Males..	105	102	99	98	88	77	120	143	131	94	72	67	1196	Anæmia, including Infantile Debility.	949	92	12	13	7	16	7	13	31	47	4	2	1	....	2
Females	84	83	96	98	83	83	114	122	104	65	74	69	1075		772	88	17	6	16	34	25	27	31	52	2	....	....	.	5

Males .	15	13	24	22	13	18	15	18	18	16	14	16	202	Dropsy	7	2	1	6	3	8	7	14	21	51	55	22	1	1	3
Females	23	18	17	26	21	22	16	14	31	19	19	13	239		8	2	5	3	6	18	27	19	43	52	37	13	1	...	5
Males ..	30	14	24	24	20	16	25	29	20	23	24	25	274	Cancer	....	1	1	....	11	17	29	60	57	58	26	9	....	....	5
Females	33	23	38	29	31	28	33	27	27	29	27	36	361		2	2	1	3	6	28	61	66	83	63	34	3	2	....	7
Males ..	97	96	123	132	107	78	86	85	85	95	81	101	1166	Phthisis	65	35	16	26	98	347	192	137	105	99	31	6	....	....	9
Females	102	109	114	115	110	126	104	120	118	115	95	127	1355		50	38	16	42	155	471	238	149	97	67	15	5	....	....	12
Males ..	122	111	120	116	93	99	104	115	98	83	79	108	1248	Nervous Diseases, includ. Convulsions	459	187	48	22	27	59	42	53	79	115	106	34	5	....	12
Females	79	84	110	90	72	78	90	94	91	89	67	83	1027		333	160	45	24	37	75	43	35	63	86	94	25	4	....	3
Males ..	68	77	71	72	73	57	65	79	61	72	67	70	832	Heart Diseases	31	14	8	12	22	37	45	72	116	226	180	52	1	1	15
Females	57	65	68	73	67	50	64	56	51	60	59	65	735		28	10	16	22	23	49	59	64	107	183	128	36	5	....	5
Males ..	128	162	211	201	194	97	62	39	46	93	96	104	1433	Pneumonia and Bronchitis	335	213	44	27	41	76	83	106	126	163	147	52	3	....	17
Females	101	118	180	127	125	94	45	40	35	71	86	82	1104		251	167	24	28	46	75	82	85	66	111	124	30	3	....	12
Males ..	24	39	50	31	42	32	53	56	57	42	35	33	494	Enteritis and Gastritis	76	42	24	22	33	74	39	44	36	52	35	10	1	....	6
Females	32	32	33	25	38	39	45	41	33	29	28	40	415		53	25	21	22	18	60	47	29	34	61	34	5	1	....	5
Males ..	8	12	20	12	13	9	13	20	20	17	16	10	170	Liver Diseases	2	7	2	....	7	13	14	26	36	34	23	4	2	....	....
Females	5	8	9	17	11	12	17	18	13	8	6	9	133		5	5	3	3	2	14	13	22	22	27	15	1	....	....	1
Males ..	31	32	28	20	28	26	29	15	44	29	28	45	355	Kidney Diseases	10	9	5	5	6	25	26	33	55	78	72	28	1	....	2
Females	21	11	15	17	12	17	11	17	23	18	12	12	186		8	10	7	8	7	21	23	27	20	26	19	6	....	....	4
Females	19	28	27	36	28	21	19	15	10	14	11	17	245	Child Birth	....	....	....	....	7	119	99	18	1	....	....	....	....	....	1
Males ..	141	110	116	112	108	73	80	91	86	96	89	109	1211	Old Age	....	....	..	....	....	....	....	....	..	....	558	516	127	9	1
Females	113	113	97	112	96	96	78	74	89	104	87	95	1154		....	....	....	....	....	....	....	....	....	....	504	488	151	10	1
Males .	35	33	43	46	50	65	58	48	53	40	37	40	548	Violent Deaths, Accidents, etc.	8	51	33	48	58	92	66	49	54	46	25	8	1	....	9
Females	6	12	7	9	16	6	13	13	16	11	12	7	128		5	23	11	15	7	6	9	10	12	8	12	7	1	....	2
Males ..	2	5	2	4	6	4	3	5	4	4	1	....	40	Suicide	....	....	....	..	2	7	7	7	7	6	2	....	....	....	2
Females	....	2	1	2	1	4	4	2	3	....	....	....	19		....	....	....	....	1	1	5	5	3	4	....	....	....	....	....
Males ..	117	96	136	89	99	115	83	99	94	74	67	85	1154	Other diseases and cause not specified.	614	68	35	22	21	51	31	18	84	103	56	4	4	....	43
Females	99	72	90	95	91	90	69	71	80	65	67	67	956		396	63	36	26	28	40	48	93	59	93	28	7	....	....	39
Total Males ..	1062	1020	1204	1136	1072	882	1045	1189	1126	966	844	968	12514	Total Deaths from all causes	3302	1304	500	311	410	949	659	697	841	1129	1356	762	149	11	134
Total Females	920	920	1025	1000	915	879	966	1080	1001	897	757	860	11220		2577	1145	487	321	440	1128	828	708	693	881	1088	641	168	10	105
Grand Total.	1982	1940	2229	2136	1987	1761	2011	2269	2127	1863	1601	1828	23734	....	5879	2449	987	632	850	2077	1487	1405	1534	2010	2444	1403	317	21	239

RECAPITULATION.

Deaths by Ages and Months in the whole Province by Counties in 1888.

POPULATION, 2,148,971.

SEX.	MONTHS.													COUNTIES.	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	10	7	17	11	9	7	7	14	17	11	8	15	133	Algoma	29	18	8	5	8	10	13	10	8	3	9	1	....	....	11
Females	8	6	7	8	14	6	3	9	10	8	4	9	92		37	10	1	3	8	14	3	5	....	5	....	....	1	...	5
Males...	12	11	24	17	24	9	20	20	16	22	19	9	203	Brant	54	20	3	3	10	12	15	8	18	21	27	8	3	....	1
Females	14	16	18	23	22	17	29	19	19	12	9	17	215		67	14	7	3	5	23	18	13	13	13	22	11	1	....	5
Males...	21	27	33	23	26	31	17	25	28	18	18	31	298	Bruce	78	28	11	4	10	20	21	15	18	23	43	18	6	....	3
Females	23	21	21	31	18	11	26	26	22	18	20	18	255		57	25	12	9	9	22	16	17	11	16	28	22	8	1	2
Males...	78	63	57	64	66	56	124	68	39	27	40	48	730	Carleton	316	59	33	9	14	47	30	47	38	44	67	12	2	....	12
Females	63	50	56	65	39	54	110	72	38	30	38	37	652		245	75	29	19	18	60	37	28	35	41	38	19	4	1	3
Males...	5	12	9	14	8	5	8	10	7	14	11	11	114	Dufferin	28	18	2	3	6	11	8	7	8	9	5	5	....	1	3
Females	11	12	2	4	8	7	5	13	8	8	6	7	91		22	17	4	3	2	9	5	5	6	5	4	2	2	....	5
Males...	21	24	29	26	26	17	16	31	28	24	22	22	286	Elgin	56	29	13	9	8	23	11	14	22	40	37	13	3	1	7
Females	21	20	25	21	16	12	13	14	25	26	16	37	246		36	29	7	8	11	28	23	12	17	19	24	22	5	...	5
Males...	39	44	37	47	35	31	26	39	39	39	40	23	439	Essex	122	78	32	11	16	25	19	14	31	33	31	21	4	....	2
Females	26	29	40	35	33	31	38	34	26	29	24	28	373		107	59	24	7	9	34	23	20	21	23	27	14	5	....	....
Males...	24	23	26	19	23	13	16	25	17	22	18	34	260	Frontenac	48	20	5	7	10	20	20	23	12	41	26	20	5	....	3
Females	20	22	20	11	15	12	16	26	26	14	20	16	218		34	16	6	9	6	24	12	23	12	23	34	14	4	....	1
Males...	21	19	40	26	19	19	10	20	26	27	24	37	288	Grey	60	20	12	8	9	24	12	14	18	42	37	28	3	....	1
Females	30	22	25	34	21	28	18	28	26	23	19	29	303		56	17	8	4	15	32	26	18	18	31	43	19	8	..	8

Males...	11	8	23	11	24	14	14	9	7	14	8	8	151	Haldimand	31	19	5	4	6	13	3	4	13	15	22	12	2	....	2
Females	12	8	17	8	9	11	7	8	11	16	9	7	123		18	12	4	7	5	9	15	5	9	14	16	8	...	....	1
Males...	13	8	13	8	8	5	7	8	15	10	12	10	117	Halton	23	5	2	6	4	9	8	6	8	13	21	9	2	...	1
Females	9	10	10	11	9	8	5	9	13	8	11	9	112		20	10	3	....	3	11	11	4	9	13	12	10	2	....	4
Males...	2	1	5	2	3	....	5	3	1	3	1	....	26	Haliburton	9	1	3	1	....	3	....	1	2	2	3	1	....	....	....
Females	3	4	3	2	2	....	1	....	3	2	1	2	23		10	1	1	....	....	1	1	3	2	1	2	1	....	....	....
Males...	33	25	35	30	23	13	32	43	32	26	23	22	337	Hastings	80	35	15	11	9	29	16	11	20	39	40	24	5	....	3
Females	23	23	25	15	25	19	29	46	29	26	17	36	313		71	24	18	8	14	30	22	25	18	25	32	22	2	....	2
Males...	31	27	45	23	18	26	19	31	25	22	20	39	326	Huron	57	43	11	6	10	25	25	14	28	39	39	19	7	....	3
Females	24	22	24	27	22	25	30	35	24	20	23	30	306		65	39	7	7	9	29	24	19	21	26	27	24	7	....	2
Males...	24	33	32	23	25	13	18	34	31	18	19	21	291	Kent.....	79	26	11	6	3	21	20	20	23	24	32	18	3	1	4
Females	26	22	14	26	25	21	14	23	17	19	14	20	241		38	27	14	3	13	26	19	20	10	21	22	14	7	....	7
Males...	28	17	25	23	24	18	16	30	43	27	27	12	290	Lambton	53	31	12	3	21	37	12	20	21	30	33	14	2	....	1
Females	22	22	27	26	17	22	18	15	30	35	22	13	269		55	23	14	6	15	36	19	21	17	21	21	14	4	1	2
Males...	12	17	19	15	16	18	22	18	12	15	11	17	192	Lanark.....	40	19	10	7	4	19	6	12	13	18	23	17	3	....	1
Females	16	12	17	18	12	13	15	6	12	10	14	8	153		40	14	3	3	9	15	8	11	10	13	13	12	1	1	....
Males...	22	30	24	33	23	22	20	26	32	25	26	21	302	Leeds & Grenville.	50	26	14	4	1	28	12	22	21	21	47	33	7	....	2
Females	19	26	31	22	28	25	19	28	27	20	22	22	289		47	25	14	7	16	29	27	21	18	24	34	20	6	....	1
Males..	10	13	8	14	6	6	7	16	13	8	8	21	130	Lennox and Addington.	17	10	2	2	7	6	7	8	10	14	23	14	6	....	4
Females	12	7	5	10	3	4	9	12	12	5	4	3	86		10	10	2	2	4	11	7	4	9	8	7	9	1	....	2
Males...	19	23	23	20	16	18	22	29	15	17	11	17	230	Lincoln	52	15	12	7	7	18	18	16	20	17	23	19	2	....	4
Females	21	21	23	28	13	14	13	21	26	20	14	13	227		45	22	6	8	14	20	15	12	13	22	31	16	3	....	....
Males...	49	47	55	48	44	40	46	40	45	44	35	49	542	Middlesex	131	44	22	12	9	48	27	18	44	56	75	37	10	1	8
Females	33	48	52	56	40	30	45	48	63	48	29	30	522		106	40	27	13	18	76	41	33	30	42	58	28	4	....	6
Males...	18	21	14	10	19	10	14	27	29	18	19	16	215	Muskoka & Parry Sound.	74	32	13	7	9	15	10	6	8	16	14	7	...	....	4
Females	16	5	12	9	15	9	16	20	25	21	18	14	180		52	25	14	8	6	13	11	7	14	9	10	6	1	....	4
Males...	16	12	18	19	13	13	10	5	18	12	10	14	160	Norfolk	29	15	6	3	6	13	3	11	10	20	29	12	2	....	1
Females	12	10	11	16	12	14	15	10	19	7	18	17	161		20	9	8	10	4	28	14	13	9	16	14	13	2	1	....
Males...	46	37	47	35	30	29	30	22	29	38	24	36	403	Northumberland and Durham.	70	36	12	8	17	32	20	19	30	40	63	52	4	....	....
Females	27	48	30	33	27	25	28	35	19	24	22	30	348		45	28	9	11	8	38	31	26	25	35	54	33	5	....	....
Males...	19	20	30	33	22	13	22	26	27	22	35	19	288	Ontario	64	33	17	11	8	22	14	15	13	36	28	21	2	....	4
Females	26	22	19	12	13	16	23	23	19	25	24	27	249		52	34	13	9	16	22	20	12	9	20	18	15	2	...	7
Males...	41	29	32	40	25	30	21	23	36	20	17	21	335	Oxford	71	32	18	8	13	21	21	25	18	26	42	25	8	2	5
Females	33	22	33	26	17	25	15	25	27	24	22	22	291		50	29	17	9	16	27	25	25	17	16	32	20	6	1	1

RECAPITULATION—*Continued.*

Deaths by Ages and Months in the whole Province by Counties in 1888.

SEX.	Months.													COUNTIES.	Ages.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	14	12	9	20	13	9	12	18	10	15	14	12	158	Peel	23	14	5	6	11	9	15	7	9	21	12	16	2	....	8
Females	14	18	13	14	8	13	13	10	15	15	10	11	154		28	13	7	7	2	15	11	11	11	13	22	11	2	....	1
Males...	18	11	24	27	22	21	17	28	25	28	12	19	252	Perth	46	30	7	6	11	25	12	9	17	25	37	21	5	....	1
Females	19	14	23	18	32	25	17	21	13	21	21	14	238		39	16	8	9	14	26	18	17	15	28	28	19	....	....	1
Males...	16	12	26	24	14	14	22	21	12	11	13	12	197	Peterborough...	62	17	12	3	4	11	13	13	14	15	16	14	3	....	....
Females	7	8	17	14	7	15	8	24	9	18	15	14	156		31	17	5	4	7	13	17	13	13	8	19	8	1	....	....
Males...	20	19	21	17	34	23	25	28	28	16	13	20	264	Prescott and	94	36	18	10	6	18	12	9	11	12	18	13	5	1	1
Females	23	31	24	20	30	29	21	32	18	17	15	24	284	Russell	77	45	15	7	12	25	17	20	15	11	17	11	5	1	6
Males...	10	13	12	13	11	10	5	9	14	12	13	9	131	Prince Edward.	21	6	3	7	4	17	11	7	9	13	25	6	2	....	....
Females	17	12	15	12	8	10	6	9	12	17	8	8	134		16	12	5	8	10	12	12	7	2	14	20	12	4	....	....
Males...	15	11	18	21	16	18	20	15	10	19	16	15	194	Renfrew	52	31	8	9	7	13	6	11	9	12	23	7	6	....	....
Females	14	13	15	17	17	14	14	12	17	17	12	8	170		43	15	4	10	8	19	15	10	10	15	10	9	2	....	....
Males...	36	33	43	34	34	18	24	25	29	26	23	25	350	Simcoe	77	44	14	17	10	32	21	19	21	31	36	22	3	1	2
Females	33	41	26	27	26	27	17	19	21	18	21	29	305		40	34	22	7	19	33	24	16	22	20	40	19	6	....	3
Males...	23	28	34	42	24	17	26	35	35	16	18	27	325	Stormont, Dun-	49	40	19	9	8	28	21	20	24	32	35	29	3	2	6
Females	19	20	20	29	25	29	30	27	33	20	22	19	293	das & Glengarry	42	26	17	11	10	38	17	19	17	24	33	23	9	....	7
Males...	13	12	15	10	10	8	12	9	18	13	10	14	144	Victoria.....	30	18	8	6	3	17	3	4	8	12	20	14	1	....	....
Females	7	13	16	20	8	7	11	19	12	7	11	11	142		21	16	4	2	7	13	13	7	12	16	10	17	3	1	....
Males...	27	25	37	17	34	18	42	34	35	35	21	28	353	Waterloo	97	43	14	9	12	15	14	23	22	27	53	15	9	....	....
Females	27	21	29	24	31	17	31	25	32	29	20	29	315		74	45	16	9	11	29	18	12	23	25	29	13	11	....	....

Males...	29	34	25	42	30	24	26	31	34	33	24	24	356	Wellington.....	71	35	10	11	16	26	12	17	26	41	39	40	7	....	5
Females	24	27	23	24	26	23	19	29	41	34	18	21	309		55	28	10	17	15	30	20	20	21	25	33	23	7	1	4
Males...	20	18	20	14	15	21	9	21	13	18	12	21	202	Welland	46	21	4	6	6	11	13	8	18	25	28	16	..	....	....
Females	13	16	24	24	16	10	16	18	13	11	10	7	178		24	19	12	3	4	20	16	16	13	22	16	12	1	....	....
Males...	44	45	50	56	80	42	68	56	63	34	32	41	611	Wentworth	203	52	14	18	22	33	30	40	58	56	47	32	....	....	6
Females	33	38	57	48	43	53	50	46	44	46	45	49	552		141	41	24	16	18	53	28	42	42	42	60	27	16	1	1
Males...	152	149	150	165	160	163	168	217	173	149	117	128	1891	York	710	205	60	29	51	143	105	130	120	124	129	57	12	1	15
Females	128	110	156	132	163	148	153	184	145	129	89	115	1652		540	184	66	35	50	135	129	96	105	113	131	49	10	....	9
Total Males...	1062	1020	1204	1136	1072	882	1045	1189	1126	966	844	968	12514	Total Deaths from all causes	3302	1304	500	311	410	949	659	697	841	1129	1356	762	149	11	134
Total Females	928	912	1025	1000	915	879	966	1080	1001	897	757	860	11220		2577	1145	487	321	440	1128	828	708	693	881	1088	641	168	10	105
Grand Total.	1990	1932	2229	2136	1987	1761	2011	2269	2127	1863	1601	1828	23734	....	5879	2449	987	632	850	2077	1487	1405	1534	2010	2444	1403	317	21	239

H. S. CREWE,
Inspector.

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.

TORONTO—Population, 139,432.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	1	....	..	2	1	1	22	17	19	1	1	...	65	Cholera Infantum.	57	8	....	....	...	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	2	....	15	23	13	....	....	1	54		45	9	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	1	4	1	1	....	....	2	1	....	1	12	Croup	2	9	1	....	....	..	....	....	....	....	....	....	....	....	....
Females	2	1	2	2	....	....	....	....	....	1	2	6	16		3	11	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	2	1	3	1	2	9	28	17	5	1	1	71	Diarrhœal Diseases	46	16	2	....	....	....	1	3	1	1	1	....	....	....	....
Females	5	3	....	1	1	3	14	20	11	3	1	1	63		44	12	....	1	....	....	1	1	1	1	2	....	....	....	....
Males...	5	7	6	5	1	3	3	7	5	3	2	7	54	Diphtheria	4	32	14	3	1	....	....	....	..	....	....	....	....	....	....
Females	16	7	7	5	2	6	7	9	4	7	....	4	74		9	29	27	3	3	2	1	....	....	....	....	....	....	....	....
Males...	1	2	2	2	...	1	1	4	8	7	5	3	36	Typhoid Fever	...	2	....	....	4	14	6	5	2	2	....	....	....	....	1
Females	1	1	1	2	3	6	2	2	8	6	4	....	36		...	3	2	2	2	11	3	5	5	2	1	....	....	....	....
Males...	...	....	....	1	....	1	1	....	....	....	....	1	4	Scarlet Fever	....	3	....	..	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	1	....	....	1	..	....	....	4		1	2	1	....	....	....	....	....	....	....	....	....	...	....	....
Males...	1	....	....	....	....	....	....	....	....	....	2	....	3	Other Fevers	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	1	....	1	....	....	1	....	....	5		1	2	....	....	....	....	1	....	1	....	....	....	....	....	....
Males...	....	....	....	1	1	....	....	....	....	...	....	....	2	Measles	1	1	....	....	....	....	....	....	....	....	....	....	....	...	....
Females	....	....	...	1	....	....	....	1	..	1	....	....	3		3	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	....	....	...	1	1	....	2	1	7	Whooping Cough.	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	....	1	....	....	....	1	....	....	4		2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	1	....	1	1	1	....	....	....	..	....	1	5		....	....	....	....	....	....	1	2	1	1	....	....	....	....	....
Males...	12	9	14	8	10	13	15	23	20	12	9	5	150	Anæmia, including Infantile Debility	133	6	....	....	....	1	....	3	3	1	2	1	....	....	....
Females	8	6	12	6	17	14	13	20	19	6	11	7	139		102	11	3	2	3	4	5	1	2	5	1	....	....	....	....

Males..	2	....	1	1	1	...	1	....	1	1	1	....	9	Dropsy	1	....	....	....	1	...	2	1	....	....	1	....	....	....	1	....	....	....	1
Females	4	3	....	3	2	2	....	1	2	....	..	1	18		....	....	....	1	...	4	2	....	6	3	1	....	....	....	1				
Males..	4	2	2	5	1	3	3	5	2	3	5	....	35	Cancer	....	....	....	....	....	5	2	8	9	7	4	....	....	....	....	....	....	....	
Females	4	3	5	4	8	4	3	1	2	3	1	3	41		....	....	....	....	1	4	2	10	9	11	1	1	....	....	2				
Males..	16	16	12	20	14	13	10	13	7	11	5	14	151	Phthisis	13	4	3	3	10	47	20	30	9	9	2	....	....	....	1			
Females	8	6	10	10	14	7	8	8	11	12	12	10	116		8	5	....	....	12	37	19	22	8	3	1	1	....	....	....				
Males..	19	11	16	19	15	20	24	18	9	13	9	15	188	Nervous Diseases, includ. Convulsions	84	38	7	4	....	7	3	9	14	8	11	3	....	....	....				
Females	6	12	18	14	13	17	18	14	14	15	7	14	162		76	31	5	....	3	10	4	5	9	10	7	2	....	....	..				
Males..	9	14	10	8	8	9	10	9	9	8	9	1	104	Heart Diseases ..	6	3	3	....	4	7	7	11	17	28	14	4	....	....	....				
Females	1	11	10	7	13	13	8	9	11	9	5	6	103		5	2	2	3	4	2	13	12	12	22	18	4	1	...	3				
Males..	19	15	19	22	29	20	14	6	6	12	16	16	194	Pneumonia and Bronchitis	52	32	7	2	6	9	25	14	14	16	10	4	....	....	3				
Females	10	10	16	14	25	15	4	5	7	7	9	12	134		44	24	2	3	2	9	9	6	8	17	8	2	....	....	....				
Males..	3	....	2	5	7	1	3	10	8	4	3	4	50	Enteritis and Gastritis	17	2	4	1	1	8	2	6	5	3	1	....	....	....	....				
Females	2	7	5	....	5	5	2	5	1	3	3	9	47		7	5	1	....	2	6	10	4	5	7	....	....	....	....	....				
Males..	....	2	3	3	1	...	2	3	2	1	....	1	18	Liver Diseases....	....	1	....	....	2	....	2	3	5	4	1	....	....	....	....				
Females	....	....	1	1	1	....	3	1	....	....	1	1	9		....	....	....	....	....	....	....	1	4	2	1	....	....	..	1				
Males..	3	3	2	2	3	....	3	2	9	3	....	....	30	Kidney Diseases..	2	....	1	....	....	4	4	4	5	2	5	3	....	....	....				
Females	3	2	3	1	4	3	1	2	4	1	3	4	31		....	....	1	....	....	4	4	5	6	4	7	....	....	....	....				
Females	3	1	7	4	3	2	2	....	1	2	2	1	28	Child Birth	....	....	....	....	2	15	11	....	....		....	....	....	....	....				
Males.	1	8	2	5	10	4	1	4	1	6	8	1	51	Old Age..... ...	....	....	....	....	....	....	....	..	....	....	32	12	6	1	....				
Females	9	4	5	7	10	8	5	5	4	6	2	4	69		....	....	....	....	....	....	....	....	....	....	38	25	6	....	....				
Males..	4	8	3	4	3	9	2	6	4	4	2	4	53	Violent Deaths, Accidents, etc..	3	7	1	3	4	11	5	5	5	3	4	1	....	....	1				
Females	....	3	2	....	1	1	....	4	....	....	....	....	11		....	2	1	1	2	1	....	1	1	....	1	1	....	....	....				
Males..	....	1	....	....	....	....	....	....	....	2	....	....	3	Suicide	....	....	....	....	....	....	2	...	1	...	....	....	....	....	....				
Females	....	....	....	1	....	1	1	....	....	1	....	....	4		....	....	....	....	....	....	1	1	1	1	....	....	....	...	...				
Males.	21	16	18	18	23	30	15	17	15	17	15	24	229	Other diseases and cause not specified.	192	8	2	3	2	4	5	3	3	5	2	....	....	....	....				
Females	19	9	12	16	15	13	12	16	11	3	5	12	143		109	4	2	2	2	5	7	5	5	1	1	..	....	....	...				
Total Males..	123	117	115	138	130	131	139	174	145	114	95	99	1520	Total Deaths from all causes.....	619	174	45	20	35	121	85	104	93	91	89	30	6	1	7				
Total Females	102	91	118	101	142	123	119	146	124	88	68	97	1319		459	154	49	18	38	114	94	82	83	90	88	36	7	....	7				
Grand Total.	225	208	233	239	272	254	258	320	269	202	163	196	2839	.....	1078	328	94	38	73	235	179	186	176	181	177	66	13	1	14				

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

HAMILTON—POPULATION, 43,082.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	1	6	3	1	....	....	2	13	Cholera Infantum.	12	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	5	3	....	....	....	....	8		8	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	2	3	1	2	....	2	....	....	....	....	2	13	Croup	4	9	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	3	1	....	....	2	2	....	1	1	....	....	11		5	5	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	6	6	1	....	....	....	13	Diarrhœal Diseases	10	2	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	1	....	....	....	....	1	3	5	1	1	1	....	13		5	3	....	....	....	....	....	1	1	2	1	....	....	....	....
Males	3	....	1	2	2	1	....	1	....	....	....	2	12	Diphtheria	1	4	3	2	2	....	....	....	....	....	....	....	....	....	....
Females	1	2	3	6	1	....	1	2	2	....	1	1	20		1	10	7	2	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	1	....	....	....	....	1	1	....	4	Typhoid Fever	....	....	....	....	2	2	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	1	2	1	5		1	....	....	1	....	1	1	1	....	....	....	....	....	....	....
Males	1	....	1	....	....	....	....	....	....	1	....	....	3	Scarlet Fever	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	2	....	1	....	1	....	4	Other Fevers	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	2	....	....	....	1	....	....	....	3	Whooping Cough.	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	3	....	....	....	....	....	....	....	3	Rheumatism and Gout	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
Females	....	....	....	1	1	1	....	....	1	....	....	....	4		....	....	....	1	....	....	....	1	1	1	....	....	....	....	....
Males	2	....	1	2	5	4	7	6	6	3	1	2	39	Anæmia, including Infantile Debility	36	....	....	1	....	....	....	....	....	2	....	....	....	....	....
Females	4	2	2	5	2	4	4	4	4	2	1	....	34		25	3	1	....	1	2	....	1	....	1	....	....	....	....	....

Males...	....	....	....	2	...	....	....	....	....	....	....	....	2	3	Dropsy...	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	..	....	....	2				1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Males...	1	....	....	....	....	....	....	2	....	....	....	....	2	5	Cancer.....	....	....	....	....	....	....	..	2	....	1	2	. .	....	....	....	....
Females	....	....	2	2	1	2	1	4	2	3	....		4	21		....	....	....	....	....	..	2	2	5	5	2	5	....	....	....	....
Males...	2	4	8	2	4	1	6	4	3	1	5	4	44		Phthisis.....	4	2	1	2	2	9	6	6	8	4	....	....	....	....	....
Females	3	4	....	3	..	1	1	2	4	2	4	7	31			1	1	....	2	3	12	....	5	5	2	..	....	....	....	....
Males...	2	7	3	2	3	4	8	2	3	2	4	5	45		Nervous Diseases,	23	3	3	1	....	....	2	1	4	4	4	....	....	....	....
Females	....	2	3	4	4	2	3	3	3	4	2	5	35		includ. Convulsions	13	3	4	....	1	2	2	1	3	2	3	1	....	....	....
Males...	1	....	.. .	2	7	1	2	4	2	4	2	2	27		Heart Diseases ...	2	....	....	1	....	1	....	....	5	7	8	3	....	....	....	....
Females	3	....	2	2	4	3	5	2	2	2	6	7	38			3	1	2	3	1	1	2	4	7	7	5	2	....	....	....
Males...	3	4	3	7	11	2	3	1	1	3	2	4	44		Pneumonia and	14	9	1	....	....	1	3	2	7	4	1	2	....	....	....
Females	3	2	6	1	7	3	3	2	2	2	3	4	38		Bronchitis.....	11	5	...	....	1	2	4	3	5	2	5	....	....	....	..
Males...	....	...	....	....	1	2	1	2	5	..	3	2	16		Enteritis and	....	2	2	3	1	4	....	2	....	1	1	....	....	....	....
Females	2	....	....	2	1	1	2	1	....	1	2	....	12		Gastritis	....	1	2	....	....	3	....	1	....	4	1	....	....	....	....	....
Males...	....	....	2	....	....	....	1	2	....	....	2	....	7		Liver Diseases ...	....	1	....	....	....	....	1	2	2	1	....	....	....	....	....
Females	....	1	....	....	....	1	....	....	....	....	....	....	2			....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
Males...	3	2	1	2	....	1	4	....	....	....	1	1	15		Kidney Diseases..	1	....	....	....	1	....	1	2	3	3	3	1	....	....	....
Females	....	1	1	1	2	....	1	....	1	....	....	....	7			....	....	....	....	1	1	1	2	....	1	1	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		Child Birth.... ...	....	....	....	...	....	1	....	....	....	....	....	....	....	....	.. .
Males...	2	....	2	1	1	....	....	1	3	....	1	....	11		Old Age.....	....	....	....	....	....	....	....	....	....	....	5	6	....	....	. ..
Females	1	3	1	2	1	4	1	....	....	1	3	1	18			....	....	....	....	....	....	....	....	....	....	10	3	5	....	....
Males...	2	2	....	....	2	5	1	....	....	2	1	2	17		Violent Deaths,	....	1	....	3	3	....	2	2	5	1	...	....	....	....	....
Females	....	2	....	....	....	....	....	1	1	1	....	....	5		Accidents, etc..	....	....	....	....	....	1	....	1	2	....	....	1	....	....	....
Males ..	....	....	....	....	....	....	....	....	....	....	....	....				....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		Suicide.	..	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males...	4	3	4	5	4	6	1	6	2	3	3	...	41		Other diseases and	38	....	....	....	....	....	....	2	....	1	....	....	....	....	....
Females	1	1	5	2	....	5	2	1	3	4	4	2	30		cause not specified.	25	....	1	...	1	....	....	...	2	1	....	....	....	....	....
Total Males...	27	24	30	28	48	28	50	40	29	20	27	30	381		Total Deaths from all causes... ...	148	38	11	13	13	16	19	27	37	33	17	9	....	....	....
Total Females	20	24	27	32	26	30	35	30	27	25	29	34	339			100	33	18	9	9	28	13	28	31	26	32	7	5	....	....
Grand Total.	47	48	57	60	74	58	85	70	56	45	56	64	720		... ,.....	248	71	29	22	22	44	32	55	68	59	49	16	5	....	....

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

OTTAWA.—Population, 40,000.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	2	4	3	....	1	....	....	10	Cholera Infantum.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	1	....	....	....	4		4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	3	....	3	1	1	....	....	....	....	1	....	10	Croup	4	6	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	2	....	1	....	1	....	....	....	....	....	....	....	4		2	1	1	..	....	....	....	....	....	....	....	....	....	....	....
Males...	5	4	6	2	3	1	20	16	4	....	....	....	61	Diarrhœal Diseases	51	7	2	....	....	..	....	....	....	....	1	....	....	....	....
Females	3	3	4	3	2	1	21	10	2	....	1	....	50		36	7	....	....	1	....	....	2	1	2	1	....	....	....	....
Males...	2	2	2	1	2	5	1	4	....	....	2	2	23	Diphtheria	6	8	6	1	1	....	1	....	....	....	....	....	....	....	....
Females	..	3	2	8	2	3	6	5	....	1	1	....	31		4	15	4	4	1	3	....	....	....	....	....	....	....	....	....
Males...	....	2	..	1	..	1	..	....	....	....	....	3	7	Typhoid Fever	....	....	2	....	....	....	1	2	1	1	....	....	....	....	....
Females	2	....	....	....	....	....	....	....	2	2	2	....	8		....	....	3	2	1	....	....	1	....	1	....	....	....	....	....
Males...	....	..	..	1	2	....	....	....	....	....	....	....	3	Scarlet Fever	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	2	1	....	....	....	....	....	....	....	3		1	1	1	....	....	....	....	....	....	....	....	....	....	....	...
Males...	2	1	....	1	....	1	2	....	....	....	....	....	7	Other Fevers	1	....	1	....	1	3	....	1	....	..	....	....	....	....	....
Females	....	....	2	....	1	....	....	....	....	....	1	....	4		1	1	....	....	1	....	....	....	1	....	....	....	....	....	....
Males...	5	....	....	....	....	....	....	....	....	....	....	....	5	Measles	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	3	....	....	....	....	....	....	....	1	1	5		....	5	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	1	....	1	....	....	....	....	1	....	4	Whooping Cough	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	..	....	....	....	....	1	2		2	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	1	....	....	1	....	3	Rheumatism and Gout	....	....	....	....	....	1	....	....	....	....	2	....	....	....	...
Females	....	1	....	1	....	2	....	....	....	....	1	....	5		....	....	....	....	....	2	1	....	....	....	1	1	....	....	....
Males...	10	5	9	15	7	6	14	10	2	2	2	1	83	Anæmia, including Infantile Debility.	70	4	....	....	....	2	2	....	1	4	....	....	....	....	....
Females	7	10	2	12	7	3	12	9	5	1	3	4	75		59	7	1	....	1	...	2	....	1	3	1	....	....	....	....

Males...	....	....	1	...	....	1	4	1	....	....	....	....	7	Dropsy	2	....	....	....	....	1	....	2	1	1	....	....	....	....	....
Females	....	....	1	....	1	....	....	....	2	....	....	....	4		....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....
Males...	2	1	....	3	....	1	...	1	....	....	1	3	12	Cancer	....	....	....	....	....	....	....	3	3	4	2	....	....	...	....
Females	2	2	1	1	....	1	2	1	2	1	...	2	15		....	....	....	....	2	1	2	2	3	4	...	....	....	....	1
Males...	7	1	8	3	5	....	7	2	4	1	2	1	41	Phthisis	2	3	...	..	4	8	7	11	2	1	2	....	....	....	1
Females	5	6	4	3	....	4	6	3	2	1	....	2	36		....	2	1	2	....	19	4	4	2	....	....	....	....	....	2
Males...	4	7	5	3	4	3	3	4	1	1	2	....	37	Nervous Diseases, includ. Convulsions	12	1	2	....	1	2	3	4	....	4	4	1	....	....	3
Females	1	3	1	1	4	7	2	7	1	....	2	....	29		14	6	1	1	....	1	3	....	....	1	1	1	....	....	....
Males...	5	2	1	....	....	3	4	3	1	....	2	5	26	Heart Diseases	1	....	....	....	...	2	5	6	3	4	3	....	....	....	2
Females	6	1	1	2	2	1	5	7	...	....	1	3	29		4	....	2	....	2	1	3	2	4	6	3	2	....	....	....
Males...	1	3	1	3	4	1	1	....	1	2	1	1	19	Pneumonia and Bronchitis	5	2	1	....	....	2	2	1	....	4	2	....	....	....	....
Females	1	1	2	2	....	3	1	1	...	...	1	....	12		4	5	....	....	....	....	....	1	1	1	....	....	....	....	....
Males...	....	1	3	....	3	....	6	....	1	....	2	....	16	Enteritis and Gastritis	1	5	4	....	....	1	...	1	....	2	1	....	....	....	1
Females	5	3	4	....	1	2	2	....	....	....	....	....	17		1	3	1	2	....	3	2	..	2	2	1	....	....	....	....
Males...	....	1	....	....	1	....	2	....	1	....	1	2	8	Liver Diseases	...	....	....	....	....	1	1	1	3	....	2	....	....	....	....
Females	....	1	....	....	....	....	3	....	1	....	....	....	5		3	1	....	....	....	....	...	....	1	....	....	....	....	....	....
Males...	1	....	....	....	....	1	2	....	1	1	1	2	9	Kidney Diseases	....	....	....	1	....	1	..	2	2	1	2	....	....	....	....
Females	....	....	....	....	....	....	2	....	....	....	....	2	4		....	....	....	....	1	....	....	1	1	.....	....	1	....	....	....
Females	3	....	....	3	1	....	....	2	....	....	....	....	9	Child Birth	....	....	....	....	....	5	4	...	....	....	....	....	....	....	....
Males...	3	1	2	2	2	1	2	5	1	....	1	1	21	Old Age	....	....	....	....	....	....	....	....	....	....	15	5	1	....	....
Females	....	....	6	....	1	5	2	1	2	1	1	1	20		....	....	....	....	....	....	....	....	....	....	12	4	4	....	....
Males...	....	....	....	3	....	2	2	....	2	....	....	1	10	Violent Deaths, Accidents, etc.	....	1	1	....	2	3	....	2	.	1	....	....	....	....	....
Females	....	....	....	2	....	....	2	...	1	....	....	....	5		..	....	....	1	....	1	....	....	1	2	....	....	....	....	....
Males...	....	...	....	....	....	....	...	....	....	....	....	....	....	Suicide	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	...	....	....		....	....	....	....	....	....	....	....	...	....	....	....	....	....	....
Males...	18	10	10	8	9	2	11	4	2	10	4	5	93	Other diseases and cause not specified.	60	5	4	1	1	4	4	1	5	1	2	....	1	....	4
Females	11	4	7	8	9	7	7	2	2	3	1	6	67		41	3	3	2	1	4	5	2	4	2	...	....	....	....	....
Total Males...	66	44	49	50	43	34	85	54	21	18	24	27	515	Total Deaths from all causes	232	45	24	3	10	31	26	37	22	28	38	6	2	....	11
Total Females	48	39	41	48	33	39	75	49	23	10	16	22	443		176	57	18	15	13	40	26	15	23	24	20	9	4	....	3
Grand Total.	114	83	90	98	76	73	160	103	44	28	40	49	958	....	408	102	42	18	23	71	52	52	45	52	58	15	6	....	14

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

LONDON.—Population, 26,786.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	4	1	....	....	....	....	5	Cholera Infantum.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	4	3	2	....	....	....	9		7	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	...	....	1	2	1	1	....	....	....	....	....	5	Croup	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	..	1	....	....	2		....	1	1	....	....	....	....	....	....	....	....	....	....	..	....
Males...	...	2	...	1	1	1	2	4	2	1	....	1	15	Diarrhœal Diseases..	13	1	....	....	....	....	....	....	....	....	1	....	....	....	...
Females	....	....	1	1	1	....	1	8	....	1	..	....	13		9	1	....	....	....	....	....	2	....	....	1	....	....	....	....
Males...	....	....	....	1	....	....	....	....	1	....	....	....	2	Diphtheria	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	2	....	....	1	....	....	....	....	....	....	....	5		.	2	2	....	1	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	2	....	1	3	Typhoid Fever	....	....	....	....	....	3	....	....	....	....	..	....	....	....	....
Females	....	....	....	....	....	....	....	....	2	3	....	....	5		....	....	....	....	....	2	2	....	1	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	...	....	....	....	....	....	....	....	....	....	....	...	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	1	....	....	....	3		....	1	1	1	...	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	..	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Whooping Cough.	....	1	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	.. .	....	....	....	...	....	....	1	....	1	....	2	Rheumatism and Gout.	....	1	....	....	....	..	....	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males...	3	1	1	3	1	1	4	3	2	....	1	1	21	Anæmia, including Infantile Debility	17	3	....	....	....	....	. .	....	....	1	....	....	....	....	....
Females	1	3	....	3	2	....	....	3	3	3	2	1	21		14	1	....	....	1	1	....	1	1	2	....	....	....	....	....

Males...	....	....	....	....	....	....	....	....	....	....	2	....	2	Dropsy	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	....	....	2	....	....	1	....	1	5	Cancer	....	....	....	....	....	....	....	1	4	....	....	....	....	....	....
Females	....	1	....	....	1	1	2	....	1	1	....	1	8		....	....	....	....	....	....	....	3	2	2	1	....	....	....	....
Males...	2	4	1	2	3	1	1	1	1	....	....	4	20	Phthisis	....	....	....	....	2	9	8	1	....	....	....	....	....	....	....
Females	....	....	....	....	2	3	2	2	3	2	2	1	17		1	....	....	....	1	7	5	2	1	....	....	....	....	....	....
Males...	4	2	6	....	....	1	1	2	....	3	2	1	22	Nervous Diseases, includ. Convulsions	11	3	....	....	....	....	1	....	....	4	2	....	1	....	....
Females	3	5	1	1	2	1	1	3	3	1	....	....	21		6	1	2	1	1	1	1	....	2	....	4	2	....	....	....
Males...	2	3	5	....	1	....	....	....	....	2	....	2	15	Heart Diseases	....	....	....	....	....	2	....	2	3	3	2	2	....	1	....
Females	2	....	1	2	1	....	4	3	2	1	1	1	18		2	....	1	....	1	2	....	1	....	6	5	....	....	....	....
Males...	4	5	4	3	2	....	....	1	....	3	2	3	27	Pneumonia and Bronchitis	5	4	1	1	....	1	4	2	....	3	5	1	....	....	....
Females	1	2	3	6	....	1	1	....	1	1	3	2	21		5	4	1	....	1	....	5	2	....	1	2	....	....	....	....
Males...	....	....	1	1	....	2	2	1	2	1	....	....	10	Enteritis and Gastritis	2	....	....	....	....	3	1	....	1	3	....	....	....	....	....
Females	....	....	....	....	1	1	2	....	2	....	....	....	6		....	....	....	1	....	1	3	....	1	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	1	....	....	....	2	Liver Diseases	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	1	2		....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
Males...	2	....	1	....	1	....	....	....	....	....	1	1	6	Kidney Diseases	1	1	....	....	....	....	1	....	....	2	1	....	....	....	....
Females	1	....	....	2	1	1	....	....	....	....	....	....	5		....	....	....	....	1	3	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1	Child Birth	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males...	2	2	..	2	3	....	2	1	....	2	....	3	17	Old Age	....	....	....	....	....	....	....	....	....	....	10	6	1	....	....
Females	....	....	3	1	1	2	....	....	1	1	....	1	10		....	....	....	....	....	....	....	....	....	....	6	3	1	....	....
Males...	....	1	1	....	....	1	....	....	....	....	2	....	5	Violent Deaths, Accidents, etc	....	....	....	1	....	....	....	2	2	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	....	....	1	2	2	....	1	1	2	1	....	12	Other diseases and cause not specified.	8	1	1	....	....	2	....	....	....	....	....	....	....	....	....
Females	2	2	1	....	3	1	1	....	1	1	....	4	16		9	....	....	.	1	2	1	....	2	1	....	....	....	....	....
Total Males...	21	21	21	15	16	10	19	15	11	18	12	18	197	Total Deaths from all causes	64	20	2	2	2	20	16	8	11	19	21	9	2	1	....
Total Females	12	15	10	17	16	13	18	23	24	16	8	12	184		53	14	8	3	8	19	19	11	10	14	19	5	1	....	....
Grand Total.	33	36	31	32	32	23	37	38	35	34	20	30	381	....	117	34	10	5	10	39	35	19	21	33	40	14	3	1	....

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

KINGSTON.—Population, 16,216.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males														Cholera Infantum.														
Females							2						2		2														
Males	1					1							2	Croup	2														
Females			1										1			1													
Males			1					1		1			3	Diarrhœal Diseases	2									1					
Females									1				1		1														
Males					2								2	Diphtheria		1	1												
Females					1	2							3			2	1												
Males								3				1	4	Typhoid Fever		1				2	1								
Females																													
Males														Scarlet Fever															
Females																													
Males							1		1				2	Other Fevers	1	1													
Females							1						1					1											
Males														Measles															
Females																													
Males			1		1								2	Whooping Cough.	1				1										
Females										1			1			1													
Males					1							1	2	Rheumatism and Gout					1				1						
Females				1					1				2						1					1					
Males	1	1		2	1			1	1	2			9	Anæmia, including Infantile Debility	5	2								2					
Females	2		3					1	2			2	10		7	1						1	1						

Males...	....	1	1	....	....	....	....	....	....	....	....	2	4	Dropsy	....	....	....	....	....	1	1	....	....	1	....	1	....	....	....
Females	....	....	....	....	....	2	....	1	....	....	....	....	3		....	....	....	....	....	....	....	....	....	1	2	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	....	1	Cancer	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	1	....	....	1	....	1	....	....	....	....	....	3		....	....	....	....	....	....	....	1	....	1	1	....	....	....	....
Males...	1	1	....	....	1	....	1	....	1	....	....	1	6	Phthisis	....	....	....	....	....	2	1	2	1	....	....	....	....	....	....
Females	3	....	2	....	1	....	1	1	1	1	....	....	10		....	2	....	....	1	5	1	....	1	....	....	....	....	....	....
Males...	3	1	2	1	....	....	....	1	....	1	1	6	16	Nervous Diseases, including Convulsions	2	....	....	....	2	1	1	2	3	2	3	....	....	....	....
Females	1	1	....	....	....	....	....	1	....	....	1	2	6		1	....	....	....	....	....	....	....	1	3	1	....	....	....	....
Males...	2	....	....	....	1	....	1	1	2	....	....	2	9	Heart Diseases	....	....	....	....	....	1	3	....	....	4	1	....	....	....	....
Females	1	4	1	....	1	1	....	....	....	....	....	....	8		....	....	....	1	....	1	....	1	..	2	2	1	....	....	....
Males...	2	1	1	2	1	1	1	2	....	....	2	....	13	Pneumonia and Bronchitis	1	1	....	1	....	3	....	3	1	1	2	....	....	....	....
Females	2	3	1	..	....	....	....	....	....	....	....	..	6		1	....	..	....	....	....	....	1	....	1	2	1	....	....	....
Males...	....	1	....	....	....	1	1	3	....	1	....	....	7	Enteritis and Gastritis	2	....	1	....	....	1	1	....	1	....	1	....	....	....	....
Females	....	....	....	....	....	1	....	2	1	1	....	....	5		1	....	....	1	....	....	....	1	1	1	....	....	....	....	....
Males...	....	1	....	1	....	....	....	....	....	1	....	....	3	Liver Diseases	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	2	....	....	....	....	..	....	....	..	1	..	3	Kidney Diseases	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	..	..	1	Child Birth	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Males...	3	3	3	1	....	....	....	1	....	....	....	....	11	Old Age	....	....	....	....	....	....	....	....	....	....	4	6	1	....	....
Females	....	2	....	3	....	....	2	1	....	1	1	1	11		....	....	....	....	....	....	....	....	....	....	8	2	1	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Violent Deaths, Accidents, etc.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	..	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	3	1	....	1	..	....	....	2	....	....	....	8	Other diseases and cause not specified.	3	....	.	....	....	....	....	1	....	3	....	....	....	....	1
Females	2	1	1	....	1	..	....	....	1	....	....	....	6		2	....	....	....	....	....	1	1	1	....	1	....	....	....	....
Total Males...	14	16	10	7	9	3	5	13	7	6	4	13	107	Total deaths from all causes	19	6	2	2	4	12	8	10	7	16	12	7	1	....	1
Total Females	12	12	9	5	5	6	7	7	8	3	2	5	81		15	7	1	3	2	7	3	6	5	10	17	4	1	....	....
Grand Total.	26	28	19	12	14	9	12	20	15	9	6	18	188	.....	34	13	3	5	6	19	11	16	12	26	29	11	2	....	1

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

BRANTFORD—Population, 13,054.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	...	...	...	...	...	..	1	2	1	...	...	...	4	Cholera Infantum.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	1	...	7	4	...	1	...	...	13		13	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males	...	...	...	...	...	...	1	...	...	...	...	...	1	Croup	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	1	1	...	...	...	...	...	...	...	...	...	2		1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Males	...	...	...	..	...	...	...	...	1	1	1	...	3	Diarrhœal Diseases	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	1	2	2	...	...	...	5		1	1	...	...	...	...	1	...	...	2	...	...	...	...	...
Males	...	...	...	...	...	...	...	...	...	...	...	...	...	Diphtheria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	2	1	...	...	...	1	...	...	...	...	...	...	4		1	...	2	...	1	...	...	...	...	...	...	...	...	...	...
Males	..	...	...	...	...	...	...	...	3	5	...	...	8	Typhoid Fever	..	...	...	...	2	3	2	1	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	2	...	...	...	2		...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
Males	...	...	...	...	...	...	...	...	1	...	...	...	1	Scarlet Fever	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	1	...	...	...	1		...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Males	...	...	...	...	...	...	...	...	...	...	...	...	...	Other Fevers	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	1	...	...	1		...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Males	...	...	...	...	1	...	...	...	...	...	...	...	1	Measles	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	..	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	..	...	..	...	...	...	...	...	...
Males	...	...	...	...	...	...	...	...	...	...	1	...	1	Whooping Cough	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	1	...	...	...	1	1	1	...	...	4		3	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Males	...	...	...	...	...	..	...	...	...	...	...	...	...	Rheumatism and Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males	...	...	...	...	...	...	1	...	...	1	...	...	2	Anæmia, including Infantile Debility	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	1	2	...	1	2	...	1	...	...	9		7	...	...	...	...	1	...	1	...	...	...	...	...	...	...

Males										1			1	Dropsy										1					
Females																													
Males		1	1			1		1					4	Cancer									1	1	1	1			
Females	1				1			1					3											1	1	1			
Males	1		1	1	1	1			1		1		7	Phthisis	2				1	3				1					
Females	1	2	2	1	1	2	1	1	1	1	1	1	15		1		1		1	6	3	1	2						
Males	1	1	5	1		1	2	2			1		14	Nervous Diseases, includ. Convulsions	6	3	1		1		1		1		1				
Females	2		1	1	1			3	1			1	10		6	1	1			1					1				
Males	1		3	1			1	2		2	2		12	Heart Diseases	1							2	3	3	3				
Females	1			3	1		1	1	1			1	9				1					1	2	2	3				
Males		1	4	5	5		2			1	2	1	21	Pneumonia and Bronchitis	7	1		2	1	3	1	2	1	2	1				
Females			1	3	2						2		8		4	2		1											
Males					1			3		1	1		6	Enteritis and Gastritis	3	1					1				1				
Females																													
Males														Liver Diseases															
Females						1							1								1								
Males												1	1	Kidney Diseases							1								
Females																													
Females								1					1	Child Birth						1									
Males	1			1					1	2			5	Old Age											1	2	2		
Females	2	1		1	2	1						2	9												7	2			
Males				1	2	1		1					5	Violent Deaths, Accidents, etc.					2				1		2				
Females						1							1											1					
Males				1	2								3	Suicide									1	2					
Females																													
Males	3			1			1						5	Other diseases and cause not specified.	4									1					
Females		1		1				2				1	5		3	1						1							
Total Males	7	3	14	12	12	4	9	11	8	14	9	2	105	Total Deaths from all causes	32	8	2	2	7	9	6	5	8	11	10	3	2		
Total Females	9	6	5	12	11	6	11	18	9	5	3	8	103		40	8	5	1	3	10	5	4	4	8	12	3			
Grand Total.	16	9	19	24	23	10	20	29	17	19	12	10	208		72	16	7	3	10	19	11	9	12	19	22	6	2		

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

ST. THOMAS.—Population, 10,476.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown
Males	....	....	1	....	....	....	....	3	1	....	....	....	5	Cholera Infantum.	5	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	..	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	..	....	....	....	....	1	....	....	1	Croup	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	....	....	....	....	....	....	....	2		....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	1	....	....	....	1	....	1	3	Diarrhœal Diseases	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	1	2		2	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	3	3	Diphtheria	....	1	2	....	....	....	....	....	..	....	....	....	....	....	....
Females	....	....	....	....	....	....	..	....	1	....	....	2	3		....	1	1	1	....	....	....	....	....	....	..	....	....	....	....	....
Males	....	1	1	....	....	....	....	....	....	....	....	1	3	Typhoid Fever	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	....	....	....	....	....	....	....	1	....	....	1	Other Fevers	....	1	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	1	....	2	Measles	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	.	.	....	....	..	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Whooping Cough.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	1	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	..	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	..	....	....		....	....	....	....	...	....	....	....	....	....	....	....	....	....	....
Males	1	1	1	1	....	1	....	....	1	....	....	....	6	Anæmia, including Infantile Debility	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	1	....	....	....	....	....	....	....	2		1	....	....	....	....	....	....	....	....	1	....	....	....	....	....

Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Dropsy	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	2	....	....	3		....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Males.	....	....	....	....	....	....	....	1	....	....	....	....	1	Cancer	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	1	....	1	....	....	....	1	1	2	6	Phthisis	....	....	....	1	....	2	....	1	1	1	....	....	....	....	....	....	....
Females	....	....	1	1	....	....	1	....	1	1	1	1	7		....	....	....	2	2	1	1	....	....	....	....	1	....	....	....	....	....
Males..	1	3	1	2	1	1	....	1	2	1	....	1	14	Nervous Diseases, includ. Convulsions	4	4	....	....	1	....	....	2	....	3	....	....	....	....	....	....	....
Females	....	....	....	2	....	....	....	....	....	....	....	1	3		2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males..	....	....	1	1	....	....	....	....	1	....	....	....	3	Heart Diseases...	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	1	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males..	1	....	2	2	2	....	1	....	1	....	1	1	11	Pneumonia and Bronchitis.....	2	2	....	....	....	....	1	3	1	1	1	....	....	....	....	....	....
Females	....	1	1	2	....	1	....	....	1	1	....	....	7		2	1	....	....	....	2	....	....	1	....	1	....	....	....	....	....	....
Males..	....	2	....	....	....	....	....	1	....	1	1	....	5	Enteritis and Gastritis	2	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	1	2		....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	1	....	....	....	....	....	1	....	....	2	Liver Diseases ...	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Kidney Diseases..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	1	....	....	....	2	Child Birth	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	1	1	1	....	3	Old Age	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
Females	2	3	....	....	1	....	....	1	1	....	....	2	10		....	....	....	....	....	....	....	....	....	....	4	3	3	....	....	....	....
Males..	2	....	....	....	1	1	1	....	2	3	....	....	10	Violent Deaths, Accidents, etc..	....	1	....	....	1	2	2	....	....	1	....	....	....	....	....	....	3
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	2	....	1	....	1	4	Other diseases and cause not specified.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	..	....	1		1	....	....	....	....	....	....	....	....	....	..	....	....	....	....	....	....
Total Males..	5	7	8	8	4	5	2	9	9	12	5	10	84	Total Deaths from all causes	26	10	4	1	2	7	4	7	5	11	3	1	....	....	3		
Total Females	2	6	3	5	4	1	1	2	8	4	3	9	48		10	5	1	3	3	4	3	....	3	3	6	4	3	....	....		
Grand Total.	7	13	11	13	8	6	3	11	17	16	8	19	132	....	36	15	5	4	5	11	7	7	8	14	9	5	3	....	3		

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

GUELPH.—POPULATION, 10,413.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	..	....	....	....	....	....	....	....	....	..	....
Females	....	....	.. ..	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Males...	....	....	....	....	....	....	....	....	....	....	....	2	2	Croup.....	....	2	...	..	....	..	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	.	....	....	....		....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	1	....	....	....	2	Diarrhœal Diseases	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	4	1	....	....	....	5		5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	1	....	1	....	....	....	....	....	4	Diphtheria	....	1	1	2	....	....	....	....	....	....	....	....	....	...	....
Females	....	....	....	2	1	....	1	....	....	....	....	....	4		....	3	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Typhoid Fever....	....	....	....	....	....	1	....	....	....	....	....	....	..	...	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....		..	....	....	....	....	....	....	....	....
Males..	....	....	...	....	....	....	....	...	....	....	....	....	....	Scarlet Fever.....	....	....	....	....	....	....	....	....	....	....	...	....	....	....	....
Females	..	....	....	....	....	....	....	....	....	....	....	....	....		...	....	...	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Other Fevers . ..	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	...	....	....	....	....	....	....	....	....	....	....	...		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Measles	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	.	....	....	....	....	....	. .	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	...	....	....	....	....	....	....	....	....	....	...		....	....	....	....	....	....	....	..	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	..	....	..	Rheumatism and	....	....	....	....	....	....	....	....	....	....	....	..	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1	Gout.....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	2	1	2	3	....	....	1	1	2	2	....	....	14	Anæmia, including	11	1	1	....	....	....	....	....	1	....	....	....	....	....	....
Females	1	1	....	1	2	1	1	....	1	1	...	1	10	Infantile Debility	6	....	1	....	....	....	2	1	....	....	....	....	....	....	....

Males...					1			1					2	Dropsy							1				1												
Females				1						1			2											1			1									
Males...								2					2	Cancer									1	1												
Females	1			1							1		3										1	1												
Males...	1	3	1	1		1	1			2			10	Phthisis	1		1		1	2	2	2		1												
Females	1					1		2	2		1		7		1			1	1	1	2	1														
Males...	1	1	1	3	1	1	1	4	1			1	15	Nervous Diseases, includ. Convulsions	6	1			2			2		2	1	1										
Females		1	1	2			2	1	3		2		12		4	4		1			1		1		1										
Males...	1		2	2			4				1		10	Heart Diseases				1	1		1	1	1	3	2										
Females						1		2	1			1	5										2	2	1										
Males...	2			1	2						2	1	8	Pneumonia and Bronchitis.	1					1		1	2	2	1										
Females		1			1	1						1	4		1									2	1										
Males...			1		1			1					3	Enteritis and Gastritis	1				2																	
Females																																				
Males...														Liver Diseases																						
Females																																				
Males...							1						1	Kidney Diseases													1									
Females			1										1		1																					
Females					1		1						2	Child Birth						1	1															
Males...		1						3	1		2		7	Old Age											5	2										
Females		1	1		1	1	1		2	1	1	1	10												4	4	2								
Males...									1		1		2	Violent Deaths, Accidents, etc.						1						1										
Females			1										1											1												
Males...														Suicide																						
Females																																				
Males...	1	1	1	2		1		1				1	8	Other diseases and cause not specified.	4					2	1		1													
Females	1	4	1		1	2	1	1		1	1	2	15		7	1	1	1				2	1	2											
Total Males...	8	8	9	12	6	3	9	14	6	5	6	6	92	Total deaths from all causes	27	5	3	3	6	6	5	7	6	9	10	5										
Total Females	4	9	5	7	7	7	7	10	11	4	6	6	83		25	8	3	3	1	3	6	5	6	8	8	5	2										
Grand Total ..	12	17	14	19	13	10	16	24	17	9	12	12	175		52	13	6	6	7	9	11	12	12	17	18	10	2										

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

ST. CATHARINES.—POPULATION, 10,080.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	1	....	1	....	....	....	....	2	Cholera Infantum.	1	1	....	....	...	....	....	....	....	....	....	....	....	....	....
Females	...	....	....	....	....	....	2	3	....	....	....	....	5		5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	....	....	....	....	....	....	....	....	....	....	..	2		...	1	1	....	....	....	....	...	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Diarrhœal Diseases	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	....	..	....	..	....	....	2	....	....	....	1	3		....	2	....	....	....	....	....	....	....	....	....	....	....	....	1
Males...	....	1	....	....	1	....	....	....	....	1	....	....	3	Diphtheria	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	....	....	...	....	3	....	..	5		....	3	....	1	....	1	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	1	....	1	1	4	Typhoid Fever ...	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....
Females	....	..	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Measles	1	....	....	....	....	....	....	....	..	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	..	....	....	....	....	....	...	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	....	....	....	....	....	....	..	....	1	Rheumatism and Gout	....	...	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	...	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	..	....	....	....	....
Males...	1	....	....	....	1	....	1	1	1	....	1	....	6	Anæmia, including Infantile Debility	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	1	1	..	....	1	....	1	1	....	....	....	5		4	....	....	....	....	....	1	....	....	....	....	....	....	....	....

Males..	....	....	....	....	....	....	....	1	....	....	....	....	1	Dropsy.	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	1	....	1	2	Cancer	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....
Females	....	2	....	....	....	....	....	1	....	....	....	....	3		....	....	....	....	....	....	....	1	2	....	....	....	....	....	....
Males..	4	....	1	1	....	1	2	2	1	2	1	1	16	Phthisis..........	1	....	....	....	....	5	5	2	....	3	....	....	....	....	....
Females	....	2	1	1	....	2	....	2	5	....	2	1	16		....	1	....	....	5	4	3	1	....	2	....	....	....	....	....
Males..	2	....	....	1	....	3	4	1	2	....	2	....	15	Nervous Diseases, includ. Convulsions	5	3	1	....	....	....	1	2	....	1	2	....	....	....	....
Females	....	....	1	2	....	1	1	....	....	....	1	1	7		3	....	1	....	....	....	....	1	....	....	2	....	....	....	....
Males..	....	1	....	....	1	....	1	2	1	....	1	2	9	Heart Diseases ...	....	....	....	....	....	....	....	1	2	3	3	....	....	....	....
Females	1	2	1	2	....	....	1	....	2	....	1	....	10		1	1	....	....	....	1	....	....	2	2	....	3	....	....	....
Males	1	1	1	....	4	1	....	....	....	....	....	2	10	Pneumonia and Bronchitis	1	3	....	....	....	2	....	....	1	1	1	1	....	....	....
Females	3	2	4	....	....	1	....	1	1	....	5	1	18		3	4	1	1	....	1	....	....	2	2	3	....	1	....	....
Males..	....	....	....	....	....	....	....	....	....	1	....	1	2	Enteritis and Gastritis	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	1	....	....	2	....	....	....	4		2	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Males..	....	1	....	....	....	....	....	....	....	....	....	....	1	Liver Diseases....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	2	....	....	....	....	....	1	1	....	....	5	Kidney Diseases..	....	1	....	....	....	....	2	2	....	....	....	....	....	....	....
Females	....	1	....	....	1	....	....	....	....	1	....	....	3		1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	1	....	2	Child Birth........	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
Males..	2	....	1	....	....	....	1	....	....	....	....	....	4	Old Age	....	....	....	....	....	....	....	....	....	....	2	1	1	....	....
Females	2	....	....	1	....	2	....	....	....	1	....	1	7		....	....	....	....	....	....	....	....	....	....	4	2	1	....	....
Males..	....	2	....	....	....	1	2	2	1	....	....	....	8	Violent Deaths, Accidents, etc....	....	....	2	1	1	1	....	1	1	1	....	....	....	....	....
Females	1	....	....	2	....	....	....	....	....	1	....	....	4		....	1	....	....	....	....	1	1	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide......	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	2	1	1	1	....	2	2	....	1	....	1	11	Other Diseases and cause not specified.	6	....	....	....	....	....	2	2	1	....	....	....	....	....	....
Females	2	2	....	1	2	....	....	3	....	....	....	....	10		7	....	....	....	....	....	....	1	1	1	....	....	....	....	....
Total Males..	11	8	7	3	8	8	13	13	8	9	4	10	102	Total Deaths from all causes.......	21	9	7	1	3	11	10	12	7	9	8	3	1	....	....
Total Females	12	12	9	9	4	8	4	14	11	8	11	4	106		26	15	3	2	6	10	6	5	7	8	10	5	2	....	1
Grand Total.	23	20	16	12	12	16	17	27	19	17	15	14	208	....	47	24	10	3	9	21	16	17	14	17	18	8	3	....	1

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

BELLEVILLE.—POPULATION, 10,269.

SEX.	MONTHS.												TOTAL.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	2	1	....	....	....	3	Cholera Infantum.	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	3	2	....	....	....	....	5		5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	1	1	Croup	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	3	....	....	....	....	4	Diarrhœal Diseases	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	2	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Diphtheria	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	....	....	1	2	Typhoid Fever	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	1	....	1	....	....	3		....	....	....	....	....	1	1	....	1	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	....	....	....	1	Other Fevers	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	....	....	....	1	Whooping Cough	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	....	....	....	1	....	2	Rheumatism and Gout	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males	1	....	....	....	....	....	1	2	....	1	....	....	5	Anæmia, including Infantile Debility.	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Males														Dropsy															
Females																													
Males									1				1	Cancer									1						
Females												1	1										1						
Males	1	1	4	1	2				1		2		12	Phthisis				1	1	6	2			2					
Females	3				2		2	2			2		11						2	2	2	3	2						
Males	1	1				1	1	2	3				9	Nervous Diseases, includ. Convulsions	3					1	1	2	1	1					
Females			2			3		1	1	3	1	1	12		5		1							1	4	1			
Males	1								2			2	5	Heart Diseases	1								1	1	2				
Females									1	1			2									1		1					
Males	2	1	1	4	2				1				11	Pneumonia and Bronchitis	2	2				1	1			2	3				
Females	1		3							1		1	6		1				1		1	2		1					
Males														Enteritis and Gastritis															
Females					2		1	1			1		5			1						2		2					
Males														Liver Diseases															
Females					1								1											1					
Males														Kidney Diseases															
Females	1												1							1									
Females				1									1	Child Birth						1									
Males		2	1		1		2	1		1	2	1	11	Old Age											3	5	3		
Females	1			1	1	1	1		1	2	1		9												3	6			
Males						1	1	2					4	Violent Deaths, Accidents, etc.			1		1			1		1					
Females																													
Males				1					1				2	Suicide						1				1					
Females																													
Males					1								1	Other diseases and cause not specified.	1														
Females	1												1		1														
Total Males	6	6	6	7	6	2	7	12	11	2	5	5	75	Total Deaths from all causes.	18	3	2	1	3	10	5	4	4	8	9	5	3		
Total Females	7		5	2	6	4	9	10	4	8	7	3	65		16	1	3		3	5	4	8	4	7	7	7			
Grand Total	13	6	11	9	12	6	16	22	15	10	12	8	140		34	4	5	1	6	15	9	12	8	15	16	12	3		

TABLE E.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

STRATFORD—POPULATION, 9,002.

SEX.	MONTHS.												TOTAL.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males			1										1	Cholera Infantum.		1													
Females								1					1		1														
Males			1	1	1								3	Croup		1	1	1											
Females																													
Males									1				1	Diarrhœal Diseases										1					
Females			1										1								1								
Males	1						1						2	Diphtheria		2													
Females	2	1										1	4			3		1											
Males					1				1	1	2	1	6	Typhoid Fever					2	2			2						
Females										2			2								1	1							
Males														Scarlet Fever															
Females																													
Males														Other Fevers															
Females																													
Males														Measles															
Females																													
Males														Whooping Cough															
Females																													
Males				1									1	Rheumatism and Gout										1					
Females																													
Males		1	1					3	1	2			8	Anæmia, including Infantile Debility	8														
Females						1		1				1	3		2									1					

Males..	....	....	....	....	....	....	....	1	....	....	....	....	1	Dropsy..........	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	1	....	1	....	1	....	....	1	....	....	....	....	4	Cancer	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	1	1	3		....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Males..	....	1	....	1	....	....	1	....	1	....	1	....	5	Phthisis..........	....	1	....	....	1	2	....	1	....	....	....	....	....	....	....
Females	....	....	....	1	....	1	....	1	1	2	....	....	6		1	....	....	....	....	4	1	....	....	....	....	....	....	....	....
Males..	....	....	....	1	....	....	....	1	1	....	....	2	5	Nervous Diseases, includ. Convulsions	2	2	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	3	....	....	....	....	....	....	....	3		2	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males..	....	....	....	1	....	1	....	....	....	....	....	1	3	Heart Diseases ..	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
Females	1	....	2	....	....	....	....	....	....	....	3	....	6		....	....	....	....	....	....	1	1	2	1	1	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Pneumonia and Bronchitis......	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	2	....	....	....	....	....	....	2	....	4		....	....	....	....	....	....	1	1	....	1	1	....	....	....	....
Males..	....	....	....	....	....	....	....	1	....	2	....	....	3	Enteritis and Gastritis	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	1	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Liver Diseases....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	1	....	....	....	....	....	....	....	....	....	....	....	1	Kidney Diseases..	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth........	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males.	....	....	....	....	1	1	1	2	2	....	....	....	7	Old Age..........	....	....	....	....	....	....	....	....	....	....	4	3	....	....	....
Females	1	1	....	....	1	1	....	....	....	1	1	....	6		....	....	....	....	....	....	....	....	....	....	2	4	....	....	....
Males..	....	....	....	....	....	1	....	....	....	....	1	1	3	Violent Deaths, Accidents, etc..	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males.	1	....	....	....	....	1	....	1	....	....	....	....	3	Other diseases and cause not specified.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	....	....	....	....	....	....	....	....	2		1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Total Males..	4	2	4	5	4	4	3	10	7	5	4	5	57	Total Deaths from all causes.......	13	9	1	2	3	5	2	3	4	5	6	4	....	....	....
Total Females	5	3	4	4	5	3	....	3	1	5	7	4	44		7	3	....	1	1	5	6	5	3	3	5	5	....	....	....
Grand Total.	9	5	8	9	9	7	3	13	8	10	11	9	101	....	20	12	1	3	4	10	8	8	7	8	11	9	....	....	....

RECAPITULATION.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.

CITIES—POPULATION, 328,810.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males..	1	....	2	2	1	5	37	32	23	2	1	2	108	Cholera Infantum.	84	24	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	3	....	40	40	16	1	....	1	101		84	15	2	....	....	....	....	....	....	....	....	....	....	....	....
Males..	4	5	5	10	7	4	4	....	2	2	1	6	50	Croup	13	33	3	1	....	....	....	....	....	....	....	....	....	....	....
Females	7	5	7	3	2	2	2	....	1	3	3	6	41		11	23	7	....	....	....	....	....	....	....	....	....	....	....	....
Males..	6	8	8	6	5	6	38	59	27	9	2	3	177	Diarrhœal Diseases	132	27	5	....	....	....	1	3	1	5	3	....	....	....	....
Females	9	6	6	5	4	5	41	53	19	5	3	3	159		106	26	....	1	1	....	3	6	3	7	5	....	....	....	1
Males..	11	11	10	9	9	9	6	12	6	4	4	14	105	Diphtheria	12	50	30	8	4	....	1	....	....	....	....	....	....	....	....
Females	24	16	12	21	9	12	15	16	7	11	3	8	154		15	68	46	12	6	6	1	....	....	....	....	....	....	....	....
Males..	1	5	4	3	2	2	2	8	13	16	9	12	77	Typhoid Fever	....	3	3	....	12	31	10	8	6	3	....	....	....	....	1
Females	3	2	2	2	3	6	3	3	14	15	8	1	62		1	3	5	5	4	17	8	8	7	3	1	....	....	....	....
Males..	1	....	1	2	2	1	1	....	1	1	....	1	11	Scarlet Fever	2	7	....	....	....	1	....	....	1	....	....	....	....	....	....
Females	....	....	1	2	3	1	....	....	2	....	1	....	10		2	5	3	....	....	....	....	....	....	....	....	....	....	....	....
Males..	3	2	....	1	....	1	5	....	2	1	3	1	19	Other Fevers	4	2	1	1	3	5	....	2	1	....	....	....	....	....	....
Females	1	1	2	....	2	1	2	1	1	2	1	....	14		2	4	1	2	1	....	1	....	1	2	....	....	....	....	....
Males..	....	....	2	2	2	1	....	....	....	1	2	1	11	Measles	8	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	1	....	....	..	1	....	1	1	1	6		5	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	1	3	2	3	1	....	2	2	1	4	1	20	Whooping Cough.	13	5	1	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	1	1	2	1	1	....	1	4	2	1	1	15		10	5	....	....	....	....	....	....	....	....	....	....	....	....	....
Males..	....	....	1	1	4	1	1	2	1	....	3	1	15	Rheumatism and Gout	....	1	....	....	1	1	2	2	2	5	1	....	....	....	....
Females	....	2	....	4	2	4	....	1	3	....	1	1	18		....	....	....	1	1	2	2	3	2	5	2	....	....	....	....
Males..	33	19	29	34	25	25	44	50	36	25	14	9	343	Anæmia, including Infantile Debility.	297	16	1	1	....	5	2	3	5	10	2	1	....	....	....
Females	23	24	20	28	33	24	31	41	36	14	17	18	309		228	23	6	2	6	8	10	6	5	13	2	....	....	....	....

Males ..	2	1	3	3	2	1	5	4	1	2	3	2	29	Dropsy	3	....	....	1	....	5	3	4	2	6	1	3	....	....	1
Females	4	3	1	4	3	4	1	2	5	4	....	3	34		1	....	....	2	2	4	3	1	9	6	4	1	....	....	1
Males ..	8	4	5	9	2	4	6	12	4	5	6	7	72	Cancer.	....	....	....	....	....	5	4	13	22	18	8	2	....	....	....
Females	7	10	8	8	12	9	9	7	8	8	3	12	101		....	....	....	....	3	7	7	24	24	22	9	2	....	....	3
Males ..	35	31	36	33	30	19	29	22	20	18	18	27	318	Phthisis.....	23	10	5	7	22	95	51	56	21	22	4	....	....	....	2
Females	24	20	20	20	20	21	22	24	31	22	25	23	272		13	11	2	7	28	98	41	39	21	7	1	2	....	....	2
Males ..	38	34	39	33	24	35	44	38	22	23	19	31	380	Nervous Diseases, includ. Convulsions	158	58	14	6	6	11	13	24	23	30	28	5	1	....	3
Females	13	24	28	27	27	31	27	33	26	24	16	24	300		132	46	15	3	6	15	11	7	17	17	24	7	....	....	....
Males ..	22	20	22	15	18	14	23	21	18	16	17	17	223	Heart Diseases ...	12	3	4	2	6	12	17	29	39	57	33	6	....	1	2
Females	16	18	18	18	22	19	24	24	20	13	17	20	229		15	4	8	7	8	8	19	23	31	52	38	12	1	....	3
Males ..	35	31	36	49	62	25	22	10	10	21	28	29	358	Pneumonia and Bronchitis.. ..	90	56	10	6	9	23	36	27	31	34	25	8	..	....	3
Females	21	22	37	30	35	25	9	9	12	12	25	21	258		76	45	4	5	5	14	21	16	17	28	23	3	1	....	....
Males ..	3	4	7	6	13	6	13	22	16	11	10	7	118	Enteritis and Gastritis..... .	28	12	11	4	5	17	6	9	7	11	6	1	....	....	1
Females	9	11	10	2	10	11	9	9	6	5	6	11	99		11	11	4	4	3	13	17	9	9	16	2	....	....	....	....
Males ..	....	6	5	5	2	....	5	5	4	3	3	3	41	Liver Diseases....	....	2	....	....	2	1	5	9	11	7	4	....	....	....	....
Females	....	2	1	1	3	2	7	2	2	....	2	2	24		3	2	....	....	....	....	2	3	5	6	2	....	....	....	1
Males ..	11	7	6	4	4	2	10	2	11	5	4	5	71	Kidney Diseases..	4	2	1	2	1	6	9	11	10	9	11	5	....	....	....
Females	7	4	5	4	8	4	4	2	5	2	3	6	54		2	....	1	....	3	10	7	8	7	6	8	2	....	..	....
Females	6	2	7	9	7	2	3	4	2	2	3	1	48	Child Birth.....	....	....	....	....	3	28	17	....	....	....	....	....	....	....	....
Males ..	14	17	11	12	18	6	9	18	10	12	15	6	148	Old Age.....	....	...	....	....	....	....	....	....	....	....	83	49	15	1	....
Females	18	15	16	16	19	25	12	8	11	15	10	14	179		....	....	....	....	....	....	....	....	....	...	98	58	23	....	....
Males	8	13	4	8	8	22	9	11	10	9	7	8	117	Violent Deaths, Accidents, etc..	3	11	5	8	14	17	10	13	15	9	6	2	....	....	4
Females	1	6	3	4	1	2	2	5	2	2	....	....	28		....	3	1	2	2	3	1	4	4	4	2	2	....	....	....
Males ..	....	1	....	2	2	....	....	..	1	2	....	....	8	Suicide	....	...	....	....	....	1	2	....	2	3	....	....	....	....	....
Females	....	....	....	2	....	1	1	....	....	1	....	....	5		....	....	....	....	....	....	1	2	1	1	....	....	....	....	....
Males ..	56	36	34	34	41	42	28	35	22	34	22	32	416	Other diseases and cause not specified.	333	4	7	3	2	12	14	11	5	11	8	....	1	....	5
Females	40	22	31	29	30	28	22	26	17	12	11	27	295		210	10	4	5	5	12	13	10	16	6	3	1	....	....	....
Total Males ..	292	256	273	285	286	232	341	365	262	223	195	225	3235	Total Deaths from all causes.....	1219	327	103	50	88	248	186	224	204	240	223	82	17	2	22
Total Females	233	217	236	242	259	240	286	312	250	176	160	204	2815		927	305	109	58	87	245	185	169	179	201	224	90	25	....	11
Grand Total.	525	473	509	527	545	472	627	677	512	399	355	429	6050	....	2146	632	212	108	175	493	371	393	383	441	447	172	42	2	33

RECAPITULATION—CITIES—*Continued.*

Deaths by Ages, Months and Diseases, 1888.

SEX.	MONTHS.													CITIES.	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	123	117	115	138	130	131	139	174	145	114	95	99	1520	Toronto	619	174	45	20	35	121	85	104	93	91	89	30	6	1	7
Females	102	91	118	101	142	123	119	146	124	88	68	97	1319		459	154	49	18	38	114	94	82	83	90	88	36	7	....	7
Males...	27	24	30	28	48	28	50	40	29	20	27	30	381	Hamilton	148	38	11	13	13	16	19	27	37	33	17	9	....	....	....
Females	20	24	27	32	26	30	35	30	27	25	29	34	339		100	33	18	9	9	28	13	28	31	26	32	7	5	....	....
Males...	66	44	49	50	43	34	85	54	21	18	24	27	515	Ottawa	232	45	24	3	10	31	26	37	22	28	38	6	2	....	11
Females	48	39	41	48	33	39	75	49	23	10	16	22	443		176	57	18	15	13	40	26	15	33	24	20	9	4	....	3
Males...	21	21	21	15	16	10	19	15	11	18	12	18	197	London	64	20	2	2	2	20	16	8	11	19	21	9	2	1	....
Females	12	15	10	17	16	13	18	23	24	16	8	12	184		53	14	8	3	8	19	19	11	10	14	19	5	1	....	....
Males...	14	16	10	7	9	3	5	13	7	6	4	13	107	Kingston	19	6	2	2	4	12	8	10	7	16	12	7	1	..	1
Females	12	12	9	5	5	6	7	7	8	3	2	5	81		15	7	1	3	2	7	3	6	5	10	17	4	1	...	....
Males...	7	3	14	12	12	4	9	11	8	14	9	2	105	Brantford	32	8	2	2	7	9	6	5	8	11	10	3	2	....	....
Females	9	6	5	12	11	6	11	18	9	5	3	8	103		40	8	5	1	3	10	5	4	4	8	12	3	....	....	....
Males...	5	7	8	8	4	5	2	9	9	12	5	10	84	St. Thomas	26	10	4	1	2	7	4	7	5	11	3	1	....	....	3
Females	2	6	3	5	4	1	1	2	8	4	3	9	48		10	5	1	3	3	4	3	....	3	3	6	4	3	..	....
Males...	8	8	9	12	6	3	9	14	6	5	6	6	92	Guelph	27	5	3	3	6	6	5	7	6	9	10	5	....	....	....
Females	4	9	5	7	7	7	7	10	11	4	6	6	83		25	8	3	3	1	3	6	5	6	8	8	5	2	....	....
Males...	11	8	7	3	8	8	13	13	8	9	4	10	102	St. Catharines	21	9	7	1	3	11	10	12	7	9	8	3	1	....	....
Females	12	12	9	9	4	8	4	14	11	8	11	4	106		26	15	3	2	6	10	6	5	7	8	10	5	2	....	1
Males...	6	6	6	7	6	2	7	12	11	2	5	5	75	Belleville	18	3	2	1	3	10	5	4	4	8	9	5	3	....	....
Females	7	....	5	2	6	4	9	10	4	8	7	3	65		16	1	3	....	3	5	4	8	4	7	7	7	....	....	....

Males...	4	2	4	5	4	4	3	10	7	5	4	5	57	Stratford..	13	9	1	2	3	5	2	3	4	5	6	4	....	....	....
Females	5	3	4	4	5	3	....	3	1	5	7	4	44		7	3	....	1	1	5	6	5	3	3	5	5	....	....	....	....
Total Males...	292	256	273	285	286	232	341	365	262	223	195	225	3235	Total deaths from all causes.	1219	327	103	50	88	248	186	224	201	240	223	82	17	2	22
Total Females	233	217	236	242	259	240	286	312	250	176	160	204	2815		927	305	109	58	87	245	185	169	179	201	224	90	25	....	11
Grand Total.	525	473	509	527	545	472	627	677	512	399	355	429	6050	.....	2146	632	212	108	175	493	371	393	383	441	447	172	42	2	33

H. S. CREWE,
Inspector.

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.

BARRIE—Population, 5,387.

SEX.	Months.												CAUSE OF DEATH.	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	..	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	....	1	Croup	....	....	1	....	....	....	....	....	....	....	..	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	....	1	Diarrhœal Diseases.. ...	....	1	....	....	....	....	....	....	....	....	..	....	..	....	....
Females	....	....	....	....	....	1	...	1	....	....	....	....	2		....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Diphtheria	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	....	....	....	....	....	....	....	....	2		1	....	1	...	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Typhoid Fever ..	....	....	....	....	....	1	....	....	....	...	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	....	....	....	....	1	....	..	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever.....	...	....	....	....	....	....	....	....	....	....	....	..	....	....	....
Females	....	....	....	....	....	....	....	...	...	....	....	....	....		....	....	....	....	....	....	....	....	...	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	...	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	...	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	...	..	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	...	....	....	..	....	....	....	....	....	....	....	....	....
Males...	1	....	....	....	....	....	....	....	....	....	..	....	1	Whooping Cough.	1	....	....	....	....	....	....	...	....	....	....	....	....	....	....
Females	....	....	....	....	....	...	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	..	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	.	....	....	....	....	....	....	..	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	1	....	1	3	Anæmia, including Infantile Debility	3	....	....	....	....	...	....	....	....	....	..	....	...	....	..
Females	....	1	....	....	....	....	....	....	1	....	....	....	2		2	....	....	....	....		....	....	....	....	....	....	....	....	....

Males...						1							1	Dropsy										1					
Females			1										1									1							
Males...					1								1	Cancer											1				
Females																													
Males...							1				2		3	Phthisis		1				1	1								
Females		1	1		1		1						4						1	1	1		1						
Males...		1		1								1	3	Nervous Diseases, includ. convulsions	1						1				1				
Females												1	1				1												
Males...	1				1								2	Heart Diseases										1	1				
Females	1				1								2					1		1									
Males...				1		1				3	1		6	Pneumonia and Bronchitis	2						1			2	1				
Females	1	1	1	2		1					1		7			1				1	2	1	1		1				
Males...		1											1	Enteritis and Gastritis						1									
Females																													
Males...														Liver Diseases															
Females																													
Males...														Kidney Diseases															
Females																													
Females														Child Birth															
Males...	1	1		3					2				7	Old Age											4	3			
Females	1					1			1				3												2	1			
Males...														Violent Deaths, Accidents, etc															
Females																													
Males...														Suicide															
Females																													
Males...			1										1	Other diseases and cause not specified.							1								
Females	1		1										2		1									1					
Total Males...	3	4	1	5	2	3	2		2	5	3	3	33	Total Deaths from all causes.	7	2	2			3	4			4	8	3			
Total Females	5	4	4	2	2	3	1	1	2	1	1	1	27		4	1	2	1	1	4	3	2	2	1	5	1			
Grand Total...	8	8	5	7	4	6	3	1	4	6	4	4	60		11	3	4	1	1	7	7	2	2	5	13	4			

TABLE F.—TOWNS.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

BERLIN—POPULATION, 6,810.

SEX.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH	AGES. Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	1	2	....	....	....	....	3	Cholera Infantum.	2	1	....	....	....	....	....	....	....	....	..	....	....	....	....
Females	....	....	....	....	....	....	1	2	....	....	....	....	3		3	....	....	....	....	....	....	....	....	....	..	....	....	....	....
Males	1	....	1	....	....	....	....	....	....	....	....	....	2	Croup	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	2	....	....	....	....	....	....	....	....	....	....	2		....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
Males	...	....	..	....	....	....	2	1	1	1	....	....	5	Diarrhœal Diseases	3	1	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	...	....	1	2	2	1	....	....	6		4	1	....	....	....	....	....	....	....	1	....	....	....	....	....
Males	...	....	....	....	....	1	....	....	....	....	....	....	1	Diphtheria	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
Males	....	....	....	....	....	....	....	....	....	..	....	....	....	Typhoid Fever	....	....	....	....	....	....	....	..	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	2	....	....	3		....	....	....	....	1	....	1	1	....	.	....	....	....	....	....
Males	....	....	....	....	....	....	....	...	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	..	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	..	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	1	....	....	....	....	....	....	....	1	Measles	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	...	1	....	....	1	....	3		....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
Males	....	....	....	....	....	....	2	....	....	....	....	....	2	Anæmia, including Infantile Debility	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	1	1	1	1	....	....	5		4	....	....	....	....	1	....	....	....	....	....	....	....	....	....

Males														Dropsy															
Females																													
Males			1										1	Cancer										1					
Females																													
Males						1			1		1		3	Phthisis						1	1	1							
Females	2					1	1					1	5			1			1	3									
Males			1			1	1	1				2	6	Nervous Diseases, includ. Convulsions	5							1							
Females		1				1	1				1	1	5		2		2			1									
Males														Heart Diseases															
Females									1		1		2										1	1					
Males	1				1		1					1	4	Pneumonia and Bronchitis	1	1						1		1					
Females			1			1	2						4		1	2								1					
Males		1		1									2	Enteritis and Gastritis	1		1												
Females			1			1						2	4		1					1	1	1							
Males			1										1	Liver Diseases									1						
Females																													
Males														Kidney Diseases															
Females											1		1											1					
Females												1	1	Child Birth							1								
Males	2	1	3		3	1	1		1		1	3	16	Old Age											9	6	1		
Females	2	1		2					1				6												3	3			
Males														Violent Deaths, Accidents, etc.															
Females												1	1						1										
Males														Suicide															
Females																													
Males														Other diseases and cause not specified.															
Females	1												1		1														
Total Males	4	2	7	1	5	4	8	4	3	1	2	6	47	Total Deaths from all causes	14	7	1	....	....	1	1	4	1	2	9	6	1	....	....
Total Females	6	4	3	2	1	5	7	6	5	4	4	6	53		16	6	2	1	3	6	3	2	3	5	3	3	....	....	....
Grand Total.	10	6	10	3	6	9	15	10	8	5	6	12	100		30	13	3	1	3	7	4	6	4	7	12	9	1	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

BRAMPTON.—Population, 3,297.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...								1	2				3	Cholera Infantum.	3														
Females										1			1		1														
Males...														Croup														
Females																													
Males...				1									1	Diarrhœal Diseases										1					
Females																													
Males...														Diphtheria															
Females																													
Males...														Typhoid Fever															
Females																													
Males...														Scarlet Fever															
Females																													
Males...														Other Fevers															
Females																													
Males...														Measles															
Females				2									2				2												
Males...														Whooping Cough.															
Females																													
Males...														Rheumatism and Gout															
Females																													
Males...						1	1						2	Anæmia, including Infantile Debility	1									1					
Females	1					1			1				3		2								1						

ex1.

Males...														Dropsy															
Females									1				1										1						
Males...					1		1						2	Cancer								1			1				
Females				1					1	1			·3									3							
Males...	1		2		1				1			1	6	Phthisis						1	3	1		1					
Females	2						3						5							3	2								
Males...		1		1	1			1		3			7	Nervous Diseases, includ. Convulsions	1	2				1	1		1	1					
Females				1		1		2		1			5							1					3	1			
Males...														Heart Diseases															
Females	1	1								1			3											2	1				
Males...	2	1		3				1		1			8	Pneumonia and Bronchitis	2			1	1	1			1	2					
Females		1	1		1	1		1					5		3	1				1									
Males...										1			1	Enteritis and Gastritis															1
Females																													
Males...														Liver Diseases															
Females			1										1										1						
Males...		1								1	1		3	Kidney Diseases										2	1				
Females									1				1									1							
Females		1											1	Child Birth							1								
Males...				1				1		2	2		6	Old Age											2	3	1		
Females	1	2								2	2	1	8												5	3			
Males...					2								2	Violent Deaths, Accidents, etc.					2										
Females																													
Males...														Suicide															
Females																													
Males...		1		1	2		1		1		1		7	Other diseases and cause not specified.	3						1	1	1	1					
Females	2								1			1	4									2	1	1					
Total Males...	3	4	2	7	7	1	3	4	4	8	4	1	48	Total deaths from all causes	10	2	....	1	3	3	5	3	3	9	4	3	1	....	1
Total Females	7	5	2	4	1	3	3	3	5	6	2	2	43		6	1	2	....	....	5	3	6	4	3	9	4	....	....	....
Grand Total.	10	9	4	11	8	4	6	7	9	14	6	3	91	.....	16	3	2	1	3	8	8	9	7	12	13	7	1	....	1

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

BROCKVILLE.—POPULATION, 8,826.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	1	....	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	1	....	1	Croup	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	2	....	....	....	....	2	Diarrhœal Diseases	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	1	2	....	....	....	5		2	1	....	....	....	....	....	....	....	....	1	1	....	....	....
Males	....	....	....	..	....	....	....	....	..	1	1	....	2	Diphtheria	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	....	....	1	....	....	2	Typhoid Fever	....	....	....	....	....	..	1	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	..	....	1	1	....	....	2		....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	1	....	....	2	Other Fevers	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	....	....	....	1	Rheumatism and Gout	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	..	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	1	3	2	....	....	7	Anæmia, including Infantile Debility.	6	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	1	2	....	....	....	1	1	1	1	....	....	....	7		6	....	....	....	....	....	....	1	....	....	....	....	....	....	....

Males														Dropsy					1										
Females						1							1																
Males	1								1				2	Cancer								1			1				
Females						1					1		2								1				1				
Males						1			1	1		1	4	Phthisis				1	1	1	1								
Females	1		1			2	2	2	1	2	2		13		1	1			3	4	2		2						
Males		1	1	1	1			1					5	Nervous Diseases, includ. Convulsions		1				1		1			2				
Females		1		3		2			1	1			8		1	2	2			1		1		1					
Males			1	1		1							3	Heart Diseases		1									2				
Females	1	2	1										4							1			1	1	1				
Males		1	1	1		2				2			7	Pneumonia and Bronchitis	3	1				1	1			1					
Females		2			2	2		2					8						2	2			2	1	1				
Males									1				1	Enteritis and Gastritis						1									
Females							1						1		1														
Males														Liver Diseases															
Females																													
Males	1						1						2	Kidney Diseases						1					1				
Females																													
Females			1										1	Child Birth							1								
Males		2		1	1					2	1	1	8	Old Age											4	3	1		
Females	1		1			1		1	2			1	7													7			
Males	1								6				7	Violent Deaths, Accidents, etc.					1	3	2	1							
Females												1	1					1											
Males														Suicide															
Females																													
Males			1		1		1			2			5	Other Diseases and cause not specified.					1	1	1	1	1						
Females				1			1		1	2			5				1		1	1	1		1						
Total Males	4	5	4	4	3	4	3	5	13	12	3	2	62	Total Deaths from all causes	11	5		1	4	10	6	8	2	1	10	3	1		
Total Females	4	8	4	4	3	10	8	8	10	6	3	2	70		13	7	4	1	7	10	5	2	6	3	4	8			
Grand Total	8	13	8	8	6	14	11	13	23	18	6	4	132		24	12	4	2	11	20	11	10	8	4	14	11	1		

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

CHATHAM.—POPULATION, 8,329.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	...	....	....	....	Cholera Infantum.	....	....	....	....	..	....	....	....	....	....	....	....	....	. .	....
Females	....	....	.. .	....	....	....	....	....	1	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Males...	....	1	....	....	....	....	...	....	....	....	....	1	2	Croup.....	1	....	....	1	....	...	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	...	....	.	....	....	....		....	....	....	....	..	...	....	....	....	....	....	....	....	...	....
Males...	....	....	....	....	....	....	....	3	2	....	....	....	5	Diarrhœal Diseases	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	1	....	2	Diphtheria	....	....	2	....	....	....	....	....	....	....	....	....	....	..	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Typhoid Fever....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	1	....	....	....	1	....	....	....	....	....	....	....	2		....	....	....	....	....	....	..	2	....	....	....	....	....	....	....
Males..	....	....	....	....	....	....	....	....	....	....	..	....	....	Scarlet Fever.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	. .	....	....	2	1	....	....	....	....	....	...	....	3		...	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers . ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	...	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		...	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	.	....	....	....	....	....	. .	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	...	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	..	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	..	...	..	Rheumatism and Gout.....	....	....	....	....	....	....	....	....	....	....	....	....	..	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	1	....	2	Anæmia, including Infantile Debility	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Males...					1	1							2	Dropsy		1			1										
Females																													
Males...														Cancer															
Females						2	1					1	4			1					1		1	1					
Males...		1	1	2	3	1	1	1			2		12	Phthisis				2		4	2	2		2					
Females				1	2	3		1		1			8					1	1	5		1							
Males...	1		1	2		1		1					6	Nervous Diseases, includ. Convulsions	2		1						2	1					
Females		1				1		1		2	1	1	7		4	2	1												
Males...		1					1			1			3	Heart Diseases								1		1		1			
Females		1		1						1			3							1	1					1			
Males...	1	1		2	1		1			1			7	Pneumonia and Bronchitis.	3			1		1		2							
Females						1							1											1					
Males...			1						1		1		3	Enteritis and Gastritis	1				1						1				
Females	1			2	1	1							5							3		1			1				
Males...														Liver Diseases															
Females																													
Males...					1				1			1	3	Kidney Diseases							1			1	1				
Females																													
Females	1			2									3	Child Birth							3								
Males...		1						1					2	Old Age											1			1	
Females					1						1	1	3													3			
Males...														Violent Deaths, Accidents, etc.															
Females										1		1	2			1						1							
Males...														Suicide															
Females																													
Males...	2			1				3					6	Other diseases and cause not specified.	2	2					1		1						
Females											1		1						1										
Total Males...	4	5	3	7	6	3	3	10	5	2	5	3	56	Total deaths from all causes	14	4	3	4	2	5	6	5	3	5	3	1		1	
Total Females	3	2		8	6	8	1	3	3	5	3	4	46		7	7	2	1	2	9	5	5	1	2	1	4			
Grand Total..	7	7	3	15	12	11	4	13	8	7	8	7	102		21	11	5	5	4	14	11	10	4	7	4	5		1	

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

COBOURG.—Population, 4,692.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males								1					1	Cholera Infantum.	1														
Females								4					4		4														
Males														Croup														
Females																												
Males									1				1	Diarrhœal Diseases	1														
Females								1					1		1														
Males														Diphtheria														
Females																												
Males										1			1	Typhoid Fever						1									
Females																												
Males														Scarlet Fever														
Females																												
Males														Other Fevers														
Females																												
Males														Measles														
Females																												
Males										1		1	2	Whooping Cough		2												
Females																												
Males													1	Rheumatism and Gout											1				
Females																												
Males						1			1			2	4	Anæmia, including Infantile Debility	3								1						
Females		1		1						1			3		2	1													

Males..														Dropsy															
Females				1									1										1						
Males.														Cancer															
Females												1	1												1				
Males..							1		1				2	Phthisis						1		1							
Females				2									2						1	1									
Males..				2			2		2				6	Nervous Diseases, includ. Convulsions	1		1			1				1	2				
Females		1					1				1		3												3				
Males..	1		1				1						3	Heart Diseases										1	1	1			
Females		1						1					2									1		1					
Males..		1			1				1				3	Pneumonia and Bronchitis			1				2								
Females				1			1						2		2														
Males..		1							2	1			4	Enteritis and Gastritis	1					1				2					
Females																													
Males..										1			1	Liver Diseases										1					
Females																													
Males..	1			1									2	Kidney Diseases					1					1					
Females																													
Females		1		1									2	Child Birth						1	1								
Males..	2	2			1								5	Old Age											1	4			
Females	1	3			1								5												1	4			
Males..							1						1	Violent Deaths, Accidents, etc.					1										
Females																													
Males..														Suicide															
Females																													
Males..														Other diseases and cause not specified.															
Females	1	1	1										3					1						2					
Total Males..	4	4	1	3	2	1	6	1	8	4	....	3	37	Total Deaths from all causes	7	2	2	....	2	4	2	1	1	6	5	5	....	....	....
Total Females	2	8	1	6	1	....	2	6	....	1	1	1	29		9	1	....	1	1	2	1	1	1	3	5	4	....	....	...
Grand Total.	6	12	2	9	3	1	8	7	8	5	1	4	66	....	16	3	2	1	3	6	3	2	2	9	10	9	....	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

CORNWALL—POPULATION, 6,402.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	....	....	1	....	....	2	Croup	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	....	....	....	1	Diarrhœal Diseases	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	2	2	1	....	....	....	5		4	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	2	1	....	1	....	....	4	Diphtheria	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	2	....	1	4		....	....	4	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Typhoid Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	..	..	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	....	....	1	Measles	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	1	....	1	1	....	....	....	4	Anæmia, including Infantile Debility	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	2	....	2	....	1	1	....	....	....	7		5	1	....	....	....	....	....	1	....	....	....	....	....	....	....

Males														Dropsy																
Females						1							1							1										
Males														Cancer																
Females																														
Males			1	1		1	2		1				6	Phthisis					1	3	1		1							
Females								2			1		3							1	1		1							
Males	1		1						2		1		5	Nervous Diseases, includ. Convulsions	3	2														
Females		2				1			2				5		4					1										
Males	1			1									2	Heart Diseases										1	1					
Females						1			1		1		3										1	1	1					
Males				1	1		1						3	Pneumonia and Bronchitis						1					1	1				
Females			2		1	1							4			1		1		1		1								
Males														Enteritis and Gastritis																
Females																														
Males														Liver Diseases																
Females																														
Males			1								1	1	3	Kidney Diseases			2									1				
Females			1										1													1				
Females														Child Birth																
Males							1						1	Old Age												1				
Females					1				1				2												2					
Males					1						1		2	Violent Deaths, Accidents, etc.			1		1											
Females																														
Males														Suicide																
Females																														
Males		1	2	1		1							5	Other diseases and cause not specified.	3			1						1						
Females																														
Total Males	2	2	6	4	2	3	7	2	5	2	3	1	39	Total Deaths from all causes	12	6	5	1	2	4	1		1	2	2	3				
Total Females		2	4	2	2	6	2	6	7	2	2	1	36		14	3	4	1		4	1	2	2	1	3	1				
Grand Total	2	4	10	6	4	9	9	8	12	4	5	2	75		26	9	9	2	2	8	2	2	3	3	5	4				

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

GALT.—POPULATION, 7,162.

SEX.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH	AGES. Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	1	1	1	....	....	3	Cholera Infantum.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	....	....	....	....	2	4	....	....	....	....	6	Diarrhœal Diseases	3	....	..	....	....	....	1	....	....	....	2	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Diphtheria	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	1	2		....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	....	....	....	1	Typhoid Fever	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	2	1	....	....	3		....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	1	....	....	....	1	Whooping Cough.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males	1	....	1	....	....	....	....	....	1	1	....	1	5	Anæmia, including Infantile Debility	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

cl.

Males...														Dropsy															
Females			1									1	2							1	1								
Males...										1			1	Cancer											1				
Females	1			1	1						1		4								1		2	1					
Males...			2		1		1						4	Phthisis	2					1		1							
Females		2		1		1					1	1	6		1					2	3								
Males...	4		2	1	1			1	1				10	Nervous Diseases, includ. Convulsions	5	4					1								
Females					1		1	1	1		1		5		2					1			1	1					
Males...			1	1	2	1	1	1					7	Heart Diseases ...		3						1		1		1	1		
Females			1	1				1				1	4		1								2	1					
Males...			1	1	3				1	2		1	9	Pneumonia and Bronchitis	2					1		1	4	1					
Females			2			1				4			7		2	1						1		3					
Males...			1					1	1	1	1	1	6	Enteritis and Gastritis	2						1	1	1		1				
Females							1						1					1											
Males...					1								1	Liver Diseases ...								1							
Females										1			1										1						
Males...			1							1			2	Kidney Diseases..					1		1								
Females													...																
Females			1		1								2	Child Birth	1						1								
Males...	1			1	1	1	1						5	Old Age											2	2	1		
Females		1			1				1		1	1	5												3	1	1		
Males...		2								1			3	Violent Deaths, Accidents, etc ..		1						1	1						
Females											1		1				1												
Males...														Suicide															
Females																													
Males...						1	1				1		3	Other diseases and cause not specified.	2			1											
Females					1				1	1	1		4			1	1			1			1						
Total Males...	6	2	9	4	9	3	6	8	7	8	2	3	67	Total Deaths from all causes	25	8		1	1	2	5	6	6	2	6	3	2		
Total Females	1	3	5	4	5	2	3	4	8	7	6	5	53		12	2	4	1		7	6	2	7	6	4	1	1		
Grand Total.	7	5	14	8	14	5	9	12	15	15	8	8	120		37	10	4	2	1	9	11	8	13	8	10	4	3		

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

LINDSAY—POPULATION, 5,789.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	2	....	....	....	....	....	1	....	....	....	3	Cholera Infantum.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	...	....	...	....	....	....	....	....	....	...	....	....	....	Croup	....	....	...	....	....	....	....	....	....	....	....	....	..	....	...
Females	....	....	....	....	....	....	....	....	....	...	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	..	....	....	....	....	....	....	....	....	....	....	Diarrhœal Diseases	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Diphtheria	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	..	....	....	....	....	....	....	....	....	....	..	Typhoid Fever ...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	2	....	....	....	....	....	....	....	....	....	2	Scarlet Fever	....	2	....	....	....	..	..	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	...	....	....	....	....	....	..	....	....	....	....	...	Whooping Cough .	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	..	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	.	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	....	....	....	....	....	1	....	....	....	....	....	3	Anæmia, including Infantile Debility	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	....	....	..	...	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Males...														Dropsy															
Females				1									1							1									
Males...														Cancer															
Females																													
Males...														Phthisis.....															
Females				2	1			1	1	1	1		7							2	3	2							
Males...				1	1	1		1	1	1	1		7	Nervous Diseases,	3	1	1			1					1				
Females								1					1	includ. Convulsions						1									
Males...														Heart Diseases ...															
Females		2	1										3					2						1					
Males...			1										1	Pheumonia and		1													
Females		2								1	1		4	Bronchitis......		1				2				1					
Males...		2									1	1	4	Enteritis and	2	1							1						
Females					1				1			1	3	Gastritis	1										1	1			
Males...														Liver Diseases....															
Females				1			1					1	3		1								1	1					
Males...														Kidney Diseases..															
Females																													
Females														Child Birth ...															
Males...				1	1			1					3	Old Age											2		1		
Females	2		1								1	1	5													4		1	
Males...												1	1	Violent Deaths,							1								
Females														Accidents, etc.															
Males...														Suicide..........															
Females																													
Males...				2	2		1	1					6	Other Diseases and	3	2						1							
Females					1								1	cause not specified.	1														
Total Males...	2	2	5	4	4	1	2	3	2	1	2	2	30	Total Deaths from	14	7	1	....	....	1	1	1	1	...	3	....	1	....	....
Total Females	2	4	2	5	3	....	1	2	2	2	3	3	29	all causes	4	1	....	2	....	6	3	2	1	3	1	5	....	1	....
Grand Total.	4	6	7	9	7	1	3	5	4	3	5	5	59	....	18	8	1	2	....	7	4	3	2	3	4	5	1	1	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

NAPANEE—POPULATION, 3,201.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	2	....	....	....	....	....	2	Cholera Infantum.	2	....	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	....	1	....	..	....	1	....	1	....	....	4	Diarrhœal Diseases	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Diphtheria	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Typhoid Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	....	....	1		....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	..	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	..	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	...	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Anæmia, including Infantile Debility.	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Males...	...	...	...	...	...	...	...	...	...	...	...	...	...	Dropsy..........	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	1	...	...	...	...	...	...	...	...	...	...	...	1		...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Males...	...	...	...	...	...	...	...	...	...	...	...	...	...	Cancer	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males...	1	2	...	1	...	...	...	...	...	...	...	2	6	Phthisis..	...	...	...	...	...	1	4	...	1	...	...	...	...	...	...
Females	...	1	...	...	1	...	...	...	2	...	...	...	4		...	...	...	...	...	2	...	...	1	1	...	...	...	...	...
Males...	...	2	...	...	...	1	...	...	...	...	1	1	5	Nervous Diseases, includ. Convulsions	1	...	...	...	...	...	...	...	...	1	2	1	...	...	...
Females	1	...	...	...	...	...	1	2	...	...	...	...	4		...	...	...	...	...	1	...	...	...	2	1	...	...	...	...
Males...	...	1	...	1	...	...	...	...	...	...	...	...	2	Heart Diseases ..	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...
Females	...	1	...	...	...	...	...	...	...	...	...	...	1		...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Males...	...	2	...	...	...	...	1	...	...	...	...	1	4	Pneumonia and Bronchitis.	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...
Females	1	...	1	...	...	...	...	...	...	...	...	...	2		...	...	...	...	...	...	1	...	...	...	1	...	...	...	...
Males...	...	...	...	...	...	...	1	...	...	...	...	...	1	Enteritis and Gastritis........	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	1	...	...	...	1		...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Males...	...	1	...	...	...	...	...	...	...	...	...	...	1	Liver Diseases....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males...	...	...	1	...	...	...	...	...	1	...	...	...	2	Kidney Diseases..	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...	Child Birth........	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males...	...	...	...	...	...	...	...	...	...	1	...	...	1	Old Age	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
Females	...	...	1	4	...	1	...	...	...	...	...	...	6		...	...	...	...	...	...	...	...	...	...	3	3	...	...	...
Males...	...	...	...	...	...	...	...	1	...	1	...	...	2	Violent Deaths, Accidents, etc..	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males...	...	...	...	...	...	...	...	...	...	...	...	...	...	Suicide......	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males...	1	...	1	...	...	...	...	...	...	...	...	...	2	Other diseases and cause not specified.	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
Females	...	...	1	...	...	...	...	...	...	...	...	...	1		...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
Total Males...	3	8	2	3	...	1	4	2	1	3	1	4	32	Total Deaths from all causes.......	7	1	...	...	...	2	4	3	1	7	4	2	1	...	...
Total Females	3	4	4	4	1	1	2	2	3	...	...	...	24		...	1	...	...	2	3	2	...	1	6	6	3	...	...	...
Grand Total.	6	12	6	7	1	2	6	4	4	3	1	4	56	....	7	2	...	...	2	5	6	3	2	13	10	5	1	...	...

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

OWEN SOUND.—Population, 6,359.

SEX.	Months.													CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...														Cholera Infantum.														
Females																												
Males...														Croup														
Females																												
Males...														Diarrhœal Diseases														
Females				1							1		2		1				1										
Males...		1											1	Diphtheria					1										
Females																												
Males...										1	2	1	4	Typhoid Fever						2	2							
Females																												
Males...														Scarlet Fever														
Females																												
Males...									1		1		2	Other Fevers			1		1										
Females																												
Males...														Measles														
Females																												
Males...														Whooping Cough														
Females																												
Males...					1								1	Rheumatism and Gout										1					
Females																												
Males...			2			1		3	1	1		1	9	Anæmia, including Infantile Debility.	9														
Females	1			1				1					3		3														

Males...														Dropsy														
Females					1								1											1				
Males...														Cancer														
Females						3							3										1	2				
Males...		1							1			1	3	Phthisis						2	1							
Females			1	3						1	2		7							4	2		1					
Males...		1	1					1		3	1	1	8	Nervous Diseases, includ. Convulsions	4				1				1	1	1			
Females	1		2		2	1		1					7		4	1	1						1					
Males...				1						1		2	4	Heart Diseases								1	1		1	1		
Females				1					1				2								1		1					
Males...					1			1					2	Pneumonia and Bronchitis						2								
Females	1	1	1							2			5		3								1	1				
Males...			1										1	Enteritis and Gastritis										1				
Females		1							1				2		1						1							
Males...	1		1										2	Liver Diseases		1						1						
Females												2	2									1				1		
Males...														Kidney Diseases														
Females			1							1			2								1				1			
Females														Child Birth														
Males...		1	1		1					1			4	Old Age											1	1	2	
Females		1				1	1		1	1		1	6												5		1	
Males...				1		1							2	Violent Deaths, Accidents, etc.				1				1						
Females																												
Males ..														Suicide														
Females																												
Males...	1	1	1	1								2	6	Other diseases and cause not specified.	5									1				
Females			1	1							1		3			2								1				
Total Males...	2	5	7	3	3	2	....	5	3	7	4	8	49	Total Deaths from all causes	18	1	1	1	3	6	3	3	2	4	3	2	2	....	....
Total Females	3	3	6	7	3	5	1	2	3	5	4	3	45		12	3	1	....	1	4	5	1	5	5	6	1	1	....	....
Grand Total.	5	8	13	10	6	7	1	7	6	12	8	11	94		30	4	2	1	4	10	8	4	7	9	9	3	3	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.—*Continued.*

PEMBROKE.—Population, 4,146.

SEX.	Months.												Total.	CAUSE OF DEATH	Ages.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...														Cholera Infantum.														
Females					1								1		1														
Males...														Croup														
Females											1		1		1														
Males...	1								1				2	Diarrhœal Diseases	1	1													
Females	1				1	1	1	1				2	7		7														
Males...	2						1						3	Diphtheria		3													
Females																													
Males...														Typhoid Fever														
Females																													
Males...														Scarlet Fever														
Females		1											1			1													
Males...														Other Fevers														
Females																													
Males...														Measles														
Females																													
Males...	1												1	Whooping Cough	1														
Females																													
Males...														Rheumatism and Gout														
Females																													
Males...														Anæmia, including Infantile Debility														
Females				1		1	1						3		2						1								

Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Dropsy	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cancer	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	1	....	....	....	....	....	1	Phthisis	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	1	1	....	....	....	....	....	1	....	....	3		....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
Males...	....	....	....	1	1	2	....	....	1	....	....	....	5	Nervous Diseases, includ. Convulsions	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	1	....	....	....	....	....	1	....	1	....	1	....	4		4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Heart Diseases ...	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	1	....	1	....	....	....	....	....	1	....	3		....	....	....	....	....	....	....	1	1	1	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	2	....	....	3	Pneumonia and Bronchitis......	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	1	2		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	1	....	....	1	Enteritis and Gastritis	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Liver Diseases....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Kidney Diseases..	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	1	....	....	....	....	2		....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	....	....	....	....	....	....	....	....	2	Old Age....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	1	2		....	....	....	....	....	....	....	....	....	....	....	2	....	....	....
Males...	....	1	....	....	....	1	....	....	1	....	....	....	3	Violent Deaths, Accidents, etc..	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Other diseases and cause not specified.	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Total Males...	2	5	1	1	1	3	1	2	5	3	....	....	24	Total Deaths from all causes.....	9	5	....	1	1	3	1	1	1	....	....	1	1	....	....
Total Females	4	1	2	2	3	2	3	3	3	3	3	4	33		18	1	....	....	....	1	3	4	2	1	1	2	....	....	....
Grand Total.	6	6	3	3	4	5	4	5	8	6	3	4	57	....	27	6	....	1	1	4	4	5	3	1	1	3	1	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PERTH—POPULATION, 3,976.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	..	....		..	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	..	....	....	..	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	..	....	..	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Diarrhœal Diseases	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	..	....	....	....	1	1	....	...	2		2	....	....	....	....	....	....	....	....	..	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	...	....	....	Diphtheria	....	....	....	....	...	....	....	....	..	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	..	....	...	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Typhoid Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	1	1		....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males...	...	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	.	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	..	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	..	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	..	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	..	....	....	..	....		....	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	...	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	..	....	....	....	....	....	Rheumatism and Gout.	....	....	....	....	....	....	....	...	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	...	2	3	Anæmia, including Infantile Debility	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	3	....	1	....	1	1	....	....	....	7		6	1	....	....	....	....	....	....	....	....	....	....	....	....	....

Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Dropsy	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Cancer	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	1	1	1	1	....	1	....	....	....	....	5	Phthisis	....	....	....	....	1	2	2	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	1	1	....	....	....	....	....	....	2	Nervous Diseases, includ. Convulsions	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
Females	....	....	1	1	....	....	1	....	....	....	....	....	3		....	....	....	1	....	1	1	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Heart Diseases	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
Females	....	....	2	....	....	....	....	....	....	....	....	....	2		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	1	1	1	1	....	....	1	....	....	3	9	Pneumonia and Bronchitis	2	1	1	....	....	....	....	....	2	2	....	1	....	....	....
Females	....	....	....	4	....	....	....	....	....	1	....	1	6		2	1	....	....	....	....	....	2	....	1	....	....	....	....	....
Males	....	....	1	....	....	....	....	....	....	....	1	....	2	Enteritis and Gastritis	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	1	....	....	....	....	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	1	....	....	....	2	....	3	Liver Diseases	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	1	....	1	Kidney Diseases	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	1	....	....	....	....	....	3	....	....	4	Old Age	....	....	....	....	....	....	....	....	....	....	2	2	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Violent Deaths, Accidents, etc.	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	2	....	1	....	....	....	....	1	....	....	5	Other diseases and cause not specified.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	....	....	1		....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Total Males	1	2	5	3	4	3	1	3	1	4	4	5	36	Total Deaths from all causes.	11	1	2	....	1	4	2	2	3	3	4	3	....	....	....
Total Females	1	3	3	8	....	2	2	1	3	2	1	2	28		12	3	....	1	2	2	1	3	1	2	1	....	....	....	....
Grand Total.	2	5	8	11	4	5	3	4	4	6	5	7	64	....	23	4	2	1	3	6	3	5	4	5	5	3	....	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PETERBOROUGH—POPULATION, 8,989.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males								1					1	Cholera Infantum.	1														
Females								1					1		1														
Males														Croup														
Females																													
Males							1	1		1			3	Diarrhœal Diseases	3														
Females								1	1	1			3		1	1								1					
Males			2			1						1	4	Diphtheria		3	1												
Females	1	1	1									2	5		2	1	1	1											
Males														Typhoid Fever														
Females								1		1			2								1		1						
Males														Scarlet Fever														
Females																													
Males									1				1	Other Fevers		1													
Females																													
Males														Measles														
Females																													
Males														Whooping Cough.														
Females																													
Males														Rheumatism and Gout														
Females																													
Males				3			2	2	2		1	1	11	Anæmia, including Infantile Debility	11														
Females				1	1			2			1	1	6		5	1													

Males...														Dropsy															
Females																													
Males...										1			1	Cancer									1						
Females			2										2											2					
Males...	1		2	1									4	Phthisis								1	1			2			
Females			3		1				1				5						1		1	1	2						
Males...			1	1	1		2	2	1				8	Nervous Diseases, includ. Convulsions	2	1		1			1	1	2						
Females			1				1			1		2	5		2	1			2										
Males...		1	1	1								1	4	Heart Diseases								1		2		1			
Females			2	2		1				1			6					1				2	2	1					
Males...		1	3	3		1	1				1		10	Pneumonia and Bronchitis	5		2				2				1				
Females			1	2							1	1	5			3			1		1								
Males...							1		1				2	Enteritis and Gastritis	2														
Females											1		1										1						
Males...			1					1					2	Liver Diseases											1		1		
Females				2		1							3								1				2				
Males...						1			1				2	Kidney Diseases							1			1					
Females						1		1					2								1		1						
Females					1								1	Child Birth							1								
Males...		1		1								1	3	Old Age												3			
Females		1		1				1	2				5												3	2			
Males..							1						1	Violent Deaths, Accidents, etc.			1												
Females																													
Males...														Suicide															
Females																													
Males...			1			2	1		1		1		6	Other diseases and cause not specified.	4							1		1					
Females								2		1	2		5		2			1	1	1									
Total Males...	1	3	11	10	1	5	9	7	7	2	3	4	63	Total Deaths from all causes	28	5	4	1	...	...	4	4	4	4	2	6	1	...	...
Total Females	1	2	10	8	3	3	1	9	4	5	5	6	57		13	7	1	3	5	1	6	3	7	4	5	2	...	...	...
Grand Total.	2	5	21	18	4	8	10	16	11	7	8	10	120	...	41	12	5	4	5	1	10	7	11	8	7	8	1	...	...

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS, AND DISEASES, 1888.

PICTON.—Population, 3,000.

SEX.	Months.													CAUSE OF DEATH	Ages.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Diarrhœal Diseases	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Diphtheria	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	1	....	1	Typhoid Fever	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	1	2		....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	2	....	....	....	2	Anæmia, including Infantile Debility.	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	1	....	....	....	2		1	1	....	....	....	....	....	....	....	....	....	....	....	....	....

Males...	....	....	....	....	....	....	....	....	....	....	1	....	1	Dropsy	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cancer	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	1	....	....	....	1	....	....	1	....	....	....	4	Phthisis..........	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....
Females	....	....	....	2	....	....	1	1	1	....	....	1	6		....	....	1	....	....	1	2	1	1	....	....	....	....	....	....
Males...	....	1	1	1	....	....	....	1	....	....	1	....	5	Nervous Diseases, includ. Convulsions	....	2	....	....	....	....	1	1	....	....	....	1	....	....	....
Females	....	....	1	....	....	....	....	....	....	....	1	....	2		....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Heart Diseases...	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	1	1	....	....	....	....	....	1	3	Pneumonia and Bronchitis	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....
Females	....	....	....	1	....	....	....	....	....	....	....	....	1		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	1	....	....	....	....	1	....	....	....	....	3	Enteritis and Gastritis	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	1	1	....	3	Liver Diseases....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	1	....	....	1	3		....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Kidney Diseases..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	....	....	....	1	....	....	....	1	....	3	Old Age...... ...	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....
Females	....	2	....	....	....	....	....	1	1	....	....	....	4		....	....	....	....	....	....	....	....	....	....	2	2	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Violent Deaths, Accidents, etc..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide..........	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	1	1	....	....	1	....	....	....	....	4	Other diseases and cause not specified.	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1		....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Total Males...	1	4	3	2	2	3	1	3	4	1	5	1	30	Total deaths from all causes.......	1	4	1	....	....	3	7	4	3	....	4	2	1	....	....
Total Females	....	4	1	3	1	....	1	3	4	1	2	3	23		2	2	1	....	1	2	4	4	1	1	3	2	....	....	....
Grand Total.	1	8	4	5	3	3	2	6	8	2	7	4	53	....	3	6	2	....	1	5	11	8	4	1	7	4	1	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

PORT HOPE.—POPULATION, 5,161.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...														Cholera Infantum.															
Females									1				1		1														
Males...														Croup															
Females																													
Males...														Diarrhœal Diseases															
Females										1			1													1			
Males...			1						1				2	Diphtheria	1		1												
Females																													
Males...						1							1	Typhoid Fever										1					
Females						2							2										2						
Males..														Scarlet Fever															
Females																													
Males...														Other Fevers															
Females												1	1			1														
Males...														Measles															
Females																													
Males...														Whooping Cough.															
Females										1			1		1														
Males...				1									1	Rheumatism and Gout						1									
Females												1	1											1						
Males...	1		1										2	Anæmia, including Infantile Debility	1	1													
Females																													

Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Dropsy	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	1	....	1		....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cancer	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	1	1	1	1	....	....	....	....	....	4		....	....	....	....	....	1	1	....	1	....	1	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	1	2	Phthisis	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	1	2	Nervous Diseases,	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	1	....	1	....	2	includ. Convulsions	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
Males...	1	1	....	2	....	....	....	....	....	....	....	1	5	Heart Diseases ...	1	....	....	....	....	....	....	....	....	2	2	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	1	1	3		....	....	....	....	....	....	1	....	....	....	2	....	....	....	....
Males...	....	1	....	....	....	....	....	....	....	....	....	....	1	Pneumonia and	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Bronchitis......	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Enteritis and	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	....	....	....	....	....	....	....	....	....	....	2	Gastritis	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Liver Diseases....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	1	....	....	....	....	....	....	....	....	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	1	....	2	Kidney Diseases..	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	1	....	....	1		....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	Child Birth...... .	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	1	....	....	1	....	....	....	....	....	2	4	Old Age	....	....	....	....	....	....	....	....	....	....	2	2	....	....	....
Females	....	....	....	....	....	1	....	....	1	....	....	....	2		....	....	....	....	....	....	....	....	....	....	....	2	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	1	1	Violent Deaths,	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1	Accidents, etc..	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Suicide...........	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	1	....	....	....	....	1	Other diseases and	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	....	....	....	....	1	cause not specified.	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Total Males...	2	3	3	3	...	3	....	2	3	....	1	6	26	Total Deaths from	5	1	2	....	....	3	....	1	....	6	6	2	....	....	....
Total Females	1	3	....	1	2	4	1	1	3	3	3	3	25	all causes. . ..	2	1	....	....	1	3	2	1	4	4	4	3	....	....	....
Grand Total.	3	6	3	4	2	7	1	3	6	3	4	9	51	....	7	2	2	....	1	6	2	2	4	10	10	5	....	....	....

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WHITBY.—Population, 7,886.

Sex.	Months.												Total.	Cause of Death	Ages.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...														Cholera Infantum.															
Females																													
Males...	1			1								1	3	Croup		1	2												
Females											1		1			1													
Males...									1				1	Diarrhœal Diseases	1														
Females																													
Males...	1	1		3	1								6	Diphtheria		1	4	1											
Females				1									1			1													
Males...														Typhoid Fever															
Females																													
Males...														Scarlet Fever															
Females																													
Males...														Other Fevers															
Females																													
Males...														Measles															
Females																													
Males...														Whooping Cough.															
Females																													
Males...														Rheumatism and Gout															
Females																													
Males...							1				1		2	Anæmia, including Infantile Debility	2														
Females				1					1				2		1					1									

Males	1												1	Dropsy											1				
Females																													
Males														Cancer															
Females																													
Males	1	1	1										3	Phthisis					1	2									
Females								1		1	2	1	5							1	2	2							
Males							1						1	Nervous Diseases, includ. Convulsions	1														
Females			1				1	1					3		1									2					
Males			2					1					3	Heart Diseases										3					
Females											1		1										1						
Males		1		2	1								4	Pneumonia and Bronchitis	1					1				1	1				
Females					1						1		2		1								1						
Males							1	1					2	Enteritis and Gastritis	2														
Females			1										1												1				
Males														Liver Diseases															
Females																													
Males														Kidney Diseases															
Females																													
Females														Child Birth															
Males					1				1		1		3	Old Age											1	2			
Females	1												1												1				
Males														Violent Deaths, Accidents, etc.															
Females																													
Males					1								1	Suicide						1									
Females																													
Males			1									1	2	Other diseases and cause not specified.	1	1													
Females	1		1										2		2														
Total Males	4	3	4	6	4		3	2	2		2	2	32	Total Deaths from all causes	8	3	6	1	1	4				4	3	2			
Total Females	2		3	2	1		1	2	1	1	5	1	19		5	2				2	2	2	2	2	2				
Grand Total	6	3	7	8	5		4	4	3	1	7	3	51		13	5	6	1	1	6	2	2	2	6	5	2			

TABLE F.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1888.

WINDSOR—Population, 9,041.

SEX.	Months.													CAUSE OF DEATH.	Ages.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	....	....	....	....	....	....	....	....	....	....	....	....	....	Cholera Infantum.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	1	..	...	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	..	....	....	....	....	....	....	....	....	....	....	....	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	....	....	...	....	....	....	....	....	...	....	2		....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	...	1	3	1	....	....	5	Diarrhœal	1	1	....	....	....	....	....	....	1	2	...	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1	Diseases. ...	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	1	....	1	....	....	....	....	....	....	....	....	2	Diphtheria	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	...	....	1	....	1	Typhoid Fever ..	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	1	....	....	....	....	....	....	....	....	1	Scarlet Fever.....	...	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	3	2	....	....	....	....	...	....	..	....	5		....	3	2	...	....	....	....	..	....	....	....	....	....	....	....	....
Males...	...	....	....	....	1	....	....	....	....	1	....	....	2	Other Fevers....	....	1	....	1	....	....	..	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	..	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	1	....	....	....	....	....	....	1	Measles	....	1	....	....	....	....	....	..	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	....	....	.	1	1	Whooping Cough.	....	1	..	....	....	....	....	....	....	....	....	....	....	....	....
Females	..	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	....	....	....	....	....	....	....	....	1	....	....	....	1	Rheumatism and	...	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	....	....	..	....	....	....	....	....	....	..	....	....	....	Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	1	1	1	....	1	....	1	...	....	3	2	11	Anæmia, including	8	....	....	....	.	....	....	....	3	....	....	....	....	....	....
Females	1	...	....	1	....	1	3	....	2	....	1	....	9	Infantile Debility	5	...	....	....		1	....	....	....	3	....	....	....	....	....

Males...										1			1	Dropsy......											1				
Females																													
Males...											1		1	Cancer									1						
Females			1										1								1								
Males...		2		1		1			1				5	Phthisis..........		1			3			1							
Females				1		1	1			1	1	2	7				1			3	2	1							
Males...		1				1							2	Nervous Diseases, includ. convulsions	2														
Females		1		1			3			1	3	1	10		5							2	2		1				
Males...								1			1		2	Heart Diseases ...								1	1						
Females		1	1				2	1					5							2	1		2						
Males...			2							2	1	1	6	Pneumonia and Bronchitis......	4					1				1					
Females	1	3			1	2							7		4							1	1	1					
Males...			1							1			2	Enteritis and Gastritis.......				1				1							
Females				1		1		2		1			5		2	1				1				1					
Males...														Liver Diseases....															
Females																													
Males...	1												1	Kidney Diseases..									1						
Females																													
Females			1										1	Child Birth.........						1									
Males...		2	1	1				1					5	Old Age											3	2			
Females																													
Males...														Violent Deaths, Accidents, etc															
Females																													
Males...														Suicide..........															
Females																													
Males...				1			2		1	1			5	Other diseases and cause not specified.	4						1								
Females				1		1	1	1			3		7		1	2			1		2	1							
Total Males...	2	7	5	6	1	4	2	4	6	7	7	4	55	Total Deaths from all causes.....	19	7	1	2	3	1	1	4	8	3	4	2			
Total Females	2	7	6	7	1	7	12	4	2	3	8	3	62		20	7	4		1	8	6	5	5	5	1				
Grand Total..	4	14	11	13	2	11	14	8	8	10	15	7	117	....	39	14	5	2	4	9	7	9	13	8	5	2			

TABLE F.—TOWNS.—DEATHS, BY AGES, MONTHS AND DISEASES, 1888.—*Continued.*

WOODSTOCK—POPULATION, 8,314.

SEX.	MONTHS.													CAUSE OF DEATH	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males	....	....	....	....	....	....	....	1	....	....	....	....	1	Cholera Infantum.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	1	....	....	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	1	....	....	....	....	....	....	....	....	....	....	1	Croup	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	1		....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	..	....	..	....	....	....	....	2	....	....	....	....	2	Diarrhœal Diseases	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	1	....	....	....	....	....	1		....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	3	....	....	....	....	....	....	....	....	....	....	2	5	Diphtheria	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....
Females	3	....	1	1	....	....	....	1	....	....	....	1	7		....	3	2	1	....	1	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	1	....	....	4	....	....	....	5	Typhoid Fever	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	....	....	....	1	1	....	....	3		....	....	1	....	1	....	....	....	....	....	1	....	....	....	....
Males	....	....	....	....	....	....	....	..	....	....	....	....	....	Scarlet Fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	..	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Other Fevers	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	....	....	....	....	1		....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	1	Measles	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	1	....	....	....	....	....	....	....	....	2		....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Whooping Cough.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	Rheumatism and Gout	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	1	1	2	....	....	1	....	1	1	....	1	9	Anæmia, including Infantile Debility	5	2	....	....	....	....	....	1	....	1	....	....	....	....	....
Females	....	....	1	....	....	....	1	2	....	2	....	1	7		5	2	....	....	....	....	....	....	....	....	....	....	....	....	....

Males					1			1					2	Dropsy									1		1				
Females																													
Males							1						1	Cancer										1					
Females	1												1								1								
Males		2	1	1	1							1	6	Phthisis				1		2	2	1							
Females		1				2		1					4						1	2	1								
Males						3					1		4	Nervous Diseases,		2	1									1			
Females		1	2	1									4	includ. Convulsions	2	1			1										
Males			1	1	1								3	Heart Diseases						1		1				1			
Females	1	1				1				1			4					1		1			1	1					
Males	2	1	1		3	1	1	1	1				11	Pneumonia and	2	2		1				4	2						
Females		2					2	4	2				10	Bronchitis	5	1		1	1	1			1						
Males			1		1				1	1			4	Enteritis and							2	1	1						
Females			1	1									2	Gastritis											1	1			
Males														Liver Diseases															
Females																													
Males	1	1				1							3	Kidney Diseases										1	2				
Females	2												2				1		1										
Females			1										1	Child Birth						1									
Males	1					1	1		1				4	Old Age											2	1	1		
Females					1				1	1			3												2	1			
Males								1	1				2	Violent Deaths,					1			1							
Females														Accidents, etc.															
Males														Suicide															
Females																													
Males		1			2				1				4	Other diseases and		1	1	2											
Females			1						2				3	cause not specified.		1						2							
Total Males	9	7	5	4	9	7	4	6	10	2	1	4	68	Total Deaths from	9	13	4	5	2	5	5	9	4	3	5	3	1		
Total Females	9	5	7	4	2	4	4	10	6	5		2	58	all causes	14	10	6	3	5	6	3	2	2	1	4	2			
Grand Total.	18	12	12	8	11	11	8	16	16	7	1	6	126		23	23	10	8	7	11	8	11	6	4	9	5	1		

RECAPITULATION.

Total Deaths by Ages, Months and Diseases in the principal Towns in 1888.

TOTAL POPULATION, 111,767.

SEX.	MONTHS.												Total.	CAUSE OF DEATH	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males ..	....	....	2	....	....	....	3	8	4	1	....	....	18	Cholera Infantum	17	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	1	2	3	11	3	1	....	....	21		21	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	2	3	1	1	....	....	1	....	....	1	1	2	12	Croup	1	7	3	1	....	....	..	....	....	....	....	....	....	....	....
Females	1	5	....	....	1	...	....	....	....	....	2	....	9		1	6	1	1	....	....	....	....	....	....	....	....	....	....	....
Males	2	....	....	2	...	....	6	16	10	4	....	....	40	Diarrhœal Diseases	24	8	....	....	....	....	1	1	1	3	2	....	....	....	....
Females	1	....	....	1	1	2	8	10	9	4	1	2	39		26	5	....	....	1	...	....	...	....	4	1	2	....	....	....
Males ..	4	5	3	4	1	2	2	3	1	2	2	4	33	Diphtheria	1	14	13	2	2	....	....	1	....	....	....	....	....	....	....
Females	5	2	2	2	....	....	....	1	3	2	....	5	22		3	6	10	2	....	1	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	....	....	2	1	..	5	4	4	2	18	Typhoid Fever	....	1	....	....	1	7	6	2	....	1	....	....	....	....	....
Females	2	....	1	....	2	2	....	1	4	8	....	2	22		....	1	2	....	5	4	2	4	3	....	1	....	....	....	....
Males ..	....	....	2	1	....	....	....	....	....	....	....	....	3	Scarlet Fever	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	2	3	4	1	....	....	....	....	....	....	....	10		....	7	3	....	....	....	....	....	....	....	....	....	....	....	....
Males ..	....	....	....	..	1	....	....	....	1	2	....	....	4	Other Fevers	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	1	2	...	2	1	6		....	2	1	....	1	....	1	....	...	....	1	....	....	....	....
Males ..	1	....	1	....	1	1	....	....	....	....	....	..	4	Measles	1	3	....	....	....	.	....	....	....	....	....	....	..	....	....
Females	1	....	....	3	1	....	....	...	1	....	....	....	6		1	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Males...	2	....	....	....	....	....	....	....	1	1	....	2	6	Whooping Cough	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	...	1	....	....	....	....	....	....	....	1	....	....	2		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males...	1	....	1	1	....	1	....	1	....	....	....	....	5	Rheumatism and Gout	....	....	....	....	....	1	....	2	...	1	1	....	....	....	....
Females	....	1	1	....	1	....	1	....	....	....	1	1	6		....	....	....	....	....	....	....	2	1	2	1	....	....	....	....
Males...	6	5	6	6	....	6	8	8	13	6	6	11	81	Anæmia, including Infantile Debility.	68	4	....	....	....	1	1	1	4	2	....	....	....	....	...
Females	4	6	3	12	1	7	9	10	10	4	2	2	70		52	7	....	....	....	2	1	2	2	4	....	....	....	...	....

Males ..	....	....	....	....	2	2	....	1	....	1	1	....	7	Dropsy..........	....	1	....	....	1	....	1	....	2	....	2	....	....	....	....
Females	....	....	2	2	2	1	1	....	1	....	1	1	11		....	....	....	....	1	3	1	1	2	2	1	....	....	....	....
Males ..	1	....	1	....	2	....	2	....	1	2	1	....	10	Cancer	....	....	....	....	....	....	..	2	2	3	3	....	....	....	....
Females	3	....	3	3	2	6	3	....	1	1	3	2	27		....	1	....	....	....	1	6	5	5	6	3	....	....	....	....
Males ..	5	11	11	8	7	7	7	2	8	1	5	7	79	Phthisis..........	2	3	....	5	8	26	17	10	3	3	..	2	....	....	....
Females	5	5	6	13	6	10	9	10	6	8	10	6	94		2	2	2	1	9	36	23	9	9	1	....	....	....	....	....
Males ..	5	8	9	12	7	11	6	10	9	7	7	6	97	Nervous Diseases, includ. Convulsions	36	15	5	1	1	5	5	4	7	5	11	2	....	....	....
Females	4	8	8	7	3	7	11	9	6	6	9	6	84		31	6	7	1	3	8	2	5	4	7	8	2	....	....	....
Males ..	4	4	7	9	4	2	3	4	1	2	1	4	45	Heart Diseases ..	1	4	....	..	1	1	1	7	2	13	8	6	1	....	....
Females	5	10	9	5	2	3	2	3	3	4	5	2	53		1	....	....	5	....	6	4	4	14	13	5	1	....	....	....
Males ..	7	11	10	15	14	7	6	3	4	13	3	8	101	Pneumonia and Bronchitis......	32	6	4	3	1	9	6	8	9	14	5	4	....	....	....
Females	4	12	10	10	6	10	5	7	3	8	4	3	82		25	12	....	2	4	8	4	6	8	10	3	....	....	....	....
Males ..	....	6	7	1	1	....	3	3	8	6	4	2	41	Enteritis and Gastritis	14	1	1	1	1	5	5	5	4	1	2	....	....	....	1
Females	1	4	3	4	2	3	3	2	3	1	1	3	30		6	2	....	1	1	7	2	2	1	2	4	2	....	....	....
Males ..	1	1	3	....	1	1	1	2	....	2	3	....	15	Liver Diseases....	....	1	....	....	....	....	1	3	3	4	2	....	....	....	1
Females	....	1	1	3	....	1	1	1	1	1	....	4	14		1	....	....	....	....	....	2	2	3	3	2	1	....	....	....
Males ..	4	2	3	1	1	3	1	....	4	2	4	2	27	Kidney Diseases..	....	.	2	....	2	1	3	2	1	8	7	1	....	....	....
Females	3	....	....	2	....	1	..	2	1	2	1	....	12		....	1	....	1	....	....	3	2	1	2	1	1	....	....	....
Females	....	3	4	1	4	....	....	....	....	....	....	1	13	Child Birth........	....	....	....	....	..	4	9	....	....	....	....	....	....	..	....
Males .	7	13	7	10	9	4	5	4	5	9	6	7	86	Old Age.........	....	..	....	.	....	....	....	....	....	....	38	37	10	1	....
Females	10	11	3	7	5	5	....	4	11	5	6	7	74		....	....	....	....	....	....	....	....	....	....	30	41	2	1	....
Males ..	1	3	....	1	3	2	2	3	8	2	1	2	28	Violent Deaths, Accidents, etc..	5	1	4	1	6	1	3	5	1	1	....	....	....	....	....
Females	....	1	....	....	....	....	....	1	....	2	1	3	8		....	1	1	1	2	....	....	2	....	....	1	....	....	....	....
Males ..	....	....	....	....	1	....	....	....	....	....	....	....	1	Suicide	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	1	....	....	....	....	....	....	1		....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males .	6	5	10	8	10	3	8	5	8	4	3	3	73	Other diseases and cause not specified.	24	7	3	4	1	2	7	9	5	2	..	5	4	....	....
Females	7	....	6	6	....	4	....	3	6	4	7	1	44		11	4	4	1	4	2	5	4	3	3	1	....	2	..	....
Total Males ..	59	77	84	80	65	54	65	73	91	72	52	62	834	Total Deaths from all causes.......	229	84	35	19	25	61	57	63	44	61	81	57	15	1	2
Total Females	56	72	67	83	41	65	56	76	74	62	56	52	760		183	66	33	16	32	82	65	50	56	59	63	50	4	1	...
Grand Total.	115	149	151	163	106	119	121	149	165	134	108	114	1594	....	412	150	68	35	57	143	122	113	100	120	144	107	19	2	2

H. S. CREWE, *Inspector*

RECAPITULATION.

Total Deaths by Ages, and Months in the principal Towns in 1888.

TOTAL POPULATION, 111,767.

SEX.	MONTHS.													TOWNS.	AGES.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Males...	3	4	1	5	2	3	2	....	2	5	3	3	33	Barrie	7	2	2	....	....	....	3	4	....	....	4	8	3	....	....
Females	5	4	4	2	2	3	1	1	2	1	1	1	27		4	1	2	1	1	1	4	3	2	2	....	5	1	....	....
Males...	4	2	7	1	5	4	8	4	3	1	2	6	47	Berlin	14	7	1	....	....	1	1	4	1	2	9	6	1	....	....
Females	6	4	3	2	1	5	7	6	5	4	4	6	53		16	6	2	1	3	6	3	2	3	5	3	3	....	....	....
Males...	3	4	2	7	7	1	3	4	4	8	4	1	48	Brampton	10	2	....	1	3	3	5	3	3	9	4	3	1	....	1
Females	7	5	2	4	1	3	3	3	5	6	2	2	43		6	1	2	....	....	5	3	6	4	3	9	4	....	....	....
Males...	4	5	4	4	3	4	3	5	13	12	3	2	62	Brockville	11	5	....	1	4	10	6	8	2	1	10	3	1	....	....
Females	4	8	4	4	3	10	8	8	10	6	3	2	70		13	7	4	1	7	10	5	2	6	3	4	8	....	....	....
Males...	4	5	3	7	6	3	3	10	5	2	5	3	56	Chatham	14	4	3	4	2	5	6	5	3	5	3	1	....	1	....
Females	3	2	....	8	6	8	1	3	3	5	3	4	46		7	7	2	1	2	9	5	5	1	2	1	4	....	....	....
Males...	4	4	1	3	2	1	6	1	8	4	....	3	37	Cobourg	7	2	2	....	2	4	2	1	1	6	5	5	....	....	....
Females	2	8	1	6	1	....	2	6	....	1	1	1	29		9	1	....	1	1	2	1	1	1	3	5	4	....	....	....
Males...	2	2	6	4	2	3	7	2	5	2	3	1	39	Cornwall	12	6	5	1	2	4	1	....	1	2	2	3	....	....	....
Females	....	2	4	2	2	6	2	6	7	2	2	1	36		14	3	4	1	....	4	1	2	2	1	3	1	....	....	....
Males...	6	2	9	4	9	3	6	8	7	8	2	3	67	Galt	25	8	....	1	1	2	5	6	6	2	6	3	2	....	....
Females	1	3	5	4	5	2	3	4	8	7	6	5	53		12	2	4	1	....	7	6	2	7	6	4	1	1	....	....
Males...	2	2	5	4	4	1	2	3	2	1	2	2	30	Lindsay	14	7	1	....	....	1	1	1	1	....	3	....	....	....	1
Females	2	4	2	5	3	....	1	2	2	2	3	3	29		4	1	....	2	....	6	3	2	....	3	1	5	1	1	....

Males...	3	8	2	3	....	1	4	2	1	3	1	4	32	Napanee	7	1	....	....	....	2	4	3	1	7	4	2	1	....	....							
Females	3	4	4	4	1	1	2	2	3	....	....	....	24		....	1	....	....	2	3	2	....	1	6	6	3	....	....	....							
Males...	2	5	7	3	3	2	....	5	3	7	4	8	49	Owen Sound....	18	1	1	1	3	6	3	3	2	4	3	2	2	....	....							
Females	3	3	6	7	3	5	1	2	3	5	4	3	45		12	3	1	....	1	4	5	1	5	5	6	1	1	....	....							
Males...	2	5	1	1	1	3	1	2	5	3	....	....	24	Pembroke	9	5	....	1	1	3	1	1	1	....	....	1	1	....	....							
Females	4	1	2	2	3	2	3	3	3	3	3	4	33		18	1	....	....	....	1	3	4	2	1	1	2	....	....	....							
Males...	1	2	5	3	4	3	1	3	1	4	4	5	36	Perth	11	1	2	...	1	4	2	2	3	3	4	3	....	....	....							
Females	1	3	3	8	....	2	2	1	3	2	1	2	28		12	3	....	1	2	2	1	3	1	2	1	....	....	....	....							
Males...	1	3	11	10	1	5	9	7	7	2	3	4	63	Peterborough...	28	5	4	1	....	....	4	4	4	4	2	6	1	....	....							
Females	1	2	10	8	3	3	1	9	4	5	5	6	57		13	7	1	3	5	1	6	3	7	4	5	2	....	.. .	....							
Males...	1	4	3	2	2	3	1	3	4	1	5	1	30	Picton	1	4	1	....	....	3	7	4	3	....	4	2	1	....	....							
Females	....	4	1	3	1	....	1	3	4	1	2	3	23		2	2	1	....	1	2	4	4	1	1	3	2	....	....	....							
Males...	2	3	3	3	....	3	....	2	3	....	1	6	26	Port Hope	5	1	2	....	....	3	....	1	....	6	6	2	....	....	....							
Females	1	3	....	1	2	4	1	1	3	3	3	3	25		2	1	....	....	1	3	2	1	4	4	4	3	....	....	....							
Males...	4	3	4	6	4	....	3	2	2	....	2	2	32	Whitby	8	3	6	1	1	4	....	....	....	4	3	2	....	....	....							
Females	2	....	3	2	1	....	1	2	1	1	5	1	19		5	2	....	....	....	2	2	2	2	2	2	....	....	....	....							
Males...	2	7	5	6	1	4	2	4	6	7	7	4	55	Windsor	19	7	1	2	3	1	1	4	8	3	4	2	....	....	....							
Females	2	7	6	7	1	7	12	4	2	3	8	3	62		20	7	4	....	1	8	6	5	5	5	1	....	...	....	....							
Males...	9	7	5	4	9	4	6	6	10	2	2	4	68	Woodstock	9	13	4	5	2	5	5	9	4	3	5	3	1	....	....							
Females	9	5	7	4	2	4	4	10	6	5	....	2	58		14	10	6	3	5	6	3	2	2	1	4	2	....	....	....							
Total Males...	59	77	84	80	65	51	67	73	91	72	53	62	834	Total deaths from all causes.	229	84	35	19	25	61	57	63	44	61	81	57	15	1	2							
Total Females	56	72	67	83	41	65	56	76	74	62	56	52	760		183	66	33	16	32	82	65	50	56	59	63	50	4	1	....							
Grand Total.	115	149	151	163	106	116	122	149	165	134	110	114	1594	.....	412	150	68	35	57	143	122	113	100	120	144	107	19	2	2							

H. S. CREWE, *Inspector.*